

NOV 2004

METRO OPERATIONS
MONTHLY PERFORMANCE
REPORT



Metro

Table of Contents

	Page
San Fernando Valley Sector (SFV)	3
San Gabriel Valley Sector (SGV)	7
Gateway Cities Sector (GC)	11
South Bay Sector (SB)	15
Westside/Central Sector (WC)	19
Rail Performance	23
On-time Service	
In-Service On-Time Performance	
Schedule Revenue Service Hours Delivered	
Mean Miles Between Chargeable Mechanical Failures	
Bus Service Performance Systemwide	28
On-Time Pullout Percentage	
Outlates and Cancellations by Division	
In-Service On-Time Performance	
Scheduled Revenue Service Hours Delivered	
Maintenance Performance	31
Mean Miles Between Chargeable Mechanical Failures	
Past Due Critical Preventive Maintenance Program	
Bus Cleanliness	
Attendance	34
Maintenance Attendance	
Safety Performance	35
Bus Accidents per 100,000 Hub Miles	
Rail Accidents per 100,000 Revenue Train Miles	
Customer Satisfaction	38
Complaints per 100,000 Boardings	
New Workers' Compensation Claims	39
New Workers' Compensation Claims per 200,000 Exposure Hours	
"How You Doin'?" Incentive Program	40
Monthly Metro Bus & Metro Rail	

San Fernando Valley Sector Scorecard Overview (SFV)

This sector has two Metro operating divisions, Division 8 in Chatsworth and Division 15 in Sun Valley. The sector is responsible for the operation of approximately 430 Metro buses and 24 Metro Bus lines carrying nearly 54 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Chargeable Mechanical Failures (MMBCMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

Measurement	FY02	FY03	FY04	FY05 Target	FY05 YTD	Nov. Month	Status
Bus Systemwide							
Mean Miles Between Chargeable Mechanical Failures (MMBCMF)*	5,796	6,883	7,417	7,500	7,089	7,038	🟡
In-Service On-time Performance	64.88%	69.23%	65.43%	70%	66.69%	65.62%	🟡
Bus Traffic Accidents Per 100,000 Miles	3.91	3.86	3.65	3.50	3.38	3.28	🟢
Complaints per 100,000 Boardings	3.54	4.23	4.51	3.50	3.79	2.64	🟡
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	23.99	17.80	17.64	16.76	Oct. 15.81	Oct. 14.34	🟢
SFV Sector							
MMBCMF**	4,646	8,616	8,648	8,000	9,479	10,928	🟢
In-Service On-time Performance		67.30%	67.47%	70%	69.34%	65.81%	🟢
Bus Traffic Accidents Per 100,000 Miles	3.09	2.91	2.99	3.00	2.63	2.56	🟢
Complaints per 100,000 Boardings	3.43	6.32	5.45	4.50	4.81	3.63	🟡
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	22.8	16.72	15.15	14.50	Oct. 18.3	Oct. 12.94	🔴
Division 8							
MMBCMF*	5,775	9,177	8,183	8,000	10,204	12,381	🟢
In-Service On-time Performance	67.88%	70.09%	69.12%	70%	70.99%	65.44%	🟢
Bus Traffic Accidents Per 100,000 Miles	3.22	2.84	2.75	3.00	2.52	2.21	🟢
Complaints per 100,000 Boardings	3.16	6.87	5.09	4.50	4.89	3.44	🟡
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	20.36**	20.92	19.15	14.50	Oct. 18.24	Oct. 8.38	🟡
Division 15							
MMBCMF*	4,514	8,260	9,013	8,000	8,958	9,980	🟢
In-Service On-time Performance	62.51%	66.13%	66.62%	70%	68.38%	66.04%	🟢
Bus Traffic Accidents Per 100,000 Miles	3.01	2.96	3.17	3.00	2.72	2.85	🟢
Complaints per 100,000 Boardings	3.58	6.01	5.70	4.50	4.75	3.78	🟡
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	19.15**	16.23	13.14	14.50	Oct. 18.73	Oct. 15.36	🟡

* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

**Jan - June, 2002

🟢 Green - High probability of achieving the FY05 target (on track).

🟡 Yellow - Uncertain if the FY05 target will be achieved -- slight problems, delays or management issues.


🔴 Red - High probability that the FY05 target will not be achieved -- significant problems and/or delays.

SAN FERNANDO VALLEY SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN CHARGEABLE MECHANICAL FAILURES* Systemwide and Divisions 8 and 15

Definition: Average Hub Miles traveled between chargeable mechanical problems that result in a service disruption of greater than ten minutes.

Calculation: MMBCMF = (Total Hub Miles / by Chargeable Mechanical Related Roadcalls)




* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

IN-SERVICE ON-TIME PERFORMANCE


Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: ISOTP% = 1 - ((Number of buses departing early + Number of buses departing more than five minutes late) / (Total buses sampled))

Systemwide and Bus Operating Divisions 8 and 15 ISOTP - 1 Minute Tolerance for Running Hot




Running Hot - Systemwide and Bus Operating Divisions 8 and 15



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES
Systemwide and Bus Operating Divisions 8 and 15

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.


Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))



COMPLAINTS PER 100,000 BOARDINGS
Systemwide and Bus Operating Divisions 8 and 15

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS
Systemwide and Bus Operating Divisions 8 and 15

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



San Gabriel Valley Sector Scorecard Overview (SGV)

This sector has two Metro operating divisions, Division 3 Cypress Park and Division 9 in El Monte. The sector is responsible for the operation of approximately 415 Metro buses and 28 Metro Bus lines carrying over 64.5 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Chargeable Mechanical Failures (MMBCMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

Measurement	FY02	FY03	FY04	FY05 Target	FY05 YTD	Nov. Month	Status
Bus Systemwide							
Mean Miles Between Chargeable Mechanical Failures (MMBCMF)*	5,796	6,883	7,417	7,500	7,089	7,038	Yellow
In-Service On-time Performance	64.88%	69.23%	65.43%	70%	66.69%	65.62%	Yellow
Bus Traffic Accidents Per 100,000 Miles	3.91	3.86	3.65	3.50	3.38	3.28	Green
Complaints per 100,000 Boardings	3.54	4.23	4.51	3.50	3.79	2.64	Yellow
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	23.99	17.80	17.64	16.76	Oct. 15.81	Oct. 14.34	Green
SGV Sector							
MMBCMF*	6,708	7,696	7,570	9,000	6,659	7,349	Red
In-Service On-time Performance		70.02%	69.98%	70%	70.74%	67.62%	Green
Bus Traffic Accidents Per 100,000 Miles	3.23	3.40	2.91	3.00	2.79	2.16	Green
Complaints per 100,000 Boardings	3.13	3.57	3.80	3.25	2.94	2.20	Green
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	27.80	23.15	16.12	14.00	Oct. 10.49	Oct. 10.68	Green
Division 3							
MMBCMF*	5,538	5,726	6,564	9,000	5,742	5,575	Red
In-Service On-time Performance	68.70%	71.08%	70.80%	70%	70.74%	66.24%	Green
Bus Traffic Accidents Per 100,000 Miles	3.96	4.22	3.59	3.00	3.54	2.01	Yellow
Complaints per 100,000 Boardings	2.61	3.09	3.02	3.25	2.65	1.83	Green
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	38.36**	21.54	12.36	14.00	Oct. 3.65	Oct. 9.63	Green
Division 9							
MMBCMF*	8,336	11,322	8,874	9,000	7,800	10,227	Yellow
In-Service On-time Performance	64.56%	67.47%	68.16%	70%	70.73%	69.05%	Green
Bus Traffic Accidents Per 100,000 Miles	2.56	2.64	2.26	3.00	2.11	2.29	Green
Complaints per 100,000 Boardings	3.90	4.31	5.09	3.25	3.32	2.73	Yellow
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	33.14**	28.54	20.75	14.00	Oct. 18.69	Oct. 12.77	Yellow

* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

**Jan - June, 2002

Green - High probability of achieving the FY05 target (on track).

Yellow - Uncertain if the FY05 target will be achieved -- slight problems, delays or management issues.

Red - High probability that the FY05 target will not be achieved -- significant problems and/or delays.


SAN GABRIEL VALLEY SECTOR (SGV) BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN CHARGEABLE MECHANICAL FAILURES*

Systemwide and Divisions 3 and 9

Definition: Average Hub Miles traveled between chargeable mechanical problems that result in a service

Calculation: $MMBCMF = (\text{Total Hub Miles} / \text{by Chargeable Mechanical Related Roadcalls})$



* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.


IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: $ISOTP\% = 1 - ((\text{Number of buses departing early} + \text{Number of buses departing more than five minutes late}) / (\text{Total buses sampled}))$


Systemwide and Bus Operating Divisions 3 and 9

ISOTP - 1 Minute Tolerance for Running Hot



SGV SECTOR BUS SERVICE PERFORMANCE - Continued


Running Hot - Systemwide and Divisions 3 and 9



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Systemwide and Divisions 3 and 9

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




SGV SECTOR BUS SERVICE PERFORMANCE - Continued

COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Divisions 3 and 9

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS
Systemwide and Bus Operating Divisions 3 and 9

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



Gateway Cities Sector Scorecard Overview (GC)

This sector has two Metro operating divisions, Division 1 and 2, both operating out of the downtown Los Angeles area. The sector will be responsible for the operation of approximately 395 Metro buses and 22 Metro Bus lines carrying nearly 59.8 million boarding passengers each year.

This report gives a brief overview of sector operations¹:

- * Mean Miles Between Chargeable Mechanical Failures (MMBCMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

Measurement	FY02	FY03	FY04	FY05 Target	FY05 YTD	Nov. Month	Status
Bus Systemwide							
Mean Miles Between Chargeable Mechanical Failures (MMBCMF)*	5,796	6,883	7,417	7,500	7,089	7,038	
In-Service On-time Performance	64.88%	69.23%	65.43%	70%	66.69%	65.62%	
Bus Traffic Accidents Per 100,000 Miles	3.91	3.86	3.65	3.50	3.38	3.28	
Complaints per 100,000 Boardings	3.54	4.23	4.51	3.50	3.79	2.64	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (7 month lag)	23.99	17.80	17.64	16.76	Oct. 15.81	Oct. 14.34	
GC Sector							
MMBCMF*	6,726	7,800	8,781	8,250	5,848	4,572	
In-Service On-time Performance		74.53%	69.34%	70%	71.03%	71.04%	
Bus Traffic Accidents Per 100,000 Miles	4.49	4.07	3.86	3.50	3.95	4.10	
Complaints per 100,000 Boardings	2.07	2.63	3.08	3.00	2.52	1.78	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	43.20	25.30	20.19	19.18	Oct. 17.99	Oct. 21.12	
Division 1							
MMBCMF*	8,510	9,863	8,232	8,250	5,339	3,926	
In-Service On-time Performance	74.95%	78.22%	70.57%	70%	71.12%	71.76%	
Bus Traffic Accidents Per 100,000 Miles	4.51	3.39	3.41	3.50	3.90	4.44	
Complaints per 100,000 Boardings	1.76	2.26	3.32	3.00	2.86	2.06	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	45.91**	20.42	16.82	19.18	Oct. 16.79	Oct. 12.83	
Division 2							
MMBCMF*	5,514	6,398	9,496	8,250	6,650	5,796	
In-Service On-time Performance	63.01%	67.53%	67.62%	70%	70.91%	69.86%	
Bus Traffic Accidents Per 100,000 Miles	4.48	4.78	4.36	3.50	4.02	3.67	
Complaints per 100,000 Boardings	2.38	3.07	2.84	3.00	2.13	1.46	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	48.72**	31.18	24.56	19.18	Oct. 19.91	Oct. 32.19	

* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

** Jan - June, 2002

Green - High probability of achieving the FY05 target (on track).

Yellow - Uncertain if the FY05 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY05 target will not be achieved -- significant problems and/or delays.

GATEWAY CITIES SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN CHARGEABLE MECHANICAL FAILURES* Systemwide and Divisions 1 and 2

Definition: Average Hub Miles traveled between chargeable mechanical problems that result in a service disruption of greater than ten minutes.

Calculation: MMBCMF = (Total Hub Miles / by Chargeable Mechanical Related Roadcalls)




* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.


Calculation: ISOTP% = 1 - ((Number of buses departing early + Number of buses departing more than five minutes late) / (Total buses sampled))

Systemwide and Bus Operating Divisions 1 and 2 ISOTP - 1 Minute Tolerance for Running Hot



GC SECTOR BUS SERVICE PERFORMANCE - Continued


Running Hot - Systemwide and Divisions 1 and 2



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES
Systemwide and Divisions 1 and 2

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




GC SECTOR BUS SERVICE PERFORMANCE - Continued

COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Divisions 1 and 2

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS

Systemwide and Bus Operating Divisions 1 and 2

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



South Bay Sector Scorecard Overview (SB)

This sector has two Metro operating divisions, Arthur Winston Division (5) in South Los Angeles and Carson Division (18) in Carson. The sector will be responsible for the operation of approximately 550 Metro buses and 32 Metro Bus lines carrying over 93.5 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Chargeable Mechanical Failures (MMBCMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

Measurement	FY02	FY03	FY04	FY05 Target	FY05 YTD	Nov. Month	Status
Bus Systemwide							
Mean Miles Between Chargeable Mechanical Failures (MMBCMF)*	5,796	6,883	7,417	7,500	7,089	7,038	Yellow
In-Service On-time Performance	64.88%	69.23%	65.43%	70%	66.69%	65.62%	Yellow
Bus Traffic Accidents Per 100,000 Miles	3.91	3.86	3.65	3.50	3.38	3.28	Green
Complaints per 100,000 Boardings	3.54	4.23	4.51	3.50	3.79	2.64	Yellow
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	23.99	17.80	17.64	16.76	Oct. 15.81	Oct. 14.34	Green
SB Sector							
MMBCMF*	5,665	6,237	7,132	7,000	6,505	7,748	Yellow
In-Service On-time Performance		63.67%	61.74%	70%	65.69%	65.55%	Yellow
Bus Traffic Accidents Per 100,000 Miles	4.03	4.00	3.68	4.00	3.67	4.25	Green
Complaints per 100,000 Boardings	3.42	4.02	4.63	4.00	4.25	2.99	Yellow
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	30.5	17.28	14.84	14.10	Oct. 16.66	Oct. 12.97	Yellow
Division 5							
MMBCMF*	8,883	8,756	7,823	7,000	6,023	8,142	Yellow
In-Service On-time Performance	63.31%	66.30%	63.17%	70%	66.61%	67.01%	Yellow
Bus Traffic Accidents Per 100,000 Miles	4.35	4.58	3.90	4.00	4.37	5.18	Yellow
Complaints per 100,000 Boardings	2.47	2.86	3.45	4.00	3.29	2.56	Green
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	43.97**	24.16	15.22	14.10	Oct. 15.50	Oct. 14.67	Yellow
Division 18							
MMBCMF*	4,514	5,144	6,689	7,000	6,922	7,481	Yellow
In-Service On-time Performance	60.19%	61.23%	60.78%	70%	64.99%	64.35%	Yellow
Bus Traffic Accidents Per 100,000 Miles	3.80	3.57	3.51	4.00	3.15	3.56	Green
Complaints per 100,000 Boardings	4.39	5.26	5.74	4.00	2.13	3.39	Yellow
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	25.56**	13.40	14.71	14.10	Oct. 18.37	Oct. 10.43	Yellow

* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

** Jan - June, 2002

Green - High probability of achieving the FY05 target (on track).

Yellow - Uncertain if the FY05 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY05 target will not be achieved -- significant problems and/or delays.

SOUTH BAY SECTOR (SB) BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN CHARGEABLE MECHANICAL FAILURES* Systemwide and Divisions 5 and 18

Definition: Average Hub Miles traveled between chargeable mechanical problems that result in a service disruption of greater than ten minutes.

Calculation: MMBCMF = (Total Hub Miles / by Chargeable Mechanical Related Roadcalls)




* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.


Calculation: ISOTP% = 1 - ((Number of buses departing early + Number of buses departing more than five minutes late) / (Total buses sampled))

Systemwide and Bus Operating Divisions 5 and 18 ISOTP - 1 Minute Tolerance for Running Hot



SB SECTOR BUS SERVICE PERFORMANCE - Continued


Running Hot
Systemwide and Divisions 5 and 18



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES
Systemwide and Divisions 5 and 18

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




SB SECTOR BUS SERVICE PERFORMANCE - Continued

**COMPLAINTS PER 100,000 BOARDINGS
Systemwide and Divisions 5 and 18**

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




**NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS
Systemwide and Bus Operating Divisions 5 and 18**

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



Westside/Central Sector Scorecard Overview (WC)

This sector has three Metro operating divisions, Division 6 in Venice, Division 7 in West Hollywood, and Division 10 in Los Angeles, near the Gateway building. The sector will be responsible for the operation of approximately 620 Metro buses and 21 Metro Bus lines carrying nearly 86.1 million boarding passengers each year.

This report gives a brief overview of sector operations:

- * Mean Miles Between Chargeable Mechanical Failures (MMBCMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

Measurement	FY02	FY03	FY04	FY05 Target	FY05 YTD	Nov. Month	Status
Bus Systemwide							
Mean Miles Between Chargeable Mechanical Failures (MMBCMF)**	5,796	6,883	7,417	7,500	7,089	7,038	
In-Service On-time Performance	64.88%	69.23%	65.43%	70%	66.69%	65.62%	
Bus Traffic Accidents Per 100,000 Miles	3.91	3.86	3.65	3.50	3.38	3.28	
Complaints per 100,000 Boardings	3.54	4.23	4.51	3.50	3.79	2.64	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	23.99	17.80	17.64	16.76	Oct. 15.81	Oct. 14.34	
WC Sector							
MMBCMF*	6,099	5,720	6,254	7,500	7,510	7,481	
In-Service On-time Performance		67.88%	63.31%	70%	63.44%	62.41%	
Bus Traffic Accidents Per 100,000 Miles	4.69	4.72	4.61	3.67	3.79	3.25	
Complaints per 100,000 Boardings	3.33	4.84	5.30	3.75	4.22	2.62	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	27.5	28.74	21.52	20.44	Oct. 20.11	Oct. 16.09	
Division 6							
MMBCMF*	9,241	8,335	19,270	7,500	10,799	16,655	
In-Service On-time Performance	64.64%	65.93%	60.11%	70%	55.42%	54.26%	
Bus Traffic Accidents Per 100,000 Miles	4.18	4.52	4.10	3.67	4.03	3.28	
Complaints per 100,000 Boardings	4.51	6.10	6.15	3.75	4.75	1.61	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	35.75**	30.72	21.71	20.44	Oct. 25.35	Oct. 36.60	
Division 7							
MMBCMF*	6,942	5,389	5,230	7,500	6,781	5,738	
In-Service On-time Performance	67.96%	68.80%	64.59%	70%	65.88%	64.93%	
Bus Traffic Accidents Per 100,000 Miles	5.23	4.95	4.63	3.67	4.29	4.42	
Complaints per 100,000 Boardings	3.36	4.74	5.70	3.75	4.34	3.16	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	39.27**	24.52	21.05	20.44	Oct. 19.36	Oct. 6.24	
Division 10							
MMBCMF*	5,121	5,734	6,701	7,500	7,715	6,349	
In-Service On-time Performance	63.56%	67.34%	62.85%	70%	62.75%	61.96%	
Bus Traffic Accidents Per 100,000 Miles	4.23	4.55	4.68	3.67	3.39	2.39	
Complaints per 100,000 Boardings	3.13	4.73	4.85	3.75	4.04	2.30	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	35.30**	35.38	22.90	20.44	Oct. 19.98	Oct. 19.72	

* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

**Jan - June, 2002

Green - High probability of achieving the FY05 target (on track).

Yellow - Uncertain if the FY05 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY05 target will not be achieved -- significant problems and/or delays.

WESTSIDE/CENTRAL SECTOR (WC) BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN CHARGEABLE MECHANICAL FAILURES*

Definition: Average Hub Miles traveled between chargeable mechanical problems that result in a service disruption of greater than ten minutes.

Calculation: MMBCMF = (Total Hub Miles / by Chargeable Mechanical Related Roadcalls)




* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.


Calculation: ISOTP% = 1 - ((Number of buses departing early + Number of buses departing more than five minutes late) / (Total buses sampled))

Systemwide and Bus Operating Divisions 6, 7 and 10 ISOTP - 1 Minute Tolerance for Running Hot



WC SECTOR BUS SERVICE PERFORMANCE - Continued


Running Hot - Systemwide and Divisions 6, 7 and 10



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES
Systemwide and Bus Operating Divisions 6, 7 and 10

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




WC SECTOR BUS SERVICE PERFORMANCE - Continued

COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Bus Operating Divisions 6, 7 and 10

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS

Systemwide and Bus Operating Divisions 6, 7 and 10

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



Metro Rail Scorecard Overview

Metro Rail operates one heavy rail line, Metro Red Line from Union Station to North Hollywood and three light rail lines, Metro Blue Line from downtown to Long Beach, Metro Green Line along the 105 freeway and Metro Gold Line to Pasadena. Metro Rail is responsible for the operation of approximately 104 heavy rail cars and 121 light rail cars carrying nearly 5.8 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * On-Time Pullout Percentage
- * In-Service On-Time Performance
- * Mean Miles Between Chargeable Mechanical Failures (MMBMF)
- * Traffic Accidents per 100,000 Train Miles
- * Complaints per 100,000 Boardings

Measurement	FY02	FY03	FY04	FY05 Target	FY05 YTD	Nov. Month	Status
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	14.27	11.25	11.59	11.01	Oct. 11.27	Oct. 13.21	
Metro Red Line (MRL)							
On-Time Pullouts	99.89%	99.36%	99.71%	99.00%	99.87%	100.00%	
Mean Miles Between Chargeable Mechanical Failures*	9,842	9,495	12,793	10,000	12,576	10,695	
In-Service On-time Performance	99.60%	99.15%	99.04%	99.00%	98.53%	98.64%	
Traffic Accidents Per 100,000 Train Miles	0.22	0.07	0	0.05	0.35	0.89	
Complaints per 100,000 Boardings	0.73	1.20	1.17	0.60	1.03	0.52	
Metro Blue Line (MBL)							
On-Time Pullouts	99.43%	99.07%	99.94%	99.00%	99.69%	100%	
Mean Miles Between Chargeable Mechanical Failures	4,897	6,399	10,365	10,000	18,902	24,777	
In-Service On-time Performance	98.70%	97.59%	98.74%	99.00%	98.59%	98.40%	
Traffic Accidents Per 100,000 Train Miles	0.97	0.82	1.36	0.40	0.70	0.71	
Complaints per 100,000 Boardings	0.97	1.30	0.97	0.66	0.90	0.69	
Metro Green Line (MGrL)							
On-Time Pullouts	99.62%	98.99%	99.78%	99.00%	99.86%	99.79%	
Mean Miles Between Chargeable Mechanical Failures	3,990	5,617	11,337	10,000	11,705	14,817	
In-Service On-time Performance	99.16%	98.21%	98.99%	99.00%	98.69%	98.33%	
Traffic Accidents Per 100,000 Train Miles	0.00	0.14	0.08	0.40	0.00	0.00	
Complaints per 100,000 Boardings	1.22	1.26	1.37	0.66	1.55	0.65	
Metro Gold Line (MGoL)							
On-Time Pullouts			100%	99.00%	100%	100%	
Mean Miles Between Chargeable Mechanical Failures			8,938	10,000	14,343	17,090	
In-Service On-time Performance			98.52%	99.00%	99.03%	99.34%	
Traffic Accidents Per 100,000 Train Miles			0.25	0.40	0.25	0.00	
Complaints per 100,000 Boardings			3.81	0.66	0.67	3.53	



- Green - High probability of achieving the FY05 target (on track).
- Yellow - Uncertain if the FY05 target will be achieved -- slight problems, delays or management issues.
- Red - High probability that the FY05 target will not be achieved -- significant problems and/or delays.

RAIL SERVICE PERFORMANCE

ON-TIME PULLOUTS

Definition: On-time Pullouts measures the percentage of trains leaving the yard within ninety seconds of the scheduled pullout time. The higher the number, the more reliable the service.



Calculation: $OTP\% = [(100\% - [(Total\ cancelled\ pullouts\ plus\ late\ pullouts) / by\ Total\ scheduled\ pullouts]) \times 100]$



IN-SERVICE ON-TIME PERFORMANCE

Definition: In-Service On-Time Performance measures the percentage of trains leaving all timecheck points on any run no earlier than thirty seconds, nor later than 5 minutes of the scheduled time. The higher the number, the more reliable the service.

Calculation: ISOTP% = [(100% minus [(Total runs in which a train left any timecheck point either late or early) / by Total scheduled runs) X by 100]





RAIL SERVICE PERFORMANCE - Continued

Scheduled Revenue Service Hours Delivered by Rail Line

Definition: This performance indicator measures the percentage of scheduled Revenue Service Hours delivered after subtracting cancellations, outlates and in-service delays.

Calculation: $SRS\% = (1 - (\text{Total Service Hours Lost} / \text{Total Scheduled Service Hours}))$




RAIL SERVICE PERFORMANCE - Continued

Mean Miles Between Chargeable Mechanical Failures

Definition: Mean vehicle miles between Revenue Vehicle Failures. NTD defined Revenue Vehicle Failures are vehicle systems failures that occur in revenue service and during deadhead miles in which the vehicle did not complete its scheduled revenue trip or in which the vehicle did not start its next scheduled revenue trip.

Calculation: MVMBRVF = Total Vehicle Miles / Revenue Vehicle Systems Failures




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



BUS SERVICE PERFORMANCE



IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: $ISOTP\% = 1 - ((\text{Number of buses departing early} + \text{Number of buses departing more than five minutes late}) / (\text{Total buses sampled}))$

Systemwide Trend

Bus Operating Divisions ISOTP - 1 Minute Tolerance for Running Hot



ISOTP By Sectors' Divisions

Year-to-Date Compared To Last Year

	FY04	FY05-YTD	Variance
San Fernando Valley Sector (SFV)			
Division 8			
Early	5.97%	7.21%	1.24%
On-Time	69.12%	70.99%	1.87%
Late	24.91%	21.80%	-3.11%
Division 15			
Early	8.33%	9.01%	0.69%
On-Time	66.62%	68.38%	1.76%
Late	25.06%	22.62%	-2.44%
Gateway Cities Sector (GWC)			
Division 1			
Early	9.30%	7.15%	-2.15%
On-Time	70.57%	71.12%	0.55%
Late	20.13%	21.73%	1.60%
Division 2			
Early	13.05%	9.81%	-3.24%
On-Time	67.62%	70.91%	3.29%
Late	19.33%	19.28%	-0.05%
South Bay Sector (SB)			
Division 5			
Early	12.50%	10.81%	-1.69%
On-Time	63.17%	66.61%	3.44%
Late	24.32%	22.59%	-1.73%
Division 18			
Early	9.69%	9.50%	-0.19%
On-Time	60.78%	64.99%	4.21%
Late	29.53%	25.51%	-4.02%

	FY04	FY05-YTD	Variance
San Gabriel Valley Sector (SGV)			
Division 3			
Early	9.24%	10.41%	1.17%
On-Time	70.80%	70.74%	-0.06%
Late	19.96%	18.85%	-1.11%
Division 9			
Early	8.80%	7.62%	-1.18%
On-Time	68.16%	70.73%	2.57%
Late	23.04%	21.64%	-1.40%
Westside/Central Sector (WC)			
Division 6			
Early	11.52%	11.38%	-0.14%
On-Time	60.11%	55.42%	-4.69%
Late	28.37%	33.20%	4.83%
Division 7			
Early	13.63%	12.17%	-1.46%
On-Time	64.59%	65.88%	1.29%
Late	21.78%	21.95%	0.17%
Division 10			
Early	11.48%	11.30%	-0.18%
On-Time	62.85%	62.75%	-0.10%
Late	25.68%	25.95%	0.27%


SYSTEMWIDE			
Early	11.07%	10.18%	-0.89%
On-Time	65.43%	66.69%	1.26%
Late	23.50%	23.12%	-0.38%

SCHEDULED REVENUE HOURS DELIVERED*

Definition: This performance indicator measures the percentage of scheduled Revenue Hours delivered after being offset by cancellations, outlates and in-service equipment failures.

Calculation: SRHD% = 1 - ((In-Service Delay Revenue Hours plus Cancelled Revenue Hours) divided by (Total Scheduled Service Hours + Temporary Revenue Hours + Hollywood Bowl and Race Track Revenue Hours + In Addition Revenue Hours))

Systemwide Trend



Performance Year-to-Date Compared To Last Year*

SRSHD	FY04	FY05-YTD	Variance
San Fernando Valley Sector (SFV)			
Division 8	89.74%	99.54%	9.81%
Division 15	89.48%	99.26%	9.77%

SRSHD	FY04	FY05-YTD	Variance
San Gabriel Valley Sector (SGV)			
Division 3	89.55%	99.46%	9.91%
Division 9	90.00%	99.53%	9.53%


Gateway Cities Sector (GWC)			
Division 1	89.68%	99.33%	9.65%
Division 2	89.56%	99.59%	10.03%

Westside/Central Sector (WC)			
Division 6	88.63%	98.74%	10.11%
Division 7	89.40%	99.31%	9.92%
Division 10	89.39%	99.38%	9.98%

South Bay Sector (SB)			
Division 5	89.81%	99.54%	9.72%
Division 18	89.33%	99.32%	9.99%

Systemwide	89.55%	99.40%	9.85%
-------------------	---------------	---------------	--------------

*Metro Strike Oct. 13 - Nov. 17, 2003 in FY04




MAINTENANCE PERFORMANCE

MEAN MILES BETWEEN CHARGEABLE MECHANICAL FAILURES*

Definition: Average Hub Miles traveled between chargeable mechanical problems that result in a service disruption of greater than ten minutes.


Calculation: Mean Miles Between Chargeable Mechanical Failures (MMBCMF) =
(Total Hub Miles / by Chargeable Mechanical Related Roadcalls)

Systemwide Trend




* Mean Miles Between Chargeable Mechanical Failures is overstated due to data collection system failure.

Bus Operating Sector Divisions September - November 2004



Fleet Mix by Fuel Type



MAINTENANCE PERFORMANCE - Continued

Fleet Mix by Fuel Type Systemwide (Metro and Contract Services)

	Number of Buses	Percent of Buses
CNG	1,950	75.20%
Diesel (Except FlexMetro)	539	20.79%
FlexMetro Diesel	10	0.39%
Gasoline	60	2.31%
Propane	34	1.31%
Total	2,593	100.00%

Average Age of Fleet by Sectors' Divisions

SFV		SGV		GWC		SB	
Div 8	Div 15	Div 3	Div 9	Div 1	Div 2	Div 5	Div 18
7.5	6.9	7.6	6.2	5.4	5.0	4.7	7.2


WC		
Div 6	Div 7	Div 10
10.7	5.8	6.8

PAST DUE CRITICAL PREVENTIVE MAINTENANCE PROGRAM JOBS (PMP's)

Definition: Average past due critical scheduled preventive maintenance jobs per bus. This indicator measures maintenance management's ability to prioritize and perform critical repairs and indicates the general maintenance condition of the fleet.


Calculation: Past Due Critical PMP's = (Total Past Due Critical PMP's / by Buses)

Systemwide Trend



Note: Since July 2004, three sectors, San Fernando Valley, San Gabriel Valley and Gateway Cities, have had their six divisions (Divisions 8, 15, 3, 9, 1 and 2) involved in a pilot project to test extending maintenance critical PMP mileage periodicities. These "extended" mileages have not been officially implemented at this time; therefore, these divisions will appear not to have completed their critical PMP's in current monthly and weekly reports until the program is officially modified systemwide accordingly.

Past Due Critical PMPs - by Sectors' Divisions
September - November 2004




BUS CLEANLINESS


Definition: A team of three Quality Assurance Supervisors rates twenty percent of the fleet at each division and contract per quarter. Beginning January 2004, they rate the divisions each month. Each of sixteen categories is examined and assigned a point value as follows: 1-3= Unsatisfactory; 4-7=Conditional; 8-10=Satisfactory. The individual item scores are averaged, unweighted, to produce an overall cleanliness rating.

Calculation: Overall Cleanliness Rating = (Total Point Accumulated divided by 16)

Systemwide Trend



Bus Operating Divisions by Sector August - November 2004



Analysis: Division 8's overall rating remained at 8.3. Overall cleanliness scores for Divisions 1, 2, 3, 6, 7, 8, 9, 10, 15 and 18 remained consistent with the fourth quarter of FY04. However, Division 5's overall ratings dropped nearly half a point or more.

Scores for the categories of window etching, interior graffiti, exterior graffiti, exterior cleanliness, exterior body condition and front and rear bumper condition were above the 8.0 mark.

Corrective Action: Overall improvement is needed in the areas of dashboards, drivers area, transom/ledges, ceilings, seats, windows, sacrificial windows, doors, floors and stepwells.


ATTENDANCE

MAINTENANCE ATTENDANCE


Definition: Maintenance Mechanics and Service Attendants - % attendance Monday through Friday for the month.

Calculation: 1-(FTEs absent / by the total FTEs assigned)

Systemwide Trend



Maintenance Attendance - By Sectors' Divisions (By Current Month) September - November 2004




SAFETY PERFORMANCE

BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.


Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))

Systemwide Trend



Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.

Bus Operating Divisions - by Sectors' Divisions September - November 2004




BUS PASSENGER ACCIDENTS PER 100,000 BOARDINGS*

Definition: Average number of Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.


Calculation: Passenger Accidents Per 100,000 Boardings = (The number of Passenger Accidents / by (Boardings / by 100,000))

Systemwide Trend



Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.


Bus Operating Divisions - by Sectors' Divisions September - November 2004



RAIL ACCIDENTS PER 100,000 REVENUE TRAIN MILES

Definition: Average number of Rail Accidents for every 100,000 Revenue Train Miles traveled. This indicator measures system safety.


Calculation: Rail Accidents Per 100,000 Revenue Train Miles = (The number of Rail Accidents / by (Revenue Train Miles / by 100,000))



RAIL PASSENGER ACCIDENTS PER 100,000 BOARDINGS*

Definition: Average number of Rail Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.

Calculation: Rail Passenger Accidents Per 100,000 Boardings = (The number of Rail Passenger Accidents / by (Train Boardings / by 100,000))




CUSTOMER SATISFACTION

COMPLAINTS PER 100,000 BOARDINGS


Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)

Systemwide Trend



Bus Operating Divisions - by Sectors' Divisions September - November 2004




WORKERS COMPENSATION CLAIMS

New Workers Compensation Claims per 200,000 Exposure Hours

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = $\frac{\text{New Claims}}{(\text{Exposure Hours}/200,000)}$

Metro Operations Trend



One month lag from current month


NEW CLAIMS PER 200,000 EXPOSURE HOURS-MONTH BY BUS SECTORS' DIVISION & RAIL

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = $\frac{\text{New Claims}}{(\text{Exposure Hours}/200,000)}$

Bus & Rail - by Bus Sectors' Divisions and Rail August - October 2004

One month lag from current month




"HOW YOU DOIN'?" PERFORMANCE INCENTIVE PROGRAM

Monthly Calculations - November 2004 Metro Bus - Maintenance

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

Maintenance												
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
Miles Between Mechanical Failures	25%	3925.8	5795.7	5575.2	8142.2	16654.5	5738.1	12380.6	10227.3	6348.5	9980.0	7480.7
Points		1	4	2	7	11	3	10	9	5	8	6
Attendance	15%	0.97169	0.97795	0.96700	0.98573	0.96537	0.97393	0.98987	0.96691	0.97217	0.97056	0.97682
Points		5	9	3	10	1	7	11	2	6	4	8
New WC Claims /200,000 Exp Hrs*	25%	11.3793	12.6985	10.1581	9.6120	34.4545	9.8449	0.0000	0.0000	33.5217	9.7443	8.1342
Points		4	3	5	8	1	6	11	11	2	7	9
*One month lag												
Bus Cleanliness	35%	7.780	7.547	7.550	7.731	7.381	6.619	8.350	7.894	7.869	7.606	7.313
Points		8	4	5	7	3	1	11	10	9	6	2
Totals		4.80	4.50	3.95	7.70	4.20	3.65	10.75	8.80	5.80	6.45	5.65
FINAL RANKING		Maintenance Division Ranking (Sorted)										
	DIV.	Div 8	Div 9	Div 5	Div 15	Div 10	Div 18	Div 1	Div 2	Div 6	Div 3	Div 7
	Score	10.75	8.80	7.70	6.45	5.80	5.65	4.80	4.50	4.20	3.95	3.65
	Rank	1st	2nd	3rd	4th	5th	6th	7th	7th	9th	10th	11th




Monthly Calculations - November 2004
Metro Bus - Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

Transportation												
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time Performance	20%	0.7176	0.6986	0.6624	0.6701	0.5426	0.6493	0.6544	0.6905	0.6196	0.6604	0.6435
Points		11	10	7	8	1	4	5	9	2	6	3
Running Hot	20%	0.0634	0.0983	0.0859	0.0890	0.0682	0.1013	0.0989	0.0707	0.0754	0.0698	0.0705
Points		11	3	5	4	10	1	2	7	6	9	8
Accident Rate	20%	4.4362	3.6711	2.0089	5.1776	3.2751	4.4219	2.2147	2.2857	2.3866	2.8478	3.5647
Points		2	4	11	1	6	3	10	9	8	7	5
Complaints/100K Boardings	20%	2.0620	1.4612	1.8260	2.5576	1.6122	3.1636	3.4354	2.7306	2.2973	3.7842	3.3932
Points		8	11	9	6	10	4	2	5	7	1	3
New WC Claims /200,000 Exp Hrs*	20%	13.2505	38.0209	9.4649	16.0857	37.3819	5.2725	11.0502	16.7786	15.9611	16.9974	11.0487
Points		7	1	10	5	2	11	8	4	6	3	9
*One month lag												
Totals		7.80	5.80	8.40	4.80	5.80	4.60	5.40	6.80	5.80	5.20	5.60
FINAL RANKING												
	DIV.	Div 3	Div 1	Div 9	Div 2	Div 6	Div 10	Div 18	Div 8	Div 15	Div 5	Div 7
Score		8.40	7.80	6.80	5.80	5.80	5.80	5.60	5.40	5.20	4.80	4.60
Rank		1st	2nd	3rd	4th	4th	4th	7th	8th	9th	10th	11th



**Monthly Calculations - November 2004
Metro Rail**

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance indicators are ranked from best to worst. Performance percentages for various indicators are averaged and outcomes are sorted from high to low. The rail line competes with itself on its own improvement over prior year performance. The percentage score showing best improvement (or least decline) wins the program award for the month.

	Metro Blue Line			Metro Red Line			Metro Green Line			Metro Gold Line		
	Nov-03	Nov-04	Yearly Improvement	Nov-03	Nov-04	Yearly Improvement	Nov-03	Nov-04	Yearly Improvement	Nov-03	Nov-04	Yearly Improvement
Wayside Availability												
Track	99.91%	100.00%	0.09%	100.00%	100.00%	0.00%	100.00%	100.00%	0.00%	100.00%	100.00%	0.00%
Signals	100.00%	99.96%	-0.04%	99.51%	99.24%	-0.26%	99.17%	99.26%	0.10%	100.00%	99.98%	-0.02%
Power	99.96%	100.00%	0.04%	100.00%	100.00%	0.00%	99.92%	98.76%	-1.17%	100.00%	100.00%	0.00%
Wayside Performance	99.96%	99.99%	0.03%	99.84%	99.75%	-0.09%	99.70%	99.34%	-0.36%	100.00%	99.99%	-0.01%
Vehicle Availability												
Vehicle Performance	98.66%	98.69%	0.03%	97.04%	99.49%	2.44%	98.94%	99.25%	0.31%	99.87%	99.18%	-0.69%
Operator Availability												
Operators	99.96%	99.95%	-0.01%	99.78%	99.99%	0.21%	99.85%	99.97%	0.12%	99.94%	99.97%	0.04%
In-Service Performance												
ISOTP - Rail	98.74%	98.60%	-0.14%	98.36%	98.72%	0.36%	98.77%	97.24%	-1.53%	99.92%	99.14%	-0.78%
total Rail Line Performance	99.33%	99.31%	-0.02%	98.76%	99.49%	0.73%	99.31%	98.95%	-0.36%	99.93%	99.57%	-0.36%

Metro Rail Final Ranking (Sorted)				
Rail Line	RED	BLUE	GOLD	GREEN
Score	0.731%	-0.023%	-0.361%	-0.362%
Rank	1st	2nd	3rd	4th

