



*The Earth Technology
Corporation*



RECEIVED
SCRTD - TSD
TRANSIT FACILITIES

APR 28 1987

ITEM # 554
FILE # _____

THE PHASE IV SUBSURFACE INVESTIGATION
NEAR THE
METRO RAIL A-130 CORRIDOR
LOS ANGELES, CALIFORNIA

Prepared by

THE EARTH TECHNOLOGY CORPORATION
3777 Long Beach Boulevard
Long Beach, California

Prepared for

METRO RAIL TRANSIT CONSULTANTS
548 South Spring Street
Seventh Floor
Los Angeles, California

12 February 1987

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 SITE BACKGROUND	1
1.2 PURPOSE AND SCOPE OF INVESTIGATION	4
2.0 GEOLOGY AND HYDROLOGY	5
2.1 SITE GEOLOGY	5
2.2 SITE HYDROLOGY	5
3.0 SITE INVESTIGATION	3
3.1 DRILLING AND SOIL SAMPLING	3
3.2 GROUNDWATER QUALITY INVESTIGATION	10
3.3 LABORATORY ANALYSIS	12
4.0 ADDITIONAL INVESTIGATIONS	17
4.1 UNDERGROUND PIPE AND CABLE INVESTIGATION	17
4.2 CPT INVESTIGATION	17
5.0 RESULTS AND DISCUSSION	21
5.1 SOIL CONTAMINATION	21
5.2 GROUNDWATER CONTAMINATION	22
6.0 CONCLUSIONS	23
7.0 REFERENCES	24

TABLE OF CONTENTS

(Continued)

<u>APPENDICES</u>	<u>Page</u>
APPENDIX A - Site Daily Activity Reports	A-1
APPENDIX B - Chain of Custody Forms and Laboratory Data Sheets	B-1
APPENDIX C - Site Boring Logs	C-1

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page</u>
1	General Location Map	2
2	Areal Geologic Map	3
3	Site Plot Plan with Location of Boreholes	9
4	Site Profile	11
5	CPT Investigation Area.	18

LIST OF TABLES

<u>Table</u>	<u>Title</u>	<u>Page</u>
1	Soil and Groundwater Samples Collected and Analyzed	13
2	Summary of Laboratory Analysis of Groundwater	14
3	Summary of Laboratory Analysis of Groundwater for EPA Methods 624, 625	15
4	Summary of Laboratory Analysis of Soil.	16
5	Summary of CPT Probing	19

LIST OF PLATES

<u>Plate</u>	<u>Title</u>	<u>Page</u>
1	Los Angeles City Oil Field	25
2	Physiographic Features and Groundwater Basins	26

1.0 INTRODUCTION

This report documents the subsurface investigation that was conducted by The Earth Technology Corporation in January 1987 near the Metro Rail A-130 corridor. This investigation entailed drilling 9 boreholes to depths ranging from 40 to 60 feet in the vicinity adjacent to both on and off ramps of the north and south bound Santa Ana Freeway and Vignes Street exit and near Center Street. Soil and groundwater samples were collected from each borehole. Thirteen soil and 2 groundwater samples were analyzed for total petroleum hydrocarbons, organic priority pollutants, and pH. An additional 6 groundwater samples are analyzed for pH and sulfides only.

1.1 SITE BACKGROUND


The subsurface investigation area is bordered by the Santa Ana Freeway (Route 101) and by Macy, Ramirez, Keller, and Lyon Streets in the City of Los Angeles (T1S, R13W, Sec. 27), California. Land use in the vicinity consists of industrial plants, a City technical center, an Amtrak station, and a Jenny's Restaurant. Figure 1 shows the general location of the study area relative to the industrialized Los Angeles area. Figure 2 is an areal geologic map.

Land use information is not available for the vicinity of the investigation area prior to 1870. Scattered data suggest that, from 1870 to 1941, the Southern California Gas Company and a predecessor, the Los Angeles Gas and Electric Company, used a portion of the land on Aliso Street for coal/oil gas generation. In 1943, the Southern California Gas Company ceased the gas generation operation and converted the plant into a butadiene production facility. Butadiene gas was produced through a thermal "cracking" process. This process consisted of mixing oil distillates with steam and heating the mixture in gas generators. Liquid from the condensed gas was piped to the Shell Chemical Company in Torrance for purification. The Southern California Gas Company ceased production of the butadiene gas around 1946. Southern California Gas Company sold the property about 30 years ago, and there is no available data on the use of the buildings or land after 1946.




SOURCE: USGS (1972)

SCALE



 The Earth Technology Corporation	PROJECT NO.:	87-600
	METRO RAIL	

GENERAL LOCATION MAP
METRO RAIL INVESTIGATION SITE
LOS ANGELES, CA



EXPLANATION

- ALLUVIUM AND ASSOCIATED DEPOSITS OF RECENT OR PLEISTOCENE AGE
- SEDIMENTARY ROCKS OF MARINE ORIGIN, MAINLY TERTIARY WITH SOME CRETACEOUS
- CRYSTALLINE AND METAMORPHIC ROCKS, JURASSIC OR OLDER; SOME TERTIARY ROCKS
- KNOWN FAULTS
- INFERRED FAULT
- CONCEALED FAULTS
- SOURCE STUDY AREA

SOURCE: BULLETIN NO. 104
GROUND WATER GEOLOGY



The Earth Technology Corporation	PROJECT NO.: 87-600
METRO RAIL TRANSIT	

AREAL GEOLOGIC MAP

1.2 PURPOSE AND SCOPE OF INVESTIGATION

The investigation was undertaken to estimate the nature and extent of potential hazardous materials in the subsurface and groundwater at the site. The findings of this investigation will form the technical basis for Metro Rail route planning.

The scope of work consisted of numerous tasks. These tasks were described in the Work Plan, which was prepared by Earth Technology, and are summarized below:

- o Obtain necessary permits for drilling activities.
- o Prepare and implement a site specific Health and Safety Plan.
- o Prepare and implement an on site decontamination program during drilling activities.
- o Set up procedures for storing drums containing soil and waste water on site and for transporting the drums to an acceptable disposal site.
- o Conduct a geophysical investigation to assist in finding locations where drilling may be possible.
- o Conduct a subsurface soil and groundwater sampling program.
- o Conduct an organic vapor analyzer (OVA) and hydrogen sulfide gas detection program.
- o Submit soil and groundwater samples for chemical analysis to an approved laboratory.
- o Evaluate data developed during the site investigation.
- o Prepare and submit a report documenting the findings, assessments and conclusions resulting from the investigation.

2.0 GEOLOGY AND HYDROLOGY

2.1 SITE GEOLOGY

REGIONAL GEOLOGY

The investigation area is located within an alluviated lowland known as the Los Angeles Basin. The basin is underlain by a structural depression composed primarily of marine and non-marine clastic sedimentary rock. Specific features to the basin area are:

- o The Newport-Inglewood and Whittier fault zones, which separate the basin into northwestern, southwestern, northeastern, and central blocks
- o The N70W Los Angeles anticline, a major geologic influence to the central block
- o A narrow fault and folding zone of the south limb of the Elysian Park anticline.

The Metro Rail A-130 Corridor is within the central block and within the boundaries of major Newport-Inglewood, Whittier, and Santa Monica fault zones. There are no known active or potentially active faults identified within the study area.

The Los Angeles City oil field is another feature specific to the study area. The field is in the east-central part of the metropolitan area and is located along the south side of the narrow fault and folding zone on the south limb of the Elysian Park Anticline. It consists of three distinct production areas - eastern, central, and western. Plate 1 shows the location of the oil field in relation to the site.

SITE GEOLOGY

The Basin bedrock is exposed in Elysian Park, about 2 miles north of the site. The bedrock is composed of about two thousand feet of sandy siltstone and interbedded conglomerate of the Fernando Formation; and oil-bearing sandstone, shale, and siliceous shale of the Puente Formation. Borehole records from a previous study show the Puente Formation to be 100 feet below the surface within the corridor area. Visual identification of soil samples by Earth Technology's geologist shows that subsurface soils are mainly composed of:

- o An upper fill consisting mainly of silty sand with concrete, wood, and brick debris. In borehole BH-209 an old brick road was encountered 5 inches beneath the ground surface which was underlain by 3 inches of concrete.
- o A unit of silty and/or clayey sands that grades to sand.
- o A middle unit (20 to 45 feet) of gravelly sands and cobbles.
- o A lower unit of sand which grades to gravelly sands and cobbles in BH-201, BH-203, BH-207, and BH-209.

In borehole BH-201 at 46.5 feet there was auger refusal due to what appeared to be a large cobble or boulder.

2.2 SITE HYDROLOGY

The site is located in the Los Angeles Forebay area. Plate 2 shows the boundary of the forebay area. A semiperched aquifer consisting of coarse sands and gravels is common near the surface in the Forebay area. Thickness of the aquifer is 0 to 50 feet, and occurs as irregular patches. The Gaspar and Exposition aquifers exist west and south of the Los Angeles River and in the vicinity of the study area (Department of Water Resources, Bulletin No. 104). These aquifers are from 10 feet to greater than 100 feet in thickness and consist mainly of sand and gravel with clay and silt lenses. The aquifers are

not differentiated from each other and are overlain by alluvium. Historically, wells were installed in the Gaspar aquifer. These existing well yields are high.

Based on visual observation and site borehole logs, it appears that the site geology consists of mixed alluvium, bedrock, and river gravel and cobble deposits.

Groundwater on site was encountered at 25 to 30 feet below the surface. Water-bearing material at the site consists of coarse sands and gravelly sands with occasional lenses of clay.

Based on regional groundwater data from the Los Angeles County Flood Control District, the 1975 static groundwater table is 50 to 100 feet below the bedrock surface in the vicinity of Union Station, approximately 1 mile northwest of the study site.

3.0 SITE INVESTIGATION

3.1 DRILLING AND SOIL SAMPLING


Ten drilling attempts were made at the site. Five of the boreholes were drilled to a maximum depth of 60 ft using a B-53 drill rig with 5-inch outer diameter hollow stem augers. One borehole, BH-203, was slant drilled at an angle of 20° under the Santa Ana Freeway. BH-203 was completed to a total depth of 60 feet and extended horizontally from the borehole in the direction of the freeway approximately 21 feet. Borehole locations are presented in Figure 3. Sixty soil samples were collected from the 9 boreholes. Site daily activity records are presented in Appendix A.

Samples were collected at five-foot intervals using a split spoon sampler containing brass liners. The sampler was opened as soon as it was removed from the borehole. Brass liners were removed and sealed with polycarbonate caps, labelled, placed in airtight sample containers, and placed on ice in preparation for delivery to the certified analytical laboratory. All samples were accompanied by chain-of-custody forms (Appendix B).

After each sampling event, the sampler was cleaned with an Alconox wash, followed by two water rinses and a distilled water rinse. Downhole sampling equipment and tools, including augers, and the work area of the drill rig were decontaminated between each borehole using a steam cleaner. Boreholes were grouted with cement to the surface. Spoils were stored in a central area on site in class 17-H 55-gallon drums and identified by borehole. Spoils will be disposed of by a qualified disposal company following laboratory analysis of soil samples.

Borehole logs are presented in Appendix C. Boreholes were logged by The Earth Technology geologist. Observations of the soil were made visually for color, grain size, and texture. Soils were identified using the Unified Soil Classification System.

Fill material was encountered in most boreholes at depths from about 0.5 to 5 ft. The fill consists of dark brown silty sand. Between 5 and approximately



15 ft, pieces of brick, woodchips, and concrete were encountered. It was impossible to identify whether soils immediately beneath the debris were also fill material. Below 15 ft, the soil consists mainly of coarse sand, sandy gravel, and cobble. Occasional thin lenses of clayey sands and boulders were encountered.

An oily film appeared on the sampler and an oily odor was detected in boreholes BH-201, BH-202, BH-203, BH-204, BH-208, and BH-209 at depths from approximately 20 to 50 feet. A creosote odor was encountered in boreholes BH-204, BH-208 and BH-209 at 40 to 50 foot depths and also upon removal of the augers. In addition, a strong gasoline odor and hydrogen sulfide odor was encountered in BH-209 at 15-foot and 30 to 35 feet depths, respectively.

Odors and discolored soils were not observed in boreholes BH-206A and BH-207. Figure 4 shows a preliminary cross-section of subsurface conditions at the site.


3.2 GROUNDWATER QUALITY INVESTIGATION

Groundwater samples were obtained using a PVC bailer and were collected from the bottom of seven boreholes. The bailer was steam cleaned between boreholes. Samples were properly labelled, iced, and packed for transport to the laboratory. One duplicate sample was collected and labelled BH-208-60 to ensure the integrity of the laboratory procedure since a water sample was not obtained from the true BH-208. All samples were accompanied by chain-of-custody forms. Appendix B contains the chain-of-custody forms and laboratory sheets.

Water samples were collected from the following boreholes at the following completion depths:

- | | |
|------------------------|-----------------------|
| 1. BH-201 at 45.5 feet | 5. BH-206A at 40 feet |
| 2. BH-203 at 50 feet | 6. BH-207 at 50 feet |
| 3. BH-204 at 51.5 feet | 7. BH-209 at 50 feet. |
| 4. BH-205 at 50 feet | |

11



ALLUVIUM INCLUDES SILTY SANDS, POORLY GRADED SANDS OR GRAVELLY SANDS, AND WELL GRADED SANDS OR GRAVELLY SANDS

GW WELL-GRADED GRAVELS OR GRAVEL-SAND MIXTURES, LITTLE OR NO FINES (WITH COBBLE)

▤ OLD BRICK ROAD

— CONCRETE

- - - APPROXIMATE LOCATION OF BOREHOLE



PROJECT NO.: 87-600

METRO RAIL TRANSIT

GENERALIZED SITE PROFILE

Groundwater samples were not collected from boreholes BH-202 and BH-203 due to breakage of the hammer and the sampler becoming stuck in the augers.

3.3 LABORATORY ANALYSES

A total of 13 soil samples from the 9 boreholes were selected for laboratory analysis (Table 1). Sample selection was based on visual observations, headspace OVA readings, and the soil material encountered. At least one sample per borehole was chosen.

Soil samples were analyzed for organic priority pollutants (EPA Methods 3240 and 8270), total petroleum hydrocarbons (EPA Method 418.1), and pH (EPA Method 150.1) (Table 4).

Groundwater samples from seven boreholes were collected for laboratory analysis (Table 1).

Groundwater samples were analyzed for total sulfides and pH (Table 2). In addition, samples from boreholes BH-204-50 and BH-209-50 were also analyzed for organic priority pollutants using EPA Methods 524, 525 (Table 3). All the other water samples were stored for possible later analysis. From the site history, it was suspected that there may be a possibility of contaminants (coal tar derived hydrocarbons) that may have originated from the earlier gasification and/or butadiene production activities northwest of the area.

Laboratory quality assurance/quality control (QA/QC) included, in addition to reagent blanks and standards, 10 percent duplicates and 10 percent spikes (surrogates). The replicate and recovery data are within the acceptable ranges of reproducibility and accuracy described by the California Department of Health Services. The Earth Technology Corporation ran moisture and density tests on selected soil samples. Generally, samples selected were the same as the soil samples sent to the laboratory. If this was not possible then a sample was chosen from five feet above or below that depth.

TABLE 1. SOIL AND GROUNDWATER SAMPLES
COLLECTED AND ANALYZED FOR
METRO RAIL CORRIDOR A-130

Borehole No.	Completion Depth (ft)	Total Soil Samples	Laboratory Analysis Samples	
			Total Water Samples	Total Soil (1) Samples
BH-201	46.5	6	1	1 (30)
BH-202	50	8	-	2 (30,40)
BH-203	60	5	1	2 (10,35)
BH-204	51.5	6	1	1 (30)
BH-205	60	7	2	1 (55)
BH-206A	40	6	1	2 (15,35)
BH-207	60	7	1	1 (30)
BH-208	60	5	-	1 (25)
BH-209	50	8	1	2 (15,35)

(1) Numbers in parantheses indicate sample depths in ft.

TABLE 2. SUMMARY OF LABORATORY ANALYSIS OF
GROUNDWATER IN METRO RAIL CORRIDOR A-130

Borehole No.	Depth (ft)	Sulfide (ppm)	pH
BH-201	46.5	0.55	7.43
BH-203	60	1.5	7.24
BH-204	60	14.58	7.63
BH-205	60	7.3	7.29
BH-206A	40	0.61	7.24
BH-207	60	0.64	9.29
BH-208 (Duplicate sample of BH-205)	60	8.0	7.29
BH-209	50	0.47	7.56

TABLE 3. SUMMARY OF LABORATORY ANALYSIS OF GROUNDWATER
FOR EPA METHODS 524, 525⁽¹⁾

Constituent	BH-204-60	BH-209-60
Toluene	*	450
Benzene	*	110
Ethylbenzene	12	130
Xylene	*	560
Napthelene	110	180
2-Methylnapthalene	*	17
Acenaphthylene	57	19
Fluorene	*	15
Phenanthrene	47	19
Anthracene	36	20
Fluoranthene	119	23
Pyrene	132	39
Benzo (a) Anthracene	54	19
Chrysene	65	18
Benzo (b) Fluoranthene	33	*
Benzo (k) Fluoranthene	*	18
Benzo (a) Pyrene	40	15

* Below Limit of Detection

(1) Concentration in hg/l

TABLE 4. SUMMARY OF LABORATORY ANALYSIS OF SOIL (1) IN METRO
RAIL CORRIDOR A-130

Constituent	BH- 201 30'	BH- 202 30'	BH- 202 40'	BH- 203 10'	BH- 203 35'	BH- 204 30'	BH- 205 55'	BH- 206A 15'	BH- 206A 35'	BH- 207 30'	BH- 208 25'	BH- 209 15'	BH- 209 35'
TPH	9	4	4	7	4	6	8	6	7	3	4	3	61
pH	8.24	9.34	7.69	8.12	7.05	8.85	8.74	8.60	8.39	9.10	8.12	7.25	7.52
Naphthalene	*	*	*	*	*	*	*	*	*	0.3	*	*	*
Acenaphthylene	*	*	*	*	*	*	*	*	*	0.3	*	*	*
Fluorene	*	*	*	*	*	*	*	*	*	*	*	*	0.7
Phenanthrene	*	*	*	*	*	*	*	*	*	0.2	*	*	2.0
Anthracene	*	*	*	*	*	*	*	*	*	*	*	*	0.6
Fluoranthene	*	*	*	*	*	*	*	*	*	0.5	*	*	1.0
Pyrene	0.2	*	*	11	*	*	*	*	*	0.7	*	*	1.4
Benzo(a) Anthracene	*	*	*	*	*	*	*	*	*	*	*	*	0.6
Chrysene	*	*	*	*	*	*	*	*	*	0.3	*	*	0.6
Benzo(b) Fluoranthene	*	*	*	*	*	*	*	*	*	*	*	*	0.4
Benzo (a) Pyrene	*	*	*	5	*	*	*	*	*	*	*	*	0.5
4-Methyl-2-Pentanone	0.19	*	*	0.10	*	0.07	*	*	*	0.55	*	0.4	*
2-Methylnaphthalene	*	*	*	*	*	*	*	*	*	*	*	*	*
Benzo (g,h,i) Perylene	*	*	*	27	*	*	*	*	*	*	*	*	*

* Below Limit of Detection

(1) Concentration in mg/kg unless otherwise noted.

4.0 ADDITIONAL INVESTIGATIONS

4.1 UNDERGROUND PIPE AND CABLE INVESTIGATION


Each designated borehole location was surveyed for underground pipes and cables. Two to three areas in the vicinity of the planned boreholes were cleared for drilling by a subcontractor using geophysical equipment. The locator equipment used a sensor that detected subsurface metallic pipes and cables. However, the equipment is limited in its capabilities, and cannot detect wiring or piping located beneath concrete. Nine cleared borehole locations were successfully drilled. One drilling attempt at borehole location BH-206 was unsuccessful. The second attempt (BH-206A) was successful. The locations of the CPT probes are presented in Figure 5 and daily site activity records of January 7 and 12.

4.2 CPT INVESTIGATION

On January 7 and 12, Earth Technology conducted field probing using an electronic cone penetrometer (CPT). The objective of this investigation was to penetrate borehole sites by probing with the CPT. Utilizing the hydraulics of the CPT, Earth Technology personnel pushed 1 1/4-inch diameter rods fitted with a "dummy" tip into the soil in specific areas in which borehole locations were required. This method proved efficient in finding borehole locations that a drill rig, equipped with hollow stem augers, could penetrate.

The target depth of probing for the CPT was 30 feet. It was evaluated that if the CPT were able to attain a depth of 30 feet, there should be no deeper artificial obstructions to impede drilling. During pushing of the rods, hydraulic pressure was monitored. Refusal was noted when pressures in excess of 1,800 to 2,000 psi were applied.

To penetrate the nine borehole locations, Earth Technology personnel attempted a total of 25 CPT probings (See Table 4 and Figure 5). Although the target depth of 30 feet was not attained in any of the probing attempts, a decision



	PROJECT NO.:	87-600
	METRO RAIL TRANSIT	
CPT INVESTIGATION AREA		
2-87	FIGURE 5	

TABLE 5. SUMMARY OF CPT PROBINGS
PHASE IV CORRIDOR A-130

CPT LOCATION	CPT SITE	CPT ID	COMPLETION DEPTH(FT)	REMARKS
Traffic Island Viges on & off Ramp	BH-201	C-1	25.5	Crunching @ 11' - 12' Crunching @ 15' - 17'
		BH-202	C-2	22.3
	C-2A		20.9	Refusal
	C-2B		23.1	Refusal
	C-2C		19.5	Refusal
	C-2D		25.3	Refusal
	C-2E		24.4	Refusal
	C-2F		17.3	Refusal
	C-2G		17.2	Refusal
	C-2H	18.3	Refusal	
	BH-203	C-3	22.9	Refusal
		C-3A	17.3	Refusal
		C-3B	23.5	Refusal
		C-3C	20.1	Refusal
East of Viges St. Near Freeway On Ramp	BH-205	C-5	27.2	Refusal
		C-6A	22.4	Refusal
Northeast Corner of Center Street (Commercial Cross Street)	BH-205	C-5	14.1	Refusal
		C-5A	16.5	Refusal
		C-5B	15.5	Refusal
		C-5C	15.5	Crunching @ 11'
		C-5D	15.4	Refusal
		C-5E	15.2	Crunching @ 2' - 3'
		C-5F	15.5	Crunching @ 12' - 13'
		C-5G	14.1	Crunching @ 12' - 13'
C-5H	15.3	Refusal		

was made that 20 feet was adequate. This decision proved correct, and the CPT method was successful in finding locations suitable for drilling.

Decontamination of the CPT rods was accomplished by removing the rods below the CPT rig and steam cleaning them using the drill rigs steam cleaner. Wash water was collected and stored on site in 55-gallon capacity drums. Because of the small probehole diameter and the depth of the groundwater, probeholes were not grouted.

Field personnel worked in Level C personal protection equipment because it was assessed that the possibility existed for contact with potentially hazardous contaminants. This level of protection was also used during grouting and decontamination procedures.

5.0 RESULTS AND DISCUSSION

5.1 SOIL CONTAMINATION

The depths of soil samples that were analyzed vary from 10 to 55 feet. The concentrations of total petroleum hydrocarbons ranged from 3 to 9 mg/kg in boreholes BH-201 through BH-209-15 (Table 4). In the BH-209-35 sample the total petroleum hydrocarbon concentration was 61 mg/kg which was expected since the soil at this depth had some gasoline contamination. There appeared to be no correlation between the headspace OVA readings and total petroleum hydrocarbons levels. This suggests that petroleum hydrocarbons are probably waste oil, coal tar, and other high boiling point hydrocarbons.

As described in Section 3.1, the materials encountered in most boreholes were fill in the first 5 feet, and pieces of wood, brick and concrete for the next 10 feet. No odors or stained soils were observed in most boreholes. In borehole BH-209 stains and gasoline and hydrogen sulfide odors were observed at 15 feet and 30 to 35 ft depths, respectively. A creosote-like odor was detected at depths from approximately 40 to 60 feet in boreholes BH-204, BH-208, and BH-209 in the vicinity of Center and Commercial streets.

Soil pH's ranged from 7.05 (BH-203-35) to 9.34 (BH-202-30) with most pH's between 8.1 and 9.1, in the slightly basic range.

Six of the thirteen soil samples analyzed contained detectable (but generally low) levels of organic priority pollutants (Table 4). Samples BH-207-30 and BH-209-35 exhibited the largest range of organic priority pollutants with most of the concentrations near the detection limit. In the BH-207-30 sample, the only exception was 4-methyl-2-pentanone with a concentration of 0.55 mg/kg (detection limit is 0.05 mg/kg). In BH-209-35 soil sample, phenanthrene, fluoranthene, and pyrene had measurable concentrations but were still not far above the detection limit. The soil sample from BH-201-30 contained low levels of pyrene (0.2 mg/kg) and 4-methyl-2-pentanone (0.19 mg/kg). Soils from BH-203-10 contained measurable levels of pyrene (11 mg/kg), benzo (a) pyrene (5 mg/kg), and benzo (g, h, i) perylene (27 mg/kg). Two samples,

BH-204-30 and BH-209-15, contained detectable levels of 4-methyl-2-pentanone, 0.07 and 0.4 mg/kg, respectively.

Phase I of the Metro Rail project was performed prior to this investigation. The Phase I study area was directly north of the present field investigation. Soil analyses for the present study identified similar findings (polynuclear aromatics) with Phase I, however, the concentrations of these constituents were lower than those of Phase I.

5.2 GROUNDWATER CONTAMINATION

Eight groundwater samples were analyzed for sulfides and pH. One water sample, BH-208, was a duplicate of BH-205. The laboratory results for these two samples found similar sulfide concentrations, 7.3 and 8.0 ppm, and a pH of 7.29. Two samples, BH-204 and BH-205 had measurable sulfide concentrations of 14.58 and 7.3 ppm, respectively. The remaining water samples had sulfide concentrations of 1.5 ppm or less. The pH of the water samples was in the 7.0 to 8.0 range except for BH-207 which had a pH of 9.29.

Two groundwater samples, BH-204 and BH-209, were analyzed for organic priority pollutants using EPA Methods 624 and 625 (Table 3). BH-204 is located on Old Center Street and BH-209 is located at the intersection of Old Center Street and Commercial Street (Figure 3). These groundwater samples were contaminated with low levels of polynuclear aromatic hydrocarbons. Naphthalene was measured at 110 and 180 $\mu\text{g}/\text{l}$ and benzo (a) pyrene at 40 and 15 $\mu\text{g}/\text{l}$. In the BH-204 water sample, fluoranthene and pyrene were measured at 119 and 132 $\mu\text{g}/\text{l}$, respectively. Several purgeable aromatic hydrocarbons including toluene, benzene, ethylbenzene, and xylene were detected in BH-209. Ethylbenzene was detected in BH-204 but at a lower concentration than the BH-209 water sample. No chlorinated solvents (e.g. trichloroethylene, tetrachloroethylene) were found in the groundwater samples. As with the soil, concentrations of contaminants in the groundwater were low.

6.0 CONCLUSIONS


Based on Phase I studies and the results of this field investigation (Phase IV), the following conclusions can be drawn:

- o Generally, materials in the first 15 feet consist of fill, brick, and occasional concrete.
- o There is evidence of low levels of contamination probably associated with past site operations southwest of the investigation area.
- o Low level contaminants are identified as polynuclear aromatics that are coal-tar derivatives.
- o The contaminants are consistent with data presented in the Phase I study. However, concentrations of contaminants are much lower than reported in the Phase I data.
- o Groundwater in boreholes BH-204 and BH-209 contain low levels to non-detectable levels of polynuclear aromatics, purgeable aromatic hydrocarbons such as ethylbenzene, xylene, and sulfides.

7.0 REFERENCES

- Earth Technology Corporation, 1986. Phase I - The Subsurface Investigation at the Metro Rail A-130 Corridor, Los Angeles, California, The Earth Technology Corporation, Long Beach, December.
- State of California, 1943. Department of Natural Resources, Division of Mines, Geologic Formations and Economic Development of the Oil and Gas Fields of California, San Francisco, March.
- State of California, Department of Water Resources, 1961. Planned Utilization of the Ground Water Basins of the Coastal Plan of Los Angeles County, Bulletin NO. 104, Appendix A, Ground Water Geology, June.
- U.S. Geological Survey. Los Angeles Quadrangle - Los Angeles County, 7.5 Minute Series Topographic, U. S. Department of the Interior.
- Woodward-Clyde Consultants, 1986. Hazardous Materials Investigation at the Construction Site of the Los Angeles Busway, Volumes 1 and 2, prepared for C. C. Meyers, Inc., Pico Rivera, California.

25




NOT TO SCALE

	PROJECT NO.:	87-600
	METRO RAIL TRANSIT	

LOS ANGELES CITY OIL FIELD
IN RELATION TO SITE

SOURCE: BULLETIN NO. 118, CALIFORNIA DIVISION OF MINES



EXPLANATION

- BOUNDARY BETWEEN PHYSIOGRAPHIC FEATURES (DOTTED WHERE APPROXIMATE OR POORLY DEFINED)
- BOUNDARY OF GROUND WATER BASIN
- - - - BOUNDARY OF FOREBAY AND WHITTIER AREA
- - - - AXIS OF SUBMARINE CANYON

BOUNDARY BETWEEN FOREBAY AND PRESSURE AREA FROM BULLETIN 43 (CALIF. D.W.R. 1934)



	PROJECT NO.: 87-600
	METRO RAIL TRANSIT

<p>PHYSIOGRAPHIC FEATURES AND GROUND WATER BASINS</p>
<p>12-86 PLATE 2</p>

APPENDIX A
SITE DAILY ACTIVITY REPORTS

DAILY ACTIVITY REPORT

1/17/87

SITE Metro Rail Transit PROJECT NO. 87-600-0032 DATE 1/16/87

CPT INVESTIGATION Earth Tech. Geophysics OPERATOR George Brown, Mark Roberts

HELPER Barbara Fonteo

RIG USED TETC CPT CASING USED None SAMPLERS USED None

START TIME 8:00 AM END TIME 4:00 pm

PROTECTION LEVEL B C (D)

MONITORING EQUIPMENT HNU 11.7 10.2 OVA RAD EXPL

DESCRIPTION OF WORK PERFORMED Probed with the cone penetrometer in areas shown on attached map. Completed drilling areas designate numbers 1, 2, 3, and 6 adjacent to the Santa Ana Freeway.

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION There is a possibility of a manhole and drainage system in the immediate area of drilling location 3. CPT didn't probe closer than 5 feet to suspected drainage line.


ATTACHMENTS

- | | | | |
|------------------------------|-------------------------------------|--------------------------|-----------------|
| 1. Boring Log(s) | <input checked="" type="checkbox"/> | n | <u>attached</u> |
| Gamma Log(s) | <input type="checkbox"/> | <input type="checkbox"/> | |
| 2. Well Installation Details | <input type="checkbox"/> | <input type="checkbox"/> | |
| 3. Water Level Observation | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4. Conversation Memo(s) | <input type="checkbox"/> | <input type="checkbox"/> | |

REPORT PREPARED BY Barbara Fonteo DATE 1/16/87

CC: Joe Kulikowski
Larry Barker

Time	Probe	Remarks	Completion Depth	PSI
10:23 AM	C1	11-12' crunching hit something very hard at 25.5 ft.	25.5 ft	-
10:30	C2	16 ft. PSI = 1700 18 1/2 - 20 ft crunching hit something very hard at 22.34 ft.	22.3 ft.	1700
10:50	C2A	hit refusal	20.9 ft	
11:09	C2B	4' - hard crunching 15-16' hit something hard 19-20' (same) 23.10 - refusal	23.10 ft	1900
11:26	C2C	4-5' crunching. 16-17' crunching 19.5' - refusal	19.5 ft	-
11:35	C2D	26.3' - refusal	26.3 ft	-
	C2E	24.4' - refusal broke tip of rod	24.4 ft	-
12:56	C2F	17.32' refusal	refusal 17.32 ft	
	C2H	18.3 refusal	18.3	
1:11	C2G	2.7' crunching 17.2' - refusal	17.2 ft	
1:42	C3	22.9' refusal	22.9 ft	200
2:05	C3A	14.2' Crunching 17.5' refusal	17.5 ft	170
2:25	C3C	18.0' crunching !! 26.4' refusal	20.4	200
3:15	C6	13-14' crunching 15' crunching !! 27.2' refusal	27.2'	200
3:38	C6A	13' crunching 20 - crunching	22.4'	2,00



Santa Ana Freeway

chain link fence

Wood Wall

#2

#3A

#3B

#3C

#3D

FWY sign

#3E

#3F

#3G

#3H

#3

#6

06A

RAMP

Vignette DEF Ramp

Vignette ST ON RAMP

Completed 15 probings

Denny's

Metro Rail
1/6/87
B. Fonteo



LOG OF PENETROMETER TESTS

Project Number 87-230-34
Project Name METRO RAIL
Electrical System CPT # 2

Logged By A. Boehm Date 1-7-87 JB
Checked By _____ Date ~~12-7-87~~

CPT Number	Digital Designation	Total Penetration Depth	Instrument Number	Remarks
C-1		25.5		CRUNCHING @ 11-12' \approx 500 PSI 16-17' + TRUCK COMING UP @ 25.5'
C-2		22.3		" " " " 22.3'
C-2A = = C-2 + 3' NORTH	EAST	20.9		" " " " 20.9'
C-2B = C-2 + 6' NORTH	EAST	23.1		" " " " 23.1'
C-2C = C-2 + 9' NORTH	EAST	19.5		" " " " 19.5'
C-2D = C-2 + 12' NORTH	EAST	26.3		" " " " 26.3'
C-2E = C-2 + 15' NORTH	EAST	24.4		" " " " 24.4'
C-2F = C-2 + 18' NORTH	EAST	17.3		" " " " 17.3'
C-2G = C-2 + 21' NORTH	EAST	17.2		" " " " 17.2'
C-2H = C-2 + 27' NORTH	EAST	18.3		" " " " 18.3'

Date of Last Calibration (cone): _____ (piezo) _____
Calibration Settings: (cone) _____ (friction) _____ (piezo) _____
Calibration Values: (cone) _____ tsf/in-1 volt, (friction) _____ tsf/in-1 volt (piezo) _____ (units). CPT-01 8/8:

LOG OF PENETROMETER TESTS

Project Number 87-230-34 Logged By A. Bachman Date 1-7-87
 Project Name MBIRO RAIL Checked By _____ Date _____
 Electrical System CPT # 2

CPT Number	Digital Designation	Total Penetration Depth	Instrument Number	Remarks
C-3		22.9'	-	2000 PSI @ 22.9' + TRUCK CUMMINS
C-3A 8' S of G2C		17.3'		1700 " " 17.3' " " "
C-3B 8' S of C-2G		23.5'		2000 " @ 23.5' + " " "
C-3C		20.1'		2000 " " 20.1' " " "
C-6		27.2'		2000 " " 27.2' " " "
C-6A = C-6 + 8' EAST		22.4'		2000 " " 22.4' " " "

Date of Last Calibration (cone): _____ (piezo) _____
 Calibration Settings: (cone) _____ (friction) _____ (piezo) _____
 Calibration Values: (cone) _____ tsf/in-1 volt, (friction) _____ tsf/in-1 volt (piezo) _____ (units).


METRO-RAIL CONTINUATION

87-230

1-7-87

W

S



DENNY'S

VIGNESS OFF RAMP

101

DENNY'S
AUTO SERVICE

C1

C2A

C2B

C2C

C2D

C2E

C2F

C2G

C2H

C2I

C2J

C2K

C2L

C2M

C2N


NEW PILLARS

VIGNESS ON RAMP

C.C. MEYER
STORAGE YARD

E

N



DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 87-600-000 DATE 1-8-87

DRILLING CONTRACTOR Drill Line DRILLER Greg DeWitt

HELPER Tom Hale

RIG USED B-53 (6" augers) CASING USED None SAMPLERS USED Split spoon

START TIME 8:00 am END TIME 4:00 pm

PROTECTION LEVEL B C D

MONITORING EQUIPMENT HNU 11.7 10.2 OVA RAD EXPL

DESCRIPTION OF WORK PERFORMED Completed Borehole BH-201 to depth of 46.5 ft, could not go farther hit boulder. Water samples taken from BH-201. Completed Borehole BH-202 to ⁵⁰46.5 ft, had to abandon further drilling/water sampling due to breaking of hammer.

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION Hammer broke on borehole BH-202 ^{at 50 feet} and decided not to redrill and did not get water sample

ATTACHMENTS

- 1. Boring Log(s) y n
- Gamma Log(s) y n
- 2. Well Installation Details y n
- 3. Water Level Observation y n
- 4. Conversation Memo(s) y n
- 5. Other - Log Book y n

REPORT PREPARED BY Sharon Kagan (BA) DATE 1/8/87

cc: Joe Kulikowski
Larry Barker

Log Book Page 51

DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 87-600-0033 DATE 1/9/87
DRILLING CONTRACTOR Drill Line DRILLER Gregg Deluca and John Hale
HELPER _____

RIG USED B-53 (6" augers) CASING USED None SAMPLERS USED Split spoon
START TIME 8:00 END TIME ~ 3:00

PROTECTION LEVEL B C (D)
MONITORING EQUIPMENT HNU 11.7 10.2 (OVA) RAD EXPL

DESCRIPTION OF WORK PERFORMED Completed Borehole 206A located adjacent to the Santa Ana freeway on ramp and to excavated area of Brew 102. Borehole completed to 40 feet after two attempts. Concrete encountered at about 4-5 feet and the subsurface appears to consist of about 15 feet of fill mixed with brick fragments. Samples sent to the laboratory are: BH-206A-40 (PIH, EPA method 90.30)
BH-206A - (EPA method 8240, 8270, 418.1, pH)

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION At 40 feet there was about 10 feet of slough in the auger. We couldn't get a representative sample of the soil or water unless the borehole was redrilled. We didn't redrill because of our tight schedule.

ATTACHMENTS

- 1. Boring Log(s) y n _____
- Gamma Log(s) y n _____
- 2. Well Installation Details y n _____
- 3. Water Level Observation y n 29.5 feet
- 4. Conversation Memo(s) y n Mr. B.M. Ghadiali - Metro Rail
- 5. Other y n Log Book pg 5.3, photo taken


REPORT PREPARED BY Barbara Fontes DATE 1/9/87
Joe Kubikowski, Larry Barker

TIME

Ordered CPT for sites cleared by spectrum.
CPT to be on site Monday.

Please Note:

Caltrans mentioned that ETC probably doesn't have insurance liability coverage for work which may involve closing off highway entrances (borehole #5 location)



Signature B. Fontes

Date 1/9/87

REPORT OF
TELEPHONE
CONVERSATION

FILE Metro Rail
CHARGE NO. _____
DATE 1/9/87 TIME 2:30 AM-PM
DATE _____ TIME _____ AM-PM
DATE _____ TIME _____ AM-PM

BY Barbara Fontes I CALLED HE CALLED COLLECT
PERSON B. M. Ghadiali
ORGANIZATION Metro Rail
ADDRESS Spring Street - L.A.

TELEPHONE NO. _____ EXT. _____

SUBJECTS DISCUSSED Mr. Ghadiali stopped by the site to drop off some maps that show where the sewer lines are in borehole area 5. He would still like to plant drill in that area.

Mr. Ghadiali would also like to drill some boreholes to 60 ft. without collecting soil samples. He recommends this because of drilling problems (slough in auger) encountered after passing the water table.

Mr. Ghadiali request was discussed with the PM (Larry Barker). He will further discuss it Monday.

ACTION TO BE TAKEN _____

COPIES TO Joe Kalikowski, Larry Barker

DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 97-600-0033 DATE 11/10/87
DRILLING CONTRACTOR Drill Line DRILLER Gregg Delucos and John Hale
HELPER John Hale
RIG USED B-53 (6" auger) CASING USED None SAMPLERS USED Split Spoon
START TIME 8:00 AM END TIME 10:00

PROTECTION LEVEL B (C) D
MONITORING EQUIPMENT HNU 11.7 10.2 (OVA) RAD EXPL

DESCRIPTION OF WORK PERFORMED Set up on borehole BH-204 in the
center of old Center Street.

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION OVA would not work. Work
was cancelled and the OVA was taken back to the
ETC Laboratory to be fixed. There was a short in
the power switch.

ATTACHMENTS

- | | | | |
|------------------------------|---|------------|-------|
| 1. Boring Log(s) | y | <u>(n)</u> | _____ |
| Gamma Log(s) | y | <u>(n)</u> | _____ |
| 2. Well Installation Details | y | <u>(n)</u> | _____ |
| 3. Water Level Observation | y | <u>(n)</u> | _____ |
| 4. Conversation Memo(s) | y | <u>(n)</u> | _____ |

REPORT PREPARED BY Barbara Fontes DATE 11/12/87

DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 87-600-0033 DATE 11/12/87
 DRILLING CONTRACTOR Drill Line DRILLER Gregg Deluca and John Hale
 HELPER _____

RIG USED B-53 (6" augers) CASING USED None SAMPLERS USED Split spoon
 START TIME 7:00 AM END TIME 5:00

PROTECTION LEVEL B C (D)
 MONITORING EQUIPMENT HNU 11.7 10.2 (OVA) RAD EXPL

DESCRIPTION OF WORK PERFORMED Completed two boreholes to a depth of 60 feet each. Borehole BH-207 is located at the 101 Hwy entrance (south) and adjacent to an abandoned warehouse. BH-204 is located at the old Center Street, in front of The "bag factory"

Elevated OVA readings: BH-207-30' = 12 ppm

Creosote ~~odor~~ was evident at BH-207-40' = 12 ppm

40', 45', 50', and 60' BH-204-25' = 160 ppm

BH-204-30' = 200 ppm

BH-204-60' = >1000 ppm

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION There wasn't sufficient recovery for laboratory samples from BH-204-60'. We were having problems with sand (fine) heaving & sloughing into the augers causing the hammer & sampler to get stuck. Also when

we hit a large cobble or a boulder the augers would angle & (go crooked). We even would encounter the mentioned problem, we would auger down to 60' + try to get a soil sample. The problem usually started at about 40'

- | | | | |
|------------------------------|-------------------------------------|--------------------------|---------------------------------|
| 1. Boring Log(s) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | _____ |
| Gamma Log(s) | y | <input type="checkbox"/> | _____ |
| 2. Well Installation Details | y | <input type="checkbox"/> | _____ |
| 3. Water Level Observation | <input checked="" type="checkbox"/> | <input type="checkbox"/> | BH-207 is 30 ft + BH-204 is 30' |
| 4. Conversation Memo(s) | y | <input type="checkbox"/> | _____ |
| 5. Other | | | Photo |

REPORT PREPARED BY Barbara Fontes DATE 11/12/87
 cc. J. Kielowski, L. Barker,

TIME

Laboratory Samples

BH-207-30 EPA 8240, 8270, 418.1, pH

BH-207-60 pH

BH-207-60 EPA 9030

BH-207-60 pH

BH-204-30 EPA 8240, 8270, 418.1, pH

BH-204-60 pH

BH-204-60 EPA 9030

BH-204-60 pH

Note - EPA Method 624, 625, 418.1 -
Water Samples being held for the above analysis

Signature

Barbara Lentes

Date

1/12/87

Fwy 101 acco ramp site.
Borehole area 201, 202, 203 and 206



LOG OF PENETROMETER TESTS

Project Number 87-230-34
Project Name METRO RAIL
Electrical System CPT # 2

Logged By A. Beckman Date 1-7-87
Checked By _____ Date _____

1-7-87 MB
~~12-7-87~~

CPT Number	Digital Designation	Total Penetration Depth	Instrument Number	Remarks
C-1		25.5		CRUNCHING @ 11-12' \approx 500 PSI 16-17' 1700 PSI + TRUCK COMING UP @ 25.5'
C-2		22.3		" " " " 22.3'
C-2A = = C-2 + 3' WEST EAST		20.9		" " " " 20.9'
C-2B = C-2 + 6' NORTH EAST		23.1		" " " " 23.1'
C-2C = C-2 + 9' NORTH EAST		19.5		" " " " 19.5'
C-2D = C-2 + 12' NORTH EAST		26.3		" " " " 26.3'
C-2E = C-2 + 15' NORTH EAST		24.4		" " " " 24.4'
C-2F = C-2 + 18' NORTH EAST		17.3		" " " " 17.3'
C-2G = C-2 + 21' NORTH EAST		17.2		" " " " 17.2'
C-2H = C-2 + 27' NORTH EAST		18.3		" " " " 18.3'

Date of Last Calibration (cone): _____ (piezo) _____
Calibration Settings: (cone) _____ (friction) _____ (piezo) _____
Calibration Values: (cone) _____ tsf/in-1 volt, (friction) _____ tsf/in-1 volt (piezo) _____ (units).

AILY LOG OF IN-SITU TESTING

PROJECT NUMBER 87-230-34 PROJECT NAME _____
 DATE _____ TRUCK NUMBER CPT# 2 CREW AB/MR

TIME OPERATOR 0600 TO 1700 CHARGEABLE HOURS 10.5
 HELPER 0600 TO 1700 CHARGEABLE HOURS 10.5
 TRUCK 0900 TO 1545 HOURS: TESTING 6.5
 MOB/TRAVEL 2.3 STBY 1.0 MAINTENANCE _____ OTHER _____

MILEAGE CPT START _____ END _____ TOTAL 60
 SUPPORT VEHICLE START _____ END _____ TOTAL 60

INSTRUMENT(S) NUMBER _____

TEST LOG TYPE OF TEST NONE DUMMY PROBES

NUMBER	DEPTH (FT)	NUMBER	DEPTH (FT)	NUMBER	DEPTH (FT)	NUMBER	DEPTH (FT)
<u>C-1</u>	<u>25.5</u>	<u>C-3</u>	<u>22.9'</u>				
<u>2</u>	<u>22.3</u>	<u>3A</u>	<u>17.3'</u>				
<u>2A</u>	<u>20.9</u>	<u>3B</u>	<u>23.5'</u>				
<u>2B</u>	<u>23.1</u>	<u>3c</u>	<u>20.1'</u>				
<u>2c</u>	<u>19.5</u>	<u>6</u>	<u>27.2'</u>				
<u>2D</u>	<u>26.3</u>	<u>6A</u>	<u>22.4'</u>				
<u>2E</u>	<u>24.4</u>						
<u>2F</u>	<u>17.3</u>						
<u>2G</u>	<u>17.2</u>						
<u>2H</u>	<u>18.3</u>						

REMARKS 0600-0700 LOAD HAZ WASTE PUMP.
0700-0800 MOB TO SITE
0800-0900 STBY + DISCUSS JOB
0900-1200 SET UP + PUNCH FIRST 6 HOLES
1200-1230 LUNCH
1230-1545 SETUP + PUNCH LAST 10 HOLES
1545-1700 MOB BACK TO SITE CLIENT _____



LOG OF PENETROMETER TESTS

Project Number 87-230-34
 Project Name METRO RAIL
 Electrical System _____

Logged By AB
 Checked By _____

Date 1-12-87
 Date _____

CPT Number	Digital Designation	Total Penetration Depth	Instrument Number	Remarks
				SPECTRUM CLEAR UTILITIES QUESTIONABLE
205		14.1		100 BAR + CRUNCHING 14.1' 830-900
205A		16.5		100 BAR + CRUNCHING 16.5' 900-930
205B		15.5		" " " 15.5' 930-1000
205C		15.6		SLIGHT CRUNCHING + 40 BAR @ 11' 1000-1020 100 BAR + CRUNCHING @ 15.6'
205D		15.4		" " " " 15.4' 1020-1040
205E		15.2		SLIGHT CRUNCHING + 20-40 BAR @ 2-3' 1040-1110 100 BAR + CRUNCHING @ 15.2'
205F		15.5		SLIGHT CRUNCHING + 40-60 BAR 12-13' 1130-1200 100 BAR + CRUNCHING @ 15.5'
205G		14.1		SLIGHT CRUNCHING + 40-60 BAR 12-13' 1130-1200 100 BAR + CRUNCHING @ 14.1'
205H		16.3		" " " " 16.3' 1200-1250

87-230-34

METRO RAIL

3rd VISIT 1/12/87



YIELD SIGN

COMMERCIAL ST.

SIDEWALK

CORRUGATED WAREHOUSE
205


CENTER S

HILL

101 NORTH

VIGNESS

DEANEYS



DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 87-600-0033 DATE 11/12/87
 DRILLING CONTRACTOR Drill Line DRILLER Gregg Deluca and John Hale
 HELPER _____

RIG USED B-53 (6" augers) CASING USED None SAMPLERS USED Split spoon
 START TIME 8:00 END TIME 5:00

PROTECTION LEVEL B C D
 MONITORING EQUIPMENT HNU 11.7 10.2 (OVA) RAD EXPL

DESCRIPTION OF WORK PERFORMED Completed borehole BH-205 on the corner of Center and Commercial Street and BH-208 northeast of LH-205 adjacent to Center Street. Both boreholes were completed to 60 feet. There was a slight crevice shown in borehole BH-208 from 40 feet to 60 feet. Also it appears that the backfill used for the vacant building is not natural to the area. It contained sea shells which has not been encountered anywhere else on the site.

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION Had problems with the sampler and hammer getting stuck around 50 feet. Advanced augers beyond 50 feet to get a representative water sample. Results are: 1) Obtained water sample for borehole BH-205 and lost borehole BH-208 due to sampler stuck in the auger.

ATTACHMENTS

- 1. Boring Log(s) y n _____
- Gamma Log(s) y n _____
- 2. Well Installation Details y n _____
- 3. Water Level Observation y n BH-205 = 30' BH-208 = 25'
- 4. Conversation Memo(s) y n _____
- 5. Other y n Notes

REPORT PREPARED BY Barbara Fontus DATE 11/13/87
 cc: J. Halikowski, L. Bancer

TIME

9:00

POCD crew arrived on site and
tid in the drilling sites.

Elevated OVA readings

BH-208-25 = 100 ppm

BH-208-30 = 40 ppm

BH-205-50 = 100 ppm

BH-205-55 = 100 ppm

Signature

Barbara Foster

Date

11/3/87

DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 87-600-0033 DATE 1-14-87
 DRILLING CONTRACTOR Drill Line DRILLER Gregg Deluca and
 HELPER John Hale

RIG USED B-53 (6" augers) CASING USED None SAMPLERS USED Split spoon
 START TIME 9:00 am END TIME 3:30 pm

PROTECTION LEVEL B C (D)

MONITORING EQUIPMENT HNU 11.7 10.2 OVA RAD EXPL

DESCRIPTION OF WORK PERFORMED Completed BH-203 (Vignes OVRamp of 101) to 60 feet. Borehole was slant drilled at an angle of 20° to a vertical depth of 60 feet (used 65 feet of augers) which translated to a horizontal distance of ~20 feet from the borehole in the direction of the freeway. OVA was not functioning properly. Hammer was sticking and not falling properly so no samples collected from 40 to 60 feet. Collected water samples at 60 feet.

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION OVA not functioning properly, continued drilling since previous work in area showed it to be clean. Hammer was sticking and not falling properly so no samples collected between 40 and 60 feet.

ATTACHMENTS

- | | | | |
|------------------------------|-------------------------------------|-------------------------------------|------------------------|
| 1. Boring Log(s) | <input checked="" type="checkbox"/> | n | <u>BH-203</u> |
| Gamma Log(s) | y | <input checked="" type="checkbox"/> | |
| 2. Well Installation Details | y | <input checked="" type="checkbox"/> | |
| 3. Water Level Observation | <input checked="" type="checkbox"/> | n | <u>approx. 30 feet</u> |
| 4. Conversation Memo(s) | y | <input checked="" type="checkbox"/> | |
| 5. Other | | | |

REPORT PREPARED BY Sharon Kagas DATE 1-14-87

DAILY ACTIVITY REPORT

SITE Metro Rail Transit PROJECT NO. 87-600-00-33 DATE 1/21/87

DRILLING CONTRACTOR Drill Line DRILLER Gregg Deluca

HELPER John Hale

RIG USED B-53 (6" augers) CASING USED None SAMPLERS USED Split spoon

START TIME 8:00 am END TIME 3:00 pm

PROTECTION LEVEL B C D

MONITORING EQUIPMENT HNU 11.7 10.2 OVA RAD EXPL

DESCRIPTION OF WORK PERFORMED Completed borehole BH-209 to a depth of 50 feet. The following was observed during the drilling:

1) Voids were encountered at 10 ft. and 30 ft. The sampler suddenly dropped during the last 8" of the blow counts

2) Soil was stained black and smelled like gasoline at 15 ft.

(cont)

DESCRIBE PROBLEMS/POTENTIAL PROBLEMS & ACTION At 45 ft. there was 4 ft. of slough in the augers. We drilled to 50 ft. with no recovery, and tried to knock out the plug to get a water sample. (It was successful).

ATTACHMENTS

- 1. Boring Log(s) y n
- Gamma Log(s) y n
- 2. Well Installation Details y n
- 3. Water Level Observation y n about 30 feet
- 4. Conversation Memo(s) y n log book - page 57

REPORT PREPARED BY Barbara Fontes DATE 1/21/87

TIME

3) strong oily odor at 25 feet and 30 feet,
and the soil appeared saturated (very moist)

4) Creosote odor was evident from 35 ft
to 50 ft.

5) H_2S odor in soil at \approx 30 feet and
the water sample had the same odor

Elevated OVA Readings

Sample No.	OVA (PPM)
209-15 (ft)	33
209-30 (ft)	24
209-35 (ft)	46
209-40 (ft)	12

Signature

Barbara Fontes

Date

11/21/87

APPENDIX B
CHAIN-OF-CUSTODY FORMS
AND LABORATORY DATA SHEETS

CHEMICAL RESEARCH LABORATORIES, INC.

11631 SEABOARD CIRCLE, STANTON, CA 90680
 TEL. NOS.: (714) 898-6370 (213) 598-0458

- ORANGE COUNTY
- VENTURA
- SANTA MARIA
- BAKERSFIELD
- L.A. COUNTY

CHAIN OF CUSTODY RECORD

Date 1-9-87 Page 1 of 2

CLIENT Earth Technology Corporation
 ADDRESS 3700 Long Beach Blvd
Long Beach CA 90807

PROJECT MANAGER
Larry Barker
 PHONE NUMBER
(213) 595-6611

PROJECT NAME
Metro Rail 87-600-0033

SAMPLERS: (Signature)
Barbara Fontes

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			SOLID	NO. OF CNTNRS	TESTS REQUIRED
				WATER		AIR			
				Comp.	Grab.				
BH-201-30	Traffic - Santa Ana	1-8-87	10:30				X	1 Brass	(EPA Method 8240, 8270)
BH-202-30	Traffic - Santa Ana	1-8-87	2:15				X	1 Brass	418.1, pH
BH-202-40	Traffic - Santa Ana	1-8-87	2:28				X	1 Brass	
BH-201-40.5	Traffic - Santa Ana	1-8-87	3:15		X			1 gal	
BH-201-40.5	Traffic - Santa Ana	1-8-87	3:15		X			2 VOAS	hold BF EPA Method 9030, pH

Relinquished by: (Signature) Barbara Fontes 1/9/87
 Received by: (Signature) Mary Ann Date/Time 1/9/87 4:15 PM

Relinquished by: (Signature) _____
 Received by: (Signature) _____ Date/Time _____

Relinquished by: (Signature) _____
 Received by Mobile Laboratory for field analysis: (Signature) _____ Date/Time _____

Dispatched by: (Signature) _____ Date/Time _____
 Received for Laboratory by: [Signature] Date/Time 1/9/87 5PM

Method of Shipment: _____

Special Instructions: All water samples - Hold samples for EPA METHOD 624, 625, 418, 1
24 - 48 hr RUSH

CHEMICAL RESEARCH LABORATORIES, INC.

11631 SEABOARD CIRCLE, STANTON, CA 90680
 TEL. NOS.: (714) 898-6370 (213) 598-0458

- ORANGE COUNTY
- VENTURA
- SANTA MARIA
- BAKERSFIELD
- L.A. COUNTY

CHAIN OF CUSTODY RECORD

Date 11/9/87 Page 2 of 2

CLIENT Earth Technology Corporation
 ADDRESS 3777 Long Beach Blvd.
Long Beach CA 90807

PROJECT MANAGER

Larry Barker

PHONE NUMBER

(913) 595-6611

PROJECT NAME

Metro Rail 87-600-0033

SAMPLERS: (Signature)

Barbara Fontes

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			SOLID	NO. OF CNTNRS	TESTS REQUIRED
				WATER		AIR			
				Comp.	Grab.				
BH-206A-40	Vignes St. - Adj. to Off Ramp	1-9-87	11:36		X			1 gal	pH hold
BH-206A-40	Vignes St. - Adj. to Off Ramp	1-9-87	11:36		X			2 VOAs	pH hold
BH-206A-40	Vignes St. - Adj. to Off Ramp	1-9-87	11:36		X			1 pint	EPA Method 9030 ^{5,158} , pH.
BH-206A-15	" " "	1-9-87	11:36				X	1	8240, 8270, 418.1, pH
BH-206A-35	" " "	1-9-87					X	1	" " " "

Relinquished by: (Signature)

Barbara Fontes 11/9/87

Received by: (Signature)

Maurice Ann

Date/Time

11/9/87 4:15 PM

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

Relinquished by: (Signature)

Received by Mobile Laboratory for field analysis:
(Signature)

Date/Time

Dispatched by: (Signature)

Date/Time

Received for Laboratory by:

[Signature]

Date/Time

11/9/87 5 PM

Method of Shipment:

Special Instructions:

All water samples - Hold samples for EPA Method 624, 625, 418.1
24-48 hr RUSH

CHEMICAL RESEARCH LABORATORIES, INC.

11631 SEABOARD CIRCLE, STANTON, CA 90680
 TEL. NOS.: (714) 898-6370 (213) 598-0458

- ORANGE COUNTY
- VENTURA
- SANTA MARIA
- BAKERSFIELD
- L.A. COUNTY

CHAIN OF CUSTODY RECORD

Date 1/21/87 Page 1 of 2

CLIENT Earth Technology Corp
 ADDRESS 577 Long Beach Blvd
Long Beach CA 90807

PROJECT MANAGER Larry Carter
 PHONE NUMBER (313) 598-6611

PROJECT NAME Metro Rail 90-200-6083

SAMPLERS: (Signature) Barbara Foster

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			SOLID	NO. OF CNTNRS	TESTS REQUIRED
				WATER		AIR			
				Comp.	Grab.				
<u>BH-200-1</u>	<u>1st Bay Station</u>						X	<u>1 Brass</u>	<u>EPA 8240, 8270, 9101, pH</u>
<u>BH-200-2</u>	<u>same</u>	<u>1/21/87</u>			X			<u>1 Gal</u>	<u>pH</u>
<u>BH-200-3</u>					X			<u>1 Pint</u>	<u>EPA 9050</u>
<u>BH-200-4</u>					X			<u>2 Hrs</u>	<u>Hold</u>
<u>BH-200-5</u>	<u>Old Center Street</u>	<u>1/21/87</u>					X	<u>1 Brass</u>	<u>EPA 8240, 8270, 9101, pH</u>
<u>BH-200-6</u>					X			<u>1 Gal</u>	<u>pH</u>
<u>BH-200-7</u>					X			<u>1 Pint</u>	<u>EPA 9050</u>

Relinquished by: (Signature) [Signature] Received by: (Signature) [Signature] Date/Time 1-21-87 10:17

Relinquished by: (Signature) _____ Received by: (Signature) _____ Date/Time _____

Relinquished by: (Signature) _____ Received by Mobile Laboratory for field analysis: (Signature) _____ Date/Time _____

Dispatched by: (Signature) _____ Date/Time _____ Received for Laboratory by: _____ Date/Time _____

Method of Shipment: _____

Special Instructions: RUSH OR ANALYSES 24-48 Hrs.
The water samples were analyzed at the laboratory on 1/22/87

CHEMICAL RESEARCH LABORATORIES, INC.

11631 SEABOARD CIRCLE, STANTON, CA 90680
 TEL. NOS.: (714) 898-6370 (213) 598-0458

- ORANGE COUNTY
- VENTURA
- SANTA MARIA
- BAKERSFIELD
- L.A. COUNTY

CHAIN OF CUSTODY RECORD

Date _____ Page _____ of _____

CLIENT *Earth Technology*
 ADDRESS *3200 Long Beach Blvd*
Long Beach CA 90807

PROJECT MANAGER
Larry Barber
 PHONE NUMBER
(313) 595-6611

PROJECT NAME
Metals Bail 80-600-0033

SAMPLERS: (Signature)
Barbara Fontes & Sharon Lagos

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			SOLID	NO. OF CNTNRS	TESTS REQUIRED
				WATER		AIR			
				Comp.	Grab.				
<i>BH-205-55</i>	<i>Commercial + Center St</i>	<i>1/13/87</i>	<i>10:48</i>				<i>X</i>	<i>1 Brass</i>	<i>pH</i> <i>EPA METHOD 8240, 8270, 418.1</i>
<i>BH-205-60</i>	<i> </i>		<i>10:59</i>		<i>X</i>			<i>1 Gal</i>	<i>pH</i>
<i>BH-205-60</i>	<i> </i>		<i>10:59</i>		<i>X</i>			<i>1 Pint</i>	<i>EPA METHOD 9030</i>
<i>BH-205-60</i>	<i>X</i>		<i>10:59</i>		<i>X</i>			<i>2 Vials</i>	<i>pH</i>
<i>BH-208-25</i>	<i>NE of 205/Center St</i>	<i>1/13/87</i>	<i>11:12</i>				<i>X</i>	<i>1 Brass</i>	<i>pH</i> <i>EPA METHOD 8240, 8270, 418.1</i>
<i>BH-208-60</i>	<i> </i>		<i>3:00</i>					<i>1 Gal</i>	<i>pH</i>
<i>BH-208-60</i>	<i> </i>		<i>3:00</i>					<i>1 Pint</i>	<i>EPA METHOD 9030</i>

Relinquished by: (Signature) *114* Received by: (Signature) *[Signature]* Date/Time *1/14/87 17:48*

Relinquished by: (Signature) Received by: (Signature) Date/Time

Relinquished by: (Signature) Received by Mobile Laboratory for field analysis: (Signature) Date/Time

Dispatched by: (Signature) Date/Time Received for Laboratory by: Date/Time

Method of Shipment:

Special Instructions:

EPA Method 8240-49 for metals. Analyze GP with 30 data. Also EPA Method 8240, 8270, 418.1 on all water samples.

CHEMICAL RESEARCH LABORATORIES, INC.

11631 SEABOARD CIRCLE, STANTON, CA 90680
 TEL. NOS.: (714) 898-6370 (213) 598-0458

- ORANGE COUNTY
- VENTURA
- SANTA MARIA
- BAKERSFIELD
- L.A. COUNTY

CHAIN OF CUSTODY RECORD

Date _____ Page _____ of _____

CLIENT Earth Technology Corporation
 ADDRESS 30717 Long Beach Blvd
Long Beach CA 90807

PROJECT MANAGER
Larry Bantel
 PHONE NUMBER
(213) 595-6611

PROJECT NAME
Metrol Rail 97-600-0033

SAMPLERS: (Signature)
Barbara Fontes & Sharon Laguna

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			SOLID	NO. OF CNTNRS	TESTS REQUIRED
				WATER		AIR			
				Comp.	Grab.				
BH-208-60	NE of 205 / Center St	1/13/87	3:00	-	X			2 VOLS pH	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Relinquished by: (Signature)	Received by: (Signature)	1/14/87 17:48
Relinquished by: (Signature)	Received by Mobile Laboratory for field analysis: (Signature)	Date/Time
Dispatched by: (Signature)	Date/Time	Received for Laboratory by: Date/Time
Method of Shipment:		
Special Instructions:		

Test on Analyses 27-78 hrs. QA with lab data

CHEMICAL RESEARCH LABORATORIES, INC.

11631 SEABOARD CIRCLE, STANTON, CA 90680
 TEL NOS.: (714) 898-6370 (213) 598-0458

- ORANGE COUNTY
- VENTURA
- SANTA MARIA
- BAKERSFIELD
- L.A. COUNTY

CHAIN OF CUSTODY RECORD

Date 1/22/87 Page 1 of 1

CLIENT Earth Technology
 ADDRESS 3777 Long Beach Blvd
Long Beach CA 90807

PROJECT MANAGER
Larry Barker
 PHONE NUMBER
(213) 595-6611

PROJECT NAME
Metro Rail 87-600-0033

SAMPLERS: (Signature)
Barbara Fontes & Sharon Lagos

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			SOLID	NO. OF CNTNRS	TESTS REQUIRED	
				WATER		AIR				
				Comp.	Grab.					
209-15	Commercial + Center St	1/21/87	10:05				X	2 Brass	EPA METHOD 8240, 8270, 418.1 and pH	
209-35	Same	1/21/87	10:44				X	2 Brass		
209-50	Same	1/21/87	11:11		X			2 VBS		pH, 624
209-50	Same	1/21/87	11:11		X			1 Gal		pH, 625
209-50	Same	1/21/87	11:11		X			1 Pint		EPA METHOD 8030 Sulfide

Relinquished by: (Signature) Barbara Fontes 9:12 am 1/22/87
 Received by: (Signature) A. Albany Date/Time 1-22-87 10:15 AM

Relinquished by: (Signature) _____
 Received by: (Signature) _____ Date/Time _____

Relinquished by: (Signature) _____
 Received by Mobile Laboratory for field analysis: (Signature) _____ Date/Time _____

Dispatched by: (Signature) _____ Date/Time _____
 Received for Laboratory by: _____ Date/Time _____

Method of Shipment: _____

Special Instructions:
Rush on Analysis 24-48 hours. Require QA with lab data. Run all test

MOISTURE-DENSITY SHEET
TEST PROCEDURE NO. 200

PROJECT METRO RAIL
PROJECT NO. 87-215-16
BORING NO. _____


TESTED BY S.P. DATE 1-21-87
COMPUTED BY S.P. DATE 1-21-87
CHECKED BY _____ DATE _____

SAMPLE TYPE		DRIVE	DRIVE	DRIVE	DRIVE	DRIVE	DRIVE	DRIVE
WORKING NO.		201	202	202	204	204	206 A	207
SAMPLE DEPTH (FT)		30	30	40	30	15	35	30
WET DENSITY (PCF)	(A)	132.0	147.2	134.9	132.4	95.7	132.5	139.1
MOISTURE CONTENT (%)	(B)	11.45	11.89	17.83	14.04	2.23	20.49	10.95
DRY DENSITY (PCF)	(C)	112.4	271	106.0	117.0	93.6	110.0	125.4
VOID RATIO	(D)	0.297	0.202	0.561	0.414	0.768	0.505	0.220
SATURATION (%)	(E)	76.4	100	84.2	89.8	7.7	100	70.7
SOIL DESCRIPTION		Well graded sand with silt and gravel f-to-c, wet.	finely graded SAND with silt and gravel f-to-c, wet.	Poorly graded sand trace silt, f-to-m, wet.	Poorly graded SAND trace silt and gravel f-to-c, wet.	Poorly graded sand trace silt, trace gravel, slightly dry, f-to-c	Poorly graded SAND trace silt and gravel f-to-c, wet	well graded SAND with silt and gravel f-to-c, wet
U.S.C.S.		SW-SM	SP-SM	SP	SP	SP	SP	SW-SM
COLOR		grey	grey	grey	grey	yellowish brown	grey	grey
MAXIMUM PARTICLE SIZE		3/4"	3/4"	-	3/8"	1/4"	1/4"	3/4"
CEMENTATION		-	-	-	-	-	-	-
GRAIN SIZE DIST. GR:SA:FI		25:67:8	22:70:8	0:95:5	5:95:5	8:90:2	2:93:5	30:60:10
GRAIN SHAPE		SA	SA	SR-SA	SR-SA	SR	SR-SA	SR-SA
PLASTICITY		NONE	NONE	NONE	NONE	NONE	NONE	NONE
CONSISTENCY/REL. DENSITY		LOOSE	med	LOOSE	med	1/ LOOSE	med	med
REACTION TO HCL		-	-	-	-	-	-	-
CONTAINER NUMBER		502	503	527	533	567	574	577
WT. WET SOIL + TUBE/RINGS (GM)	(1)	1114.2	1100.3	1095.0	965.7	784.6	1149.2	981.6
LENGTH OF SAMPLE (IN)	(2)	5.8	5.3	6.0	4.8	5.1	6.0	4.7
WT. WET SOIL + CONT. (GM)	(3)	349.57	317.86	202.44	326.1	217.05	273.39	415.07
WT. DRY SOIL + CONT. (GM)	(4)	317.49	288.32	178.0	282.74	272.75	233.31	377.84
WT. CONTAINER (GM)	(5)	37.41	39.88	40.43	40.79	39.62	37.70	37.82
WT. TUBE OR RINGS (GM) TOTAL	(6)	205.24	205.24	205.24	205.24	205.2	205.2	205.2
AVG. TUBE OR RING I.D.	(7)	2.4	2.4	2.4	2.4	2.4	2.4	2.4
AVG. CUT DIAMETER (IN)								
TUBE CLEARANCE RATIO (%)								
TUBE NUMBER								
SPECIFIC GRAVITY (assumed)	(8)	2.65	2.65	2.65	2.65	2.65	2.65	2.65

PROJECT MTD FAIL
PROJECT NO. 87-218-16
BORING NO. _____

TESTED BY S.P DATE 1-21-87
COMPUTED BY S.P DATE 1-22-87
CHECKED BY _____ DATE _____

SAMPLE TYPE		DRIVE						
BORING NO		208						
SAMPLE DEPTH (FT)		2.5						
WET DENSITY (PCF)	(A)	143.1						
MOISTURE CONTENT (%)	(B)	14.88						
DRY DENSITY (PCF)	(C)	121.5						
VOID RATIO	(D)	0.329						
SATURATION (%)	(E)	100						
SOIL DESCRIPTION		Partly graded sand with silt trace gravel, f-to-c, net.						
U.S.C.S.		SP-SM						
COLOR		gray						
MAXIMUM PARTICLE SIZE		3/8"						
CEMENTATION		-						
GRAIN SIZE DIST. GR:SA:FI		7.85 : 8						
GRAIN SHAPE		CR-SF						
PLASTICITY		NO LIQ						
CONSISTENCY/REL. DENSITY		DENSE						
REACTION TO HCL		-						
CONTAINER NUMBER		50						
WT. WET SOIL + TUBE/RINGS (GM)	(1)	1020.7						
LENGTH OF SAMPLE (IN)	(2)	4.8						
WT. WET SOIL + CONT. (GM)	(3)	372.02						
WT. DRY SOIL + CONT. (GM)	(4)	325.17						
WT. CONTAINER (GM)	(5)	36.52						
WT. TUBE OR RINGS (GM) TOTAL	(6)	205.24						
AVG. TUBE OR RING I.D.	(7)	2.4						
AVG. CUT DIAMETER (IN)		-						
TUBE CLEARANCE RATIO (%)								
TUBE NUMBER								
SPECIFIC GRAVITY (assumed)	(8)	2.65						



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

AMENDED REPORT

FROM: **Earth Technology Corporation**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: **701207-004**
SAMPLING DATE: **01/08/87**
DATE SAMPLE REC'D: **01/12/87**
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-003 BH-201-46.5 (Traffic-Santa Ana) 1 of 2

PARAMETERS

RESULTS, in mg/l

Sulfide

0.55

LC

ANALYST

REVIEWED & APPROVED



CHEMICAL RESEARCH LABORATORIES

DATE *2/13/87*



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-001, 2, 3, 4, 5, 2810
SAMPLING DATE: 1/19, 2/1987
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033

<u>SAMPLE ID</u>	<u>pH, in units</u>
BH - 201 - 30 (Traffic-Santa Ana)	8.24
BH - 202 - 30 (Traffic-Santa Ana)	9.34
BH - 202 - 40 (Traffic-Santa Ana)	7.69
BH - 201- 46.5 (Traffic-Santa Ana) 1 of 2	7.43
BH - 206A - 40 (Vignes St. Adj. to off-ramp) 1 of 3	7.24
BH - 206A - 15 (Vignes St. Adj. to off ramp)	8.60
BH - 206A - 35 (Vignes St. Adj. to off-ramp)	8.39

ANALYST

JR

REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-001, 2, 3, 9&10
SAMPLING DATE: 1/8, 9/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033

RESULTS, in mg/kg

TOTAL PETROLEUM HYDROCARBONS
(EPA 418.1)

SAMPLE IDENTIFICATION

BH - 201 - 30 (Traffic-Santa Ana)	9.
BH - 202 - 30 (Traffic-Santa Ana)	4.
BH - 202 - 40 (Traffic-Santa Ana)	4.
BH - 206A - 15 (Vignes St. Adj. to off-ramp)	6.
BH - 206A - 35 (Vignes St. Adj. to off-ramp)	7.

JFC
ANALYST

B. J. Barker
REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-001
SAMPLING DATE: 1/08/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 201 - 30 (Traffic-Santa Ana) (soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	0.06*	1,1,2-Trichloroethane	<0.02
Acetone	0.07*	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	0.19
Chloroform	0.05*	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

* Also found in laboratory blanks.

< Denotes compound was not detected above the value indicated.

ANALYST

SF

R. J. Bomley
REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/26/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-001
SAMPLING DATE: 1/08/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 201 - 30 (Traffic-Santa Ana) (soil)
EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Phenol, bis(-2-Chloroethyl)Ether, 2-Chlorophenol, etc.

< Denotes compound was not detected above value indicated

ANALYST

REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/23/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-002
SAMPLING DATE: 1/08/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 202 - 30 (Traffic-Santa Ana) (soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	<u>mg/kg</u>		<u>mg/kg</u>
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.02	1,1,2-Trichloroethane	<0.02
Acetone	<0.05	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	<0.05
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

< Denotes compound was not detected above the value indicated.

ANALYST

SP


REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/24/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-002
SAMPLING DATE: 1/08/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 202 - 30 (Traffic-Santa Ana) (soil)
EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Phenol, bis(-2-Chloroethyl)Ether, 2-Chlorophenol, etc.

< Denotes compound was not detected above value indicated.

ANALYST [Signature]

REVIEWED & APPROVED [Signature]
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-003
SAMPLING DATE: 1/08/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 202 - 40 (Traffic-Santa Ana) (soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.02	1,1,2-Trichloroethane	<0.02
Acetone	<0.05	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	<0.05
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

< Denotes compound was not detected above the value indicated.

ANALYST

SP


 REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES
DATE 1/29/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-003
SAMPLING DATE: 1/08/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 202 - 40 (Traffic-Santa Ana) (soil)
EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, mg/kg, Compound Name, mg/kg. Lists various pollutants like Phenol, bis(-2-Chloroethyl) Ether, 2-Chlorophenol, etc., with their respective concentrations.

< Denotes compound was not detected above value indicated.

ANALYST [Signature]

[Signature] REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials. This report is submitted for the exclusive use of the client to whom it is addressed. Any reproduction of this report or use of this Laboratory's name for advertising or publicity purposes without authorization is prohibited.



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: **The Earth Technology Corp.**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: **701417-001/015**
SAMPLING DATE: **01/13/87**
DATE SAMPLE REC'D: **01/14/87**
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033

<u>SAMPLE ID</u>	<u>pH, in units</u>
BH-205-55 Commercial & Center St. (soil)	8.74
BH-205-60 Commercial & Center St. (liquid)	7.29
BH-208-25 NE of 205/Center St. (soil)	8.12
BH-208-60 NE of 205/Center St. (1 of 3)(liquid)	7.29
BH-203-10 101 Fwy.N/Vignes (soil)	8.12
BH-203-35 101 Fwy.N/Vignes (soil)	7.05
BH-203-60 101 Fwy.N/Vignes (1 of 3)(liquid)	7.24

JR

ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE

M. Hill
2/13/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-001,5,9,10
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:
Metro Rail 87-600-0033

RESULTS, in mg/kg

TOTAL PETROLEUM HYDROCARBONS
(EPA 418.1)

SAMPLE IDENTIFICATION

BH-205-55 Commercial & Center St.	8.
BH-208-25 NE of 205/Center St.	4.
BH-203-10 101 Fwy.N/Vignes	7.
BH-203-35 101 Fwy.N/Vignes	4.

JFC

ANALYST



W.A. Costa
REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: **The Earth Technology Corp.**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: **701417-003,6,12**
SAMPLING DATE: **01/13/87**
DATE SAMPLE REC'D: **01/14/87**
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 (liquid)

<u>SAMPLE ID</u>	<u>SULFIDE, in mg/L</u>
BH-205-60 Commercial & Center St. (2 of 3)	7.3
BH-208-60 NE of 205/Center St (2 of 3)	8.0
BH-203-60 101 Fwy.N/Vignes (2 of 3)	1.5

LC

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE

M. Fontes
2/13/17



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-009
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-203-10 101 Fwy.N./Vignes

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.05	1,1,2-Trichloroethane	<0.02
Acetone	0.15	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	0.10
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

< Denotes compound was not detected above the value indicated.

SLP

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-009
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-203-10 101 Fwy.N/Vignes
EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Phenol, bis(-2-Chloroethyl) Ether, Acenaphthene, 2,4-Dinitrophenol, etc.

<Denotes compound was not detected above the value indicated.

Analyst signature and name: M.H.

Reviewed & Approved signature and name, date: 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-010
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-203-35 101 Fwy.N./Vignes

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, mg/kg, Compound Name, mg/kg. Lists various pollutants like Chloromethane, Bromomethane, Vinyl Chloride, etc., with their respective concentrations.

< Denotes compound was not detected above the value indicated.

SLP


ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-010
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-203-35 101 Fwy.N/Vignes

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, Concentration (mg/kg), Compound Name, Concentration (mg/kg). Lists various pollutants like Phenol, Acenaphthene, Dinitrophenol, etc.

<Denotes compound was not detected above the value indicated.

Handwritten initials 'MB' above the analyst line.

ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

Earth Technology Corp.
FROM: 3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-005
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 204 - 30 (Old Center Street) (soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	<u>mg/kg</u>		<u>mg/kg</u>
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.02	1,1,2-Trichloroethane	<0.02
Acetone	0.24*	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	0.07
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

* Also found in laboratory blanks.

< Denotes compound was not detected above the value indicated.

ANALYST

SP

R. J. B...
REVIEWED & APPROVED



CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Torres

ANALYSIS NO.: 701314-005
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail ST-600-0039 BH - 204 - 30 (Old Center Street) (soil)

EPA METHOD 825 8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, mg/kg, Compound Name, mg/kg. Lists various pollutants like Phenol, bis(-2-Chloroethyl) Ether, 2-Chlorophenol, etc., with their respective concentrations.

< Denotes compound was not detected above value indicated.

ANALYST [Signature]

REVIEWED & APPROVED [Signature]
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials. This report is submitted for the exclusive use of the client to whom it is addressed. Any reproduction of this report or use of this Laboratory's name for advertising or publicity purposes without authorization is prohibited.



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-008
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 204 - 60 (old Center Street) (liquid)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, ug/L, Compound Name, ug/L. Lists various pollutants like Chloromethane, Bromomethane, Vinyl Chloride, etc., with their respective concentrations.

< Denotes compound was not detected above the value indicated.

ANALYST

JP

Signature and stamp: REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-006
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 (liquid) BH - 204 - 60 (Old Center Street)

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in ug/l. Includes compounds like Phenol, Acenaphthene, 2,4-Dinitrophenol, etc.

< Denotes compound was not detected above value indicated.

ANALYST

Handwritten signature/initials

REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES
DATE 1/29/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-007
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 204 - 60 (Old Center Street)

PARAMETERS

RESULTS, in mg/L

Sulfide

14.58

ANALYST

JFC

R. J. B...
REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-009
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 Trip Blank (liquid)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in ug/L. Includes compounds like Chloromethane, Bromomethane, Vinyl Chloride, etc.

< Denotes compound was not detected above the value indicated.

ANALYST

SP

Signature and stamp: REVIEWED & APPROVED, CHEMICAL RESEARCH LABORATORIES

DATE 1/26/87

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials. This report is submitted for the exclusive use of the client to whom it is addressed. Any reproduction of this report or use of this Laboratory's name for advertising or publicity purposes without authorization is prohibited.



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-001, 2, 5, 86
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033

<u>SAMPLE ID</u>	<u>pH, in units</u>
BH - 207 - 30 (101 S. Fwy. Entrance Vignes)	9.10
BH - 207 - 60 (101 S. Fwy. Entrance Vignes)	9.29
BH - 204 - 30 (Old Center Street)	8.85
BH - 204 - 60 (Old Center Street)	7.63

ANALYST

JR


REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-001
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-205-55 Commercial & Center St.

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Chloromethane, Bromomethane, Vinyl Chloride, etc.

< Denotes compound was not detected above the value indicated.

SLP

ANALYST

Handwritten signature

REVIEWED & APPROVED



CHEMICAL RESEARCH LABORATORIES

DATE 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-001
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-205-55 Commercial & Center St.

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, mg/kg, Compound Name, mg/kg. Lists various pollutants like Phenol, bis(-2-Chloroethyl) Ether, Acenaphthene, etc.

<Denotes compound was not detected above the value indicated.

MH

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

AMENDED REPORT

FROM: **Earth Technology Corporation**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: **701207-008**
SAMPLING DATE: **01/09/87**
DATE SAMPLE REC'D: **01/12/87**
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-003 BH-206A-40 (Vignes St Adj. to off-ramp) 3 of 3

PARAMETERS

RESULTS, in mg/l

Sulfide

0.61

LC

ANALYST




M. Scott

REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE **2/13/87**



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-009
SAMPLING DATE: 1/09/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 206A - 15 (Vignes St. Adj. to off-ramp) (soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.02	1,1,2-Trichloroethane	<0.02
Acetone	<0.05	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	<0.05
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

< Denotes compound was not detected above the value indicated.

ANALYST

SP



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-009
SAMPLING DATE: 1/09/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 206A - 15 (Vignes St. Adj. to off-ramp)(soil)
EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Phenol, bis(-2-Chloroethyl) Ether, Acenaphthene, 2,4-Dinitrophenol, etc.

< Denotes compound was not detected above value indicated

ANALYST

MH

Signature and stamp: REVIEWED & APPROVED, CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-010
SAMPLING DATE: 1/09/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 206A - 35 (Vignes St. Adj. to off-ramp) (soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.02	1,1,2-Trichloroethane	<0.02
Acetone	<0.05	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	<0.05
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

< Denotes compound was not detected above the value indicated.

ANALYST

SP


 REVIEWED & APPROVED
 CHEMICAL RESEARCH LABORATORIES
 DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Larry Barker

ANALYSIS NO.: 701207-010
SAMPLING DATE: 1/09/87
DATE SAMPLE REC'D: 1/12/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 206A - 35 (Vignes St. Adj. to off-ramp)(soil)

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Phenol, Bis(-2-Chloroethyl) Ether, Acenaphthene, etc.

< Denotes compound was not detected above value indicated.

ANALYST

Handwritten signature of analyst

REVIEWED & APPROVED
Handwritten signature of reviewer
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-003
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 207 - 60 (101 S. Fwy. Entrance Vignee)

PARAMETERS

RESULTS, in mg/L

Sulfide

0.64

ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

Earth Technology Corp.
FROM: 3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-001
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 207 - 30 (101 S. Fwy. Entrancce Vignes)(soil)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, Concentration (mg/kg), Compound Name, Concentration (mg/kg). Lists various pollutants like Chloromethane, Bromomethane, Vinyl Chloride, etc., with their respective concentrations.

* Also found in laboratory blanks.

< Denotes compound was not detected above the value indicated.

ANALYST

SP

Signature and stamp: REVIEWED & APPROVED, CHEMICAL RESEARCH LABORATORIES, DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-001
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 BH - 207 - 30 (101 S. Fwy. Entrance Vignes) (soil)

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET


	mg/kg		mg/kg
Phenol	<0.3	Acenaphthene	<0.3
bis(-2-Chloroethyl)Ether	<0.3	2,4-Dinitrophenol	<1
2-Chlorophenol	<0.3	4-Nitrophenol	<1
1,3-Dichlorobenzene	<0.3	Dibenzofuran	<0.3
1,4-Dichlorobenzene	<0.3	2,4-Dinitrotoluene	<0.3
Benzyl Alcohol	<0.3	2,6-Dinitrotoluene	<0.3
1,2-Dichlorobenzene	<0.3	Diethylphthalate	<0.3
2-Methylphenol	<0.3	4-Chlorophenyl-phenylether	<0.3
bis(2-chloroisopropyl)Ether	<0.3	Fluorene	<0.3
4-Methylphenol	<0.3	4-Nitroaniline	<1
N-Nitroso-Di-n-Propylamine	<0.3	4,6-Dinitro-2-Methylphenol	<1
Hexachloroethane	<0.3	N-Nitrosodiphenylamine (1)	<0.3
Nitrobenzene	<0.3	4-Bromophenyl-phenylether	<0.3
Isophorone	<0.3	Hexachlorobenzene	<0.3
2-Nitrophenol	<0.3	Pentachlorophenol	<1
2,4-Dimethylphenol	<0.3	Phenanthrene	0.2
Benzoic Acid	<1	Anthracene	<0.3
bis(-2-Chloroethoxy)Methane	<0.3	Di-n-Butylphthalate	<0.3
2,4-Dichlorophenol	<0.3	Fluoranthene	0.5
1,2,4-Trichlorobenzene	<0.3	Pyrene	0.7
Naphthalene	0.3	Butylbenzylphthalate	<0.3
4-Chloroaniline	<0.3	3,3-Dichlorobenzidine	<0.6
Hexachlorobutadiene	<0.3	Benzo(a)Anthracene	<0.3
4-Chloro-3-Methylphenol	<0.3	bis(2-Ethylhexyl)Phthalate	<0.3
2-Methylnaphthalene	<0.3	Chrysene	0.3
Hexachlorocyclopentadiene	<0.0	Di-n-Octyl Phthalate	<0.3
2,4,6-Trichlorophenol	<0.3	Benzo(b)Fluoranthene	<0.3
2,4,5-Trichlorophenol	<0.3	Benzo(k)Fluoranthene	<0.3
2-Chloronaphthalene	<0.3	Benzo(a)Pyrene	<0.3
2-Nitroaniline	<1	Indeno(1,2,3-cd)Pyrene	<0.3
Dimethyl Phthalate	<0.3	Dibenzo(a,h)Anthracene	<0.3
Acenaphthylene	0.3	Benzo(g,h,i)Perylene	<0.3
3-Nitroaniline	<1		

< Denotes compound was not detected above value indicated.

ANALYST

mf

[Signature]
REVIEWED & APPROVED
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

Earth Technology Corp.
FROM: 3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701314-001,005&006
SAMPLING DATE: 1/12/87
DATE SAMPLE REC'D: 1/13/87
INVOICE NO.:

NATURE OF SAMPLE:
Metro Rail 87-600-0033

RESULTS, in mg/kg

TOTAL PETROLEUM HYDROCARBONS
(EPA 418.1)

SAMPLE IDENTIFICATION


<u>SAMPLE IDENTIFICATION</u>	<u>RESULTS, in mg/kg</u>
BH - 207 - 30 (101 S. Fwy. Entrance Vignes)	3.
BH - 204 - 30 (Old Center Street)	6.
BH - 204 - 60 (Old Center Street)	9.

NOTE: Samples were received in a chilled state, intact and with chain of custody record attached.

JFC

ANALYST

[Signature]
REVIEWER & APPROVED
CHEMICAL RESEARCH LABORATORIES
DATE 1/20/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-005
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-208-25 NE of 205/Center St.

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	<0.05	1,1,2-Trichloroethane	<0.02
Acetone	<0.05	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	<0.05
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

< Denotes compound was not detected above the value indicated.

SLP

ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE

1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology Corp.
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-005
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - BH-208-25 NE of 205/Center St.

EPA METHODS 625/6270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, mg/kg, Compound Name, mg/kg. Lists various pollutants like Phenol, bis(-2-Chloroethyl) Ether, etc., with their respective concentrations.

<Denotes compound was not detected above the value indicated.

MH ANALYST

REVIEWED & APPROVED [Signature]
CHEMICAL RESEARCH LABORATORIES
DATE 1/14/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: The Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: 701417-014
SAMPLING DATE: 01/13/87
DATE SAMPLE REC'D: 01/14/87
INVOICE NO.:

NATURE OF SAMPLE:
Metro Rail 87-600-0033 - Trip Blank

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, Concentration (ug/l), Compound Name, Concentration (ug/l). Lists various pollutants like Chloromethane, Bromomethane, Vinyl Chloride, etc., with values mostly < 5 or < 10.

< Denotes compound was not detected above the value indicated.

SLP

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE 1/21/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: **The Earth Technology Corp.**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: **702204-002 & 005**
SAMPLING DATE: **01/21/87**
DATE SAMPLE REC'D: **01/22/87**
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - 87-600-0033 Commercial & Center St. (liquid)

SAMPLE ID

SULFIDE, in mg/L

Commercial & Center St. (209.50)

0.47

LC

ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE *2/13/87*



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: **Earth Technology**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Mr. Larry Barker

ANALYSIS NO.: **704314-001 & 003**
SAMPLING DATE: **01/21/87**
DATE SAMPLE REC'D: **01/22/87**
INVOICE NO.: **19289**

NATURE OF SAMPLE:

Metro Rail 87-600-0033

SAMPLE ID

pH, in units

209-15 Commercial & Center St. (soil)
209-50 Commercial & Center St. (liquid)

7.25
7.56

JR

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE

W. H. Frost
2/13/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: **The Earth Technology Corp.**
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Barbara Fontes

ANALYSIS NO.: **702204-002 & 005**
SAMPLING DATE: **01/21/87**
DATE SAMPLE REC'D: **01/22/87**
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - 87-600-0033 Commercial & Center St. (soil)

SAMPLE ID

pH, in units

Commercial & Center St. (209.35)

7.52

JR

ANALYST



W. Smith

REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE

2/13/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: **Earth Technology**
3777 Long Beach Blvd.
Long Beach, CA 90807. 92648
ATTN: Mr. Larry Barker

ANALYSIS NO.: **704314-001**
SAMPLING DATE: **01/21/87**
DATE SAMPLE REC'D: **01/22/87**
INVOICE NO.: **19289**

NATURE OF SAMPLE:

Metro Rail - 87-600-0033 (soil)

RESULTS, in mg/kg

TOTAL PETROLEUM HYDROCARBONS
(EPA 418.1)

SAMPLE IDENTIFICATION

209-15 Commercial & Center St.

61.

JFC


ANALYST



[Signature]
REVIEWED & APPROVED

DATE

2/15/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

Earth Technology Corporation
FROM: 3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Ms. Barbara Fontes

ANALYSIS NO.: 702204-002
SAMPLING DATE: 1/21/87
DATE SAMPLE REC'D: 1/22/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail Transit 87-600-0033 (soil)

RESULTS, in mg/kg

TOTAL PETROLEUM HYDROCARBONS
(EPA 418.1)

SAMPLE IDENTIFICATION

Commercial & Center St.

3.

209-35

JFC

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE *1/29/87*



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

Earth Technology Corporation
FROM: 3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Ms. Barbara Fontes

ANALYSIS NO.: 702204-001
SAMPLING DATE: 1/21/87
DATE SAMPLE REC'D: 1/22/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 Commercial & Center St. (209-15) soil

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

	mg/kg		mg/kg
Chloromethane	<0.05	1,2-Dichloropropane	<0.02
Bromomethane	<0.05	Trans-1,3-Dichloropropene	<0.02
Vinyl Chloride	<0.05	Trichloroethene	<0.02
Chloroethane	<0.05	Dibromochloromethane	<0.02
Methylene Chloride	0.40*	1,1,2-Trichloroethane	<0.02
Acetone	<0.05	Benzene	<0.02
Carbon Disulfide	<0.02	cis-1,3-Dichloropropene	<0.02
1,1-Dichloroethene	<0.02	2-Chloroethylvinyl ether	<0.05
1,1-Dichloroethane	<0.02	Bromoform	<0.02
Trans-1,2-Dichloroethene	<0.02	4-Methyl-2-Pentanone	<0.05
Chloroform	<0.02	2-Hexanone	<0.05
1,2-Dichloroethane	<0.02	Tetrachloroethene	<0.02
2-Butanone	<0.05	1,1,2,2-Tetrachloroethane	<0.02
1,1,1-Trichloroethane	<0.02	Toluene	<0.02
Carbon Tetrachloride	<0.02	Chlorobenzene	<0.02
Vinyl Acetate	<0.05	Ethylbenzene	<0.02
Bromodichloromethane	<0.02	Styrene	<0.02
		Total Xylenes	<0.02

* Present in laboratory blanks.

< Denotes compound was not detected above the value indicated.

SLP

ANALYST



CHEMICAL RESEARCH LABORATORIES

REVIEWED & APPROVED

DATE

1/29/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corporation
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Ms. Barbara Fontes

ANALYSIS NO.: 702204-001
SAMPLING DATE: 1/21/87
DATE SAMPLE REC'D: 1/22/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 Commercial & Center St. (209-15) soil

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 2 columns of chemical names and their concentrations in mg/kg. Includes compounds like Phenol, bis(-2-Chloroethyl) Ether, 2-Chlorophenol, etc.

< Denotes compound was not detected above value indicated.

MH

ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE 1/29/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Mr. Larry Barker

ANALYSIS NO.: 704314-002
SAMPLING DATE: 01/21/87
DATE SAMPLE REC'D: 01/22/87
INVOICE NO.: 19289

NATURE OF SAMPLE:

Metro Rail 87-600-0033 - 209-35 Commercial & Center St. (soil)

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, Concentration (mg/kg), Compound Name, Concentration (mg/kg). Lists various pollutants like Phenol, Bis(2-Chloroethyl) Ether, etc., with their respective concentrations.

<Denotes compound was not detected above the value indicated.

Analyst signature and name

Reviewed and Approved signature, date 2/13/87, and logo



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

Earth Technology Corporation
FROM: 3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Ms. Barbara Fontes

ANALYSIS NO.: 702204-003
SAMPLING DATE: 1/21/87
DATE SAMPLE REC'D: 1/22/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 Commercial & Center St. (209-50) liquid

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, mg/L, Compound Name, mg/L. Lists various pollutants like Chloromethane, Bromomethane, Vinyl Chloride, etc., with their respective concentrations.

* Present in laboratory blanks.

< Denotes compound was not detected above the value indicated.

SLP

ANALYST

Handwritten signature

REVIEWED & APPROVED



CHEMICAL RESEARCH LABORATORIES

DATE

1/29/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corporation
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Ms. Barbara Fontes

ANALYSIS NO.: 702204-004
SAMPLING DATE: 1/21/87
DATE SAMPLE REC'D: 1/22/87
INVOICE NO.:

NATURE OF SAMPLE:

Metro Rail 87-600-0033 Commercial & Center St. (209-50) liquid

EPA METHODS 625/8270 SEMI-VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, Concentration (mg/kg), Compound Name, Concentration (mg/kg). Lists various pollutants like Phenol, bis(-2-Chloroethyl) Ether, etc., with values like <20, <100, 15, etc.

< Denotes compound was not detected above value indicated.

MH ANALYST



REVIEWED & APPROVED

CHEMICAL RESEARCH LABORATORIES

DATE

1/29/87



CHEMICAL RESEARCH LABORATORIES

LABORATORY REPORT

11631 SEABOARD CIRCLE (213) 598-0458
STANTON, CA 90680 (714) 898-6370

FROM: Earth Technology Corporation
3777 Long Beach Blvd.
Long Beach, CA 90807
ATTN: Ms. Barbara Fontes

ANALYSIS NO.: 702204-006
SAMPLING DATE: 1/21/87
DATE SAMPLE REC'D: 1/22/87
INVOICE NO.:

NATURE OF SAMPLE: Metro Rail 87-600-0033 Trip Blank (liquid)

EPA METHODS 624/8240 VOLATILE POLLUTANTS DATA SHEET

Table with 4 columns: Compound Name, Concentration (mg/L), Compound Name, Concentration (mg/L). Lists various pollutants like Chloromethane, Bromomethane, Vinyl Chloride, etc., with values mostly <0.01 or <0.005.

< Denotes compound was not detected above the value indicated.

SLP

ANALYST

Handwritten signature

REVIEWED & APPROVED



CHEMICAL RESEARCH LABORATORIES

DATE 1/22/87

APPENDIX C
SITE BORING LOGS

BORING LOG

METRO RAIL TRANSIT

Project Name: _____
 Project Number: 87-600-0033 Field Log of Boring Number: BH-201 Sheet 1 of 2

Boring Location: <u>Traffic Island off 101 Fwy</u>		Elevation and Datum: <u>277.36 feet</u>	
Drilling Agency: <u>DRILL LINE</u>	Driller: <u>Gregg DeLuca John Hale</u>	Date Started: <u>1-8-87</u>	Date Finished: <u>1-8-87</u>
Drilling Equipment: <u>B-53</u>	Completion: <u>46.5</u>	Rock Depth: (feet)	
Method of Drilling: <u>Hollow Stem Auger - 6 Inch Dia.</u>	Number of Samples: <u>6</u>	Dist.:	Undist.:
Borehole Size: <u>8 Inch</u>	Water Depth (ft): <u>29</u>	First:	Core: <u>24 hrs.</u>
Type of Perforation Backfill: <u>None</u>	Logged By: <u>Sharon Lagas</u>		Checked by: <u>Barbara Fontes</u>
Type of Seal: <u>5% Bentonite Cement Grout</u>			

Depth (feet)	Description	Graphic Log		Samples			Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	
	Dry, dark brown, silty fine to medium size grain sand with some small gravel	SP/SM Fill					9:30 Baseline OVA reading at 2 ppm. Traffic island has been disturbed during freeway construction
5-6.5'	Same as above with small chips of brick (Hit debris) possibly brick	SP/SM	1	1	12/26	10:00	OVA Readings at Baseline
7'							
10-11.5'	Dry, dark brown, silty, fine to medium size sand	SM	1	2	18/22 32	10:08	OVA Readings at Baseline
15-16.5'	Dry, brown to light brown silty sand with gravel	SP/SM	-	3	14/9/ 7	10:13	OVA Readings at Baseline No recovery for OVA
20-21.5'	No recovery-cobble, gravel	GW	-			10:20	OVA Readings at Baseline
25-26.5'	No recovery - 5" chunk of concrete					10:30	Possibility of disturbed soil to 25 ft. OVA Readings at Baseline
	Groundwater encountered at approximately 29 feet						

BORING LOG

Project Name: METRO RAIL TRANSIT

Project Number: 87-600-0033 Field Log of Boring Number: BH-202 Sheet 1 of 2

Boring Location: Traffic Island off 101 FWY		Elevation and Datum: 277.34 ft	
Drilling Agency: DRILL LINE	Driller: Gregg Deluca John Hale	Date Started: 1/8/87	Date Finished: 1/8/87
Drilling Equipment: B-53	Completion: Depth (feet) 50	Rock Depth: (feet)	
Method of Drilling: Hollow Stem Auger - 6 Inch Dia.	Number of Samples: 8	Dist.:	Undist.:
Borehole Size: 8 Inch	Water Depth (ft): 29	First:	Core: 24 hrs.
Type of Perforation Backfill: None	Logged By: Sharon Lagas		Checked by: Barbara Fontes
Type of Seal: 5% Bentonite Cement Grout			

Depth (feet)	Description	Graphic Log		Samples			Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	
	Dry, dark brown, silty fine to medium size sand with gravel 1' Hit concrete	SP/SM Fill					1:30 Baseline OVA Reading @2 ppm
5	5-6.5' Dry, light brown, fine to medium size sand with some silt	SM	2	1	8/12/13	1:40	OVA Readings at Baseline
10	10-10.5' Dry, brown, silty, fine to medium size sand with clay	SC	1	2	8/4/16	1:45	OVA Reading at Baseline
	10.5-11.5' Dry, light brown, medium to coarse grained sand with gravel	SP					
15	15-16.5' Dry, light brown, medium to coarse sand with gravel	SP	4	3	23/40/25	1:50	OVA Readings at Baseline
	17.5' Hit cobble						
20	20-21.5' Same as above	SP	2	4	28/50	1:58	OVA Readings at Baseline, oily film on sand
25	25-25.5' Dry, light brown, medium to coarse sand which grades into a brown-gray fine grained silty clay	SM/SC	6	5	14/23	2:06	OVA Readings at Baseline
	25.5-26.5' Moist, brown-gray, medium to coarse sand Groundwater encountered at approximately 29 feet	SP					

BORING LOG

Project name: METRO RAIL TRANSIT

Project Number: 87-600-0033 Field Log of Boring Number: BH-202 Sheet 2 of 2

Depth (feet)	Description	Graphic Log		Samples			Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	
30-31.5'	Wet, gray, medium to coarse grained sand	SP	16	6		13/35 50	2:15 OVA Readings at Baseline
35-36.5'	No Recovery		-	-		8/16 40	2:20
40-41.5'	Wet, gray, medium to coarse grained sand	SP	10	7		8/16 47	2:28 OVA Readings at Baseline
45'	Hit boulder						
45.5'-46.5'	Wet, dark gray, fine to medium size sand	SP	-	8		30/50	2:42 OVA Readings at Baseline No recovery for OVA
50'	Hammer broke, ended hole	SP					3:15 No water sample

BORING LOG

Project Name: METRO RAIL TRANSIT
 Project Number: 87-600-0033 Field Log of Boring Number: BH-203 Sheet 1 of 2

Boring Location: Traffic Island off 101 FWY		Elevation and Datum: 276.52 ft	
Drilling Agency: DRILL LINE	Driller: Gregg DeLuca John Hale	Date Started: 1/14/87	Date Finished: 1/14/87
Drilling Equipment: B-53	Completion: Depth (feet) 60	Rock Depth: (feet)	
Method of Drilling: Hollow Stem Auger - 6 Inch Dia.	Number of Samples: 5	Dist.:	Undist.:
Borehole Size: 8 Inch	Water Depth (ft): 30	First:	Compl.: 24 hrs.
Type of Perforation Backfill: None	Logged By: Sharon Lagas		Checked by: Barbara Fontes
Type of Seal: 5% Bentonite Cement Grout			

Depth (feet)	Description	Graphic Log		Samples			Remarks	
		Lithology	OVA (ppm)	Number	Type	Blow Count		Drilling Rate/Time
	Dry, brown, silty fine to medium size sand - at 6" hit old brick and large boulder	SP/SM					10:00	OVA not working
		FILL						
5	5-6.5' Same as above with gravel and cobble - no sample collected	SP						Augers grinding on gravel and cobble
	7' Broke through gravel							Black brown color is soil
10	10-11.5' Dry, black-brown, fine medium sand and silt with small wood fragments	SM		1		15/19 26	10:51	Soil becomes brown in color and fluffy in texture
15	15-16.5' Dry, brown, medium to coarse grained sand with gravel	SP		2		10/10 8	11:00	
20	20-21.5' No recovery							Hammer sticking so drilling another 5 feet
25	25-25.5' Dry, light brown, medium to coarse grained sand with gravel	SP		3			11:21	Only 6" of sample due to hammer falling improperly
30	Groundwater encountered at approx. 30 feet							

BORING LOG

Project name: METRO RAIL TRANSIT

Project Number: 87-600-0033 Field Log of Boring Number: BH-203 Sheet 2 of 2

Depth (feet)	Description	Graphic Log		Samples			Remarks	
		Lithology	OVA (ppm)	Number	Type	Blow Count		Drilling Rate/Time
30-30.5'	Wet, brown, coarse grained sand and gravel	SW		4		50	11:30	
32.5'	Small Cobble, large gravel	GW						
35-35.8'	Wet, gray, medium to coarse grained sand	SP		5		39/50	11:43	Slight oily odor only 8-10" of sample rest was slough
39'	Small Cobble, large gravel	GW						
40-41.5'	No recovery - Possibly cobble and gravel						12:00	Hammer sticking
45-46.5'	No recovery - Possibly cobble and gravel						12:11	Hammer sticking- cannot sample without hammer getting stuck so continuing on to 60 feet
50-51.5'	No recovery - Possibly cobble and gravel						12:17	
55-56.5'	No recovery							Hitting cobbles
	Wet, gray, medium to coarse grained sand with slight hydrocarbon odor coming up from augers	SP						Sample appears to be predominantly slough
60'	End hole						12:33	Collected water samples

BORING LOG

Project Name: METRO RAIL TRANSIT
 Project Number: 87-600-0033 Field Log of Boring Number: BH-204 Sheet 1 of 2

Boring Location: <u>Old Center St. (b/t Aliso & Comm.)</u>		Elevation and Datum: <u>275.37 ft</u>	
Drilling Agency: <u>DRILL LINE</u>	Driller: <u>Gregg DeLuca John Hale</u>	Date Started: <u>1/12/87</u>	Date Finished: <u>1/12/87</u>
Drilling Equipment: <u>B-53</u>		Completion Depth (feet): <u>61.5</u>	Rock Depth (feet):
Method of Drilling: <u>Hollow Stem Auger - 6 Inch Dia.</u>		Number of Samples: <u>6</u>	Dist.: Undist.: Core:
Borehole Size: <u>8 Inch</u>		Water Depth (ft): <u>30</u>	First: Compl.: 24 hrs.
Type of Perforation Backfill: <u>None</u>		Logged By: Checked by:	
Type of Seal: <u>5% Bentonite Cement Grout</u>		<u>Barbara Fontes</u> <u>Sharon Lagas</u>	

Depth (feet)	Description	Graphic Log		Samples				Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	Drilling Rate/Time	
	Asphalt, concrete debris	AS					7:30	Baseline OVA Reading at 4 ppm
	Dry, dark brown, silty fine to medium size sand	SM						
5	5-6.5' Same as above	SM						No samples collected
	8-9' Moist clayey sand	SC						
10	10-11.5' Dry, brown, silty, fine to medium size sand	SM	2	1		8/15 11	8:00	OVA Readings @baseline
15	15-16.5' Same as above	SM	4	2		18	8:10	Collected only OVA sample. Hit large object-refusal
20	20-21.5' Dry, brown, medium to coarse grained sand with fragmented gravel and small cobbles	SW	4	3		39/50 49	8:17	OVA readings @baseline
25	25-26.5' Same as above	SW	160	4		25	8:25	Soil has hydrocarbon odor
30	Groundwater encountered at approx. 30 feet							

BORING LOG

METRO RAIL TRANSIT

Project name: _____

Project Number: 87-600-0033 Field Log of Boring Number: BH-204 Sheet 2 of 2

Depth (feet)	Description	Graphic Log		Samples			Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	
30-31.5'	Wet, gray, coarse grained sand	SP	-	5		20/50	No OVA recovery
35	35-36.5' Same as above	SP					
38.5'	Cobble, gravel						
40	40-41.5' No recovery - cobble gravel	GW					8:59 OVA reading 2 ppm Hole has slight creosote odor (40 to 60 feet)
45	45-46.5' No recovery - cobble gravel						
50	50-51.5' No recovery - slough						Augers contained approx. 4 feet of slough
55	55-56.5' No recovery						
60	60-61.5' Wet, gray, coarse grained sand End Hole	SP	>1000			8/11/ 16	9:44 10:01 Collected water samples, not enough recovery for soil samples
65							
70							

BORING LOG

Project Name: METRO RAIL TRANSIT
 Project Number: 87-600-0033 Field Log of Boring Number: BH-206 Sheet 1 of 1

Boring Location: <u>Vignes St. (C.C. Meyer's yard)</u>		Elevation and Datum: <u>276.79 ft</u>	
Drilling Agency: <u>DRILL LINE</u>	Driller: <u>Gregg DeLuca John Hale</u>	Date Started: <u>1-9-87</u>	Date Finished: <u>1-9-87</u>
Drilling Equipment: <u>B-53</u>		Completion: <u>N/A</u>	Rock Depth: <u>(feet)</u>
Method of Drilling: <u>Hollow Stem Auger - 6 Inch Dia.</u>		Number of Samples: <u>0</u>	Dist.: <u></u> Undist.: <u></u> Core: <u></u>
Borehole Size: <u>8 inch</u>		Water Depth (ft): <u></u>	First: <u></u> Compl.: <u></u> 24 hrs. <u></u>
Type of Perforation Backfill: <u>None</u>		Logged By: <u>Sharon Lagas</u>	
Type of Seal: <u>5% Bentonite Cement Grout</u>		Checked by: <u>Barbara Fontes</u>	

Depth (feet)	Description	Graphic Log		Samples				Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	Drilling Rate/Time	
0								
5	Dry, dark brown, silty sand with large cobbles and pieces of concrete 4' concrete Borehole abandoned after two attempts	SP/SM Fill				9:25 9:48	Baseline OVA reading @2 ppm Could not break through concrete 1 ft but hit concrete at 4 feet and could not get drill straight-abandoned hole.	
10								
15								
20								
25								
30								

BORING LOG

Project Name: METRO RAIL TRANSIT
 Project Number: 87-600-003 Field Log of Boring Number: BH-206A Sheet 1 of 2

Boring Location: <u>Vignes St. (C.R. Meyer's yard)</u>		Elevation and Datum: <u>276.50 ft</u>	
Drilling Agency: <u>DRILL LINE</u>	Driller: <u>Gregg DeLuca John Hale</u>	Date Started: <u>1-9-87</u>	Date Finished: <u>1-9-87</u>
Drilling Equipment: <u>B-53</u>		Completion: Depth (feet) <u>41.5</u>	Rock Depth: (feet)
Method of Drilling: <u>Hollow Stem Auger - 6 Inch Dia.</u>		Number of Samples: <u>6</u>	Dist.: Undist.: Core:
Borehole Size: <u>8 Inch</u>		Water Depth (ft) <u>29.5</u>	First: Compl.: 24 hrs.
Type of Perforation Backfill: <u>None</u>		Logged By: <u>Sharon Lagas</u>	
Type of Seal: <u>5% Bentonite Cement Grout</u>		Checked by: <u>Barbara Fontes</u>	

Depth (feet)	Description	Graphic Log		Samples			Remarks	
		Lithology	OVA (ppm)	Number	Type	Blow Count		Drilling Rate/Time
	Dry, dark brown, sand and gravel with some silt	SW					10:00	Baseline OVA reading @ 2 to 5ppm
5	5-6' Dry, medium to coarse sand with some gravel	SW	3	1	10/10	10:10	10:10	OVA reading @ base-line
	6-6.5' Dry, medium grained sand with silt and some clay	SC						
10	10-11.5' No recovery				10/15	10:13	10:13	OVA reading @ base-line
					27			
15	15-16.5' Dry, light brown, medium to coarse sand with gravel	SW	14	2	50	10:23	10:23	OVA reading @ base-line
20	20-21.5' Dry, gravel with coarse grained sand	GW			23	10:30	10:30	No recovery cobble stuck in sampler
	23' Gravel and cobble	GW						
25	25-26.5' Moist, medium to coarse grained sand with gravel	SW	12	3	10/43	10:38	10:38	OVA reading @base-line
					50			
30	Groundwater encountered at approx. 29.5 feet							

BORING LOG

Project Name: METRO RAIL TRANSIT
 Project Number: 87-600-0033 Field Log of Boring Number: BH-207 Sheet 1 of 2

Boring Location: 101 FWY South from Vignes		Elevation and Datum: 276.92 ft	
Drilling Agency: DRILL LINE	Driller: Gregg DeLuca John Hale	Date Started: 1/12/87	Date Finished: 1/12/87
Drilling Equipment: B-53	Completion: Depth (feet) 60	Rock Depth: (feet)	
Method of Drilling: Hollow Stem Auger - 6 Inch Dia.	Number of Samples: 7	Dist.:	Undist.:
Borehole Size: 8 Inch	Water Depth (ft): 30	First:	Core: 24 hrs.
Type of Perforation Backfill: None	Logged By: Barbara Fontes		Checked by: Sharon Lagas
Type of Seal: 5% Bentonite Cement Grout			

Depth (feet)	Description	Graphic Log		Samples			Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	
	Dry, dark brown, silty, fine to medium size sand with gravel and rock/garbage debris	Fill					12:10 Baseline OVA reading @ 2 ppm
5	5-6.5' Same as above	Fill					Very little pressure on augers
10	10-11.5' Moist, black-brown, silty sand, medium plasticity clay with oxidation staining	SC	2	1	3/5/8	12:28	
	12.5' Hit debris-augers crunching						
15	15-16.5' Moist to dry, medium to coarse sand	SP	4	2	31/36/33	12:35	OVA reading @ baseline
	19' Gravel and cobbles	GW					
20	20-21.5' Dry, coarse grained sand with gravel and cobbles	SP	6	3	50	12:56	OVA reading @ baseline, cobble stuck in sampler No recovery for lab samples
25	25-26.5' Same as above	SP	6	4	50	1:01	No recovery for lab samples
30							

BORING LOG

METRO RAIL TRANSIT

Project name: _____
 Project Number: 87-600-0033 Field Log of Boring Number: BH-208 Sheet 2 of 2

Depth (feet)	Description	Graphic Log		Samples			Remarks	
		Lithology	OVA (ppm)	Number	Type	Blow Count		Drilling Rate/Time
30-31.5'	Same as above-not as coarse	SP	40	5		7/7 13	1:19	Drilling very difficult
34'	Gravel and cobble	GW						
35-36.5'	No recovery-gravel and cobble	GW					1:28	
40-41.5'	Wet, gray, medium grained sand	SP	2	6		7/9/ 34	1:43	OVA reading @ base-line, slight creosote odor
45-46.5'	No recovery - Possibly sand							
50-51.5'	No recovery-6 feet of slough in augers - Possibly sand							
55-56.5'	No recovery - Possibly sand							
60'	Abandoned hole due to hammer being stuck in augers						2:44	Upon removal of augers strong creosote odor, no water samples collected due to hammer being stuck

BORING LOG

METRO RAIL TRANSIT

Project Name: _____
 Project Number: 87-600-0033 Field Log of Boring Number: BH-209 Sheet 1 of 2

Boring Location: East Corner Center & Commercial St.		Elevation and Datum: 273.65 ft	
Drilling Agency: DRILL LINE	Driller: Gregg Deluca John Hale	Date Started: 1/21/87	Date Finished: 1/21/87
Drilling Equipment: B-53	Completion: 50	Rock Depth: (feet)	
Method of Drilling: Hollow Stem Auger - 6 Inch Dia.	Number of Samples: 8	Dist.:	Undist.:
Borehole Size: 8 Inch	Water Depth (ft): 30	First:	Compl.: 24 hrs.
Type of Perforation Backfill: None	Logged By: Sharon Lagas		Checked by: Barbara Fontes
Type of Seal: 5% Bentonite Cement Grout			

Depth (feet)	Description	Graphic Log		Samples			Remarks
		Lithology	OVA (ppm)	Number	Type	Blow Count	
0-6"	Asphalt	AS					Baseline OVA reading @ 6 ppm
6"-1.2'	Brick Road						
1.2'-1.6'	Concrete	Fill					
5	Dry, dark brown, silty, fine to medium size sand with some gravel						
5-6.5'	Dry, brown-black, silty, fine to medium size sand with some gravel	SP/SM	6	1	5/4/4	9:54	OVA reading @ baseline, only OVA sample recovery
10	10-11.5' Moist, black-brown, silty, fine to medium size sand with some gravel	SP/SM	6	2	6/17	10:00	At 10' auger hit pocket and dropped approx. 8"
15	15-16.5' Dry, brown, fine to medium sand with pea size gravel. Upper 8" stained black. Gravel increasing in size with depth. Entire sample saturated with gasoline	SW	33	3	14/41 37	10:05	OVA reading @ baseline Large cobble in bottom of sampler Oily film on sampler
20	20-20.5' Dry, brown, silty sand	SM	6	4	20/37	10:20	OVA reading @ baseline Strong oily odor
	20.5-21.5' Moist, gray, medium to coarse sand with pea size gravel	SW			43		
25	25-26.5' Dry, brown, silty, medium to coarse sand with gravel.	SM/GW	6	5	27/50	10:27	OVA reading @ baseline Strong oily odor
30	27.5' Hit cobble and gravel Groundwater encountered at approx. 30 feet	GW					

BORING LOG

Project name: METRO RAIL TRANSIT
 Project Number: 87-600-0033 Field Log of Boring Number: BH-209 Sheet 2 of 2

Depth (feet)	Description	Graphic Log		Samples			Remarks	
		Lithology	OVA (ppm)	Number	Type	Blow Count		Drilling Rate/Time
30-31.5'	Wet, green-gray, medium to coarse sand with some gravel	SW	24	6		36/50	10:35	OVA reading at baseline Hit void Soil has H ₂ S odor Oily film on sampler
35'	35'- 36.5' Wet, gray, medium to coarse grained sand	SW	46	7		50	10:44	OVA reading @ baseline
37'	Hit cobble and gravel	GW						Strong H ₂ S odor
39'	Broke through cobble							Slight creosote odor on sampler
40-41.5'	Wet, gray, medium to coarse grained sand with gravel	SW	12	8		6/8/16	10:59	OVA reading @ baseline Oily film on sampler
45-46.5'	No recovery - 4' slough in augers							
50'	End hole - no recovery due to hammer sticking and slough in augers						11:21	Water samplers collected OVA reading 14 ppm at top of hole