JUL 2006

METRO OPERATIONS MONTHLY PERFORMANCE REPORT



Table of Contents

San Fernando Valley Sector (SFV)	Page 3
San Gabriel Valley Sector (SGV)	7
Gateway Cities Sector (GC)	11
South Bay Sector (SB)	15
Westside/Central Sector (WC)	19
Rail Performance On-time Service In-Service On-Time Performance Schedule Revenue Service Hours Delivered Mean Miles Between Chargeable Mechanical Failures	23
Bus Service Performance Systemwide On-Time Pullout Percentage Outlates and Cancellations by Division In-Service On-Time Performance Scheduled Revenue Service Hours Delivered	29
Maintenance Performance Mean Miles Between Chargeable Mechanical Failures Past Due Critical Preventive Maintenance Program	32
Attendance Maintenance Attendance	34
Safety Performance Bus Accidents per 100,000 Hub Miles Rail Accidents per 100,000 Revenue Train Miles	35
Customer Satisfaction Complaints per 100,000 Boardings	38
New Workers' Compensation Claims New Workers' Compensation Claims per 200,000 Exposure Hours	39
"How You Doin'?" Incentive Program Monthly Metro Bus & Metro Rail	40

San Fernando Valley Sector Scorecard Overview (SFV)

This sector has two Metro operating divisions, Division 8 in Chatsworth and Division 15 in Sun Valley. The sector is responsible for the operation of approximately 430 Metro buses and 24 Metro Bus lines carrying nearly 54 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

					FY07	FY07	July	
Measurement	FY03	FY04	FY05	FY06	Target	YTD	Month	Status
Bus Systemwide								
Mean Miles Between Mechanical Failures				2.074	2.500	2.000	2.000	^
Requiring Bus Exchange. (MMBMF)				3,274	3,500	3,060	3,060	\Diamond
In-Service On-time Performance**	69.23%	65.43%	66.50%	64.35%**	70%	63.00%	63.00%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	3.86	3.65	3.50	3.45	3.40	3.86	3.86	\Diamond
Complaints per 100,000 Boardings	4.23	4.51	3.54	2.41	2.50	2.61	2.61	\Diamond
New Workers' Compensation					FY06	FY06	June	
IndemnityClaims per 200,000 Exposure Hours (1 month lag)	17.80	17.64	13.61	12.27	15.00	12.27	13.42	
**Div 15 Nov. '05 data excluded & Dec. Data after shake-up SFV Sector								
MMBMF				3,319	3,500	3,222	3,222	\Diamond
In-Service On-time Performance	67.30%	67.47%	68.54%		70%	67.07%	67.07%	Š
Bus Traffic Accidents Per 100,000 Miles	2.91	2.99	2.67	3.03	2.93	2.76	2.76	Ŏ
Complaints per 100,000 Boardings	6.32	5.45	4.39	3.24	4.13	2.79	2.79	
New Workers' Compensation Indemnity	0.02	0.10	1.00	0.2 1				
Claims per 200,000 Exposure Hours (1	16.72	15.15	13.71	11.75	FY06	FY06	June	
month lag)					16.00	11.75	19.13	
**Div 15 Nov. '05 data excluded & Dec. Data after shake-up								
Division 8								
MMBCMF				3,836	3,500	2,945	2,945	\Diamond
In-Service On-time Performance	70.09%	69.12%	69.78%	68.23%	70%	71.57%	71.57%	
Bus Traffic Accidents Per 100,000 Miles	2.84	2.75	2.58	2.82	2.93	2.48	2.48	
Complaints per 100,000 Boardings	6.87	5.09	4.17	3.37	4.13	2.20	2.20	
New Workers' Compensation Indemnity					FY06	FY06	June	
Claims per 200,000 Exposure Hours (1	20.92	19.15	16.77	13.81	16.00	13.81	17.81	
month lag)					10.00	13.01	17.01	
Division 15								
MMBCMF				2,996	3,500	3,481	3,481	\Diamond
In-Service On-time Performance	66.13%	66.62%	67.84%	63.84%**	70%	65.81%	65.81%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	2.96	3.17	2.74	3.21	2.93	2.98	2.98	<u> </u>
Complaints per 100,000 Boardings	6.01	5.70	4.55	3.14	4.13	3.25	3.25	
New Workers' Compensation Indemnity					F)/63	F)/(C)	,	
Claims per 200,000 Exposure Hours (1	16.23	13.14	12.46	10.41	FY06	FY06	June	
month lag)					16.00	10.41	19.65	-

^{**} Div 15 excluded (Nov. '05 data excluded --No schedules loaded for Orange Line Oct.31 shake-up & Dec. Data after shake-up used.)

 $[\]bigcirc$ +


Vellow - Uncertain if the FY06 target will be achieved -- slight problems, delays or management issues.

Red - High probability that the FY06 target will not be achieved -- significant problems and/or delays.

SAN FERNANDO VALLEY SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES REQUIRING BUS EXCHANGE Systemwide and Divisions 8 and 15

Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange. **Calculation:** MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)




IN-SERVICE ON-TIME PERFORMANCE*


Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))

* Division 15 November data not available.




Running Hot - Systemwide and Bus Operating Divisions 8 and 15



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Systemwide and Bus Operating Divisions 8 and 15

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Bus Operating Divisions 8 and 15

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS Systemwide and Bus Operating Divisions 8 and 15

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



San Gabriel Valley Sector Scorecard Overview (SGV)

This sector has two Metro operating divisions, Division 3 Cypress Park and Division 9 in El Monte. The sector is responsible for the operation of approximately 415 Metro buses and 28 Metro Bus lines carrying over 64.5 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

					FY07	FY07	July	
Measurement	FY03	FY04	FY05	FY06	Target	YTD	Month	Status
Bus Systemwide								
Mean Miles Between Mechanical Failures				0.074	2.500	2.000	2.000	^
Requiring Bus Exchange. (MMBMF)				3,274	3,500	3,060	3,060	\Diamond
In-Service On-time Performance**	69.23%	65.43%	66.50%	64.35%**	70%	63.00%	63.00%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	3.86	3.65	3.50	3.45	3.40	3.86	3.86	\Diamond
Complaints per 100,000 Boardings	4.23	4.51	3.54	2.41	2.50	2.61	2.61	\Diamond
New Workers' Compensation Indemnity					FY06	FY06	June	
Claims per 200,000 Exposure Hours (1 month lag)	17.80	17.64	13.61	12.27	15.00	12.27	13.42	
**Div 15 Nov. '05 data excluded & Dec. Data after shake-up								
SGV Sector								_
MMBMF				3,467	3,500	2,819	2,819	\Diamond
In-Service On-time Performance	70.02%	69.98%	70.10%	68.59%	75%	68.96%	68.96%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	3.40	2.91	2.96	2.81	2.75	3.38	3.38	\Diamond
Complaints per 100,000 Boardings	3.57	3.80	2.95	2.18	2.50	2.56	2.56	\Diamond
New Workers' Compensation Indemnity					FY06	FY06	June	
Claims per 200,000 Exposure Hours (1 month lag)	23.15	16.12	10.14	12.57	11.00	12.57	11.45	
Division 3								
MMBMF				2,690	3,500	2,403	2,403	\Diamond
In-Service On-time Performance	71.08%	70.80%	71.06%	70.05%	75%	63.90%	63.90%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.22	3.59	3.57	3.64	2.75	3.90	3.90	\limits
Complaints per 100,000 Boardings	3.09	3.02	2.60	1.83	2.50	1.85	1.85	
New Workers' Compensation Indemnity					FY06	FY06	June	
Claims per 200,000 Exposure Hours (1 month	21.54	12.36	6.68	11.36	11.00	11.35	12.16	
lag)								
Division 9								
MMBMF				4,585	3,500	3,250	3,250	\Diamond
In-Service On-time Performance	67.47%	68.16%	68.16%	67.01%	75%	69.98%	69.98%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	2.64	2.26	2.42	2.12	2.75	2.98	2.98	\Diamond
Complaints per 100,000 Boardings	4.31	5.09	5.09	2.61	2.50	3.29	3.29	\Diamond
New Workers' Compensation					FY06	FY06	June	
IndemnityClaims per 200,000 Exposure	28.54	20.75	14.66	14.34	11.00	14.34	11.82	
Hours (1 month lag) ** Div 15 excluded (New 105 data excluded - Ne schedules leg								

^{**} Div 15 excluded (Nov. '05 data excluded --No schedules loaded for Orange Line Oct.31 shake-up & Dec. Data after shake-up used.)

Green - High probability of achieving the FY06 target (on track).

Yellow - Uncertain if the FY06 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY06 target will not be achieved -- significant problems and/or delays.

SAN GABRIEL VALLEY SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES REQUIRING BUS EXCHANGE Systemwide and Divisions 3 and 9

Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.


Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)




IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))




Running Hot - Systemwide and Bus Operating Divisions 3 and 9



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Systemwide and Bus Operating Divisions 3 and 9

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Bus Operating Divisions 3 and 9

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS Systemwide and Bus Operating Divisions 3 and 9

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



Gateway Cities Sector Scorecard Overview (GC)

This sector has two Metro operating divisions, Division 1 and 2, both operating out of the downtown Los Angeles area. The sector will be responsible for the operation of approximately 395 Metro buses and 22 Metro Bus lines carrying nearly 59.8 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

					FY07	FY07	July	
Measurement	FY03	FY04	FY05	FY06	Target	YTD	Month	Status
Bus Systemwide					•	•		
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)*				3,274	3,500	3,060	3,060	\Diamond
In-Service On-time Performance	69.23%	65.43%	66 50%	64.35%**	70%	63.00%	63.00%	
Bus Traffic Accidents Per 100.000 Miles	3.86	3.65	3.50	3.45	3.40	3.86	3.86	$\overline{}$
Complaints per 100,000 Boardings	4.23	4.51	3.54	2.41	2.50	2.61	2.61	$\stackrel{\sim}{\sim}$
New Workers' Compensation Indemnity Claims		4.51	3.34	2.41			2.01	
per 200,000 Exposure Hours (1 month lag)	17.80	17.64	13.61	12.27	FY06 15.00	FY06 12.27	June 13.42	
**Div 15 Nov. '05 data excluded & Dec. Data after shake-up								
GC Sector								
MMBCMF				2,506	3,500	2,931	2,931	\Diamond
In-Service On-time Performance	74.53%	69.34%	71.20%	71.73%	72.00%	69.55%	69.55%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.07	3.86	4.29	3.69	3.50	3.91	3.91	\Diamond
Complaints per 100,000 Boardings	2.63	3.08	2.58	1.69	2.50	2.09	2.09	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)		20.19	14.11	11.45	FY06 16.50	FY06 11.45	June 14.98	
Division 1								
MMBCMF				2,409	3,500	4,202	4,202	
In-Service On-time Performance	78.22%	70.57%	71.62%	71.06%	72.00%	69.90%	69.90%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	3.39	3.41	4.35	3.52	3.50	4.35	4.35	\Diamond
Complaints per 100,000 Boardings	2.26	3.32	2.92	1.92	2.50	2.29	2.29	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)		16.82	12.71	10.92	FY06 16.50	FY06 10.92	June 14.91	
Division 2								
MMBCMF				2,660	3,500	2,044	2,044	\Diamond
In-Service On-time Performance	67.53%	67.62%	70.42%	72.71%	72.00%	69.02%	69.02%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.78	4.36	4.21	3.93	3.50	3.28	3.28	
Complaints per 100,000 Boardings	3.07	2.84	2.15	1.42	2.50	1.85	1.85	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	31.18	24.56	16.69	12.97	FY06 16.50	FY06 12.97	June 16.39	0

^{*}New Indicator.

Green - High probability of achieving the FY06 target (on track).

Yellow - Uncertain if the FY06 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY06 target will not be achieved -- significant problems and/or delays.

GATEWAY CITIES SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES REQUIRING BUS EXCHANGE Systemwide and Divisions 1 and 2

Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.


Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)




IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))




Running Hot - Systemwide and Bus Operating Divisions 1 and 2



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Systemwide and Bus Operating Divisions 1 and 2

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Bus Operating Divisions 1 and 2

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200.000 EXPOSURE HOURS Systemwide and Bus Operating Divisions 1 and 2

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



South Bay Sector Scorecard Overview (SB)

This sector has two Metro operating divisions, Arthur Winston Division (5) in South Los Angeles and Carson Division (18) in Carson. The sector will be responsible for the operation of approximately 550 Metro buses and 32 Metro Bus lines carrying over 93.5 million boarding passengers each year.

This report gives a brief overview of sector operations':

- *Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

					FY07	FY07	July	
Measurement	FY03	FY04	FY05	FY06	Target	YTD	Month	Status
Bus Systemwide					3			
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)				3,274	3,500	3,060	3,060	\Diamond
In-Service On-time Performance**	69.23%	65.43%	CC F00/	64.35%**	700/	62.000/	62.000/	$\overline{\diamond}$
Bus Traffic Accidents Per 100,000 Miles					70%	63.00%	63.00%	
·	3.86	3.65	3.50	3.45	3.40	3.86	3.86	\diamond
Complaints per 100,000 Boardings	4.23	4.51	3.54	2.41	2.50	2.61	2.61	\Diamond
New Workers' Compensation Indemnity	47.00	47.04	10.01	40.07	FY06	FY06	June	
Claims per 200,000 Exposure Hours (1 month lag)	17.80	17.64	13.61	12.27	15.00	12.27	13.42	
**Div 15 Nov. '05 data excluded & Dec. Data after shake-up								
SB Sector								
MMBCMF				3,688	3,500	3,396	3,396	\Diamond
In-Service On-time Performance	63.67%	61.74%	64.13%	59.05%	70%	58.35%	58.35%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.00	3.68	3.57	3.68	3.50	4.21	4.21	\Diamond
Complaints per 100,000 Boardings	4.02	4.63	3.61	2.49	4.25	2.80	2.80	
New Workers' Compensation Indemnity					F)/00	E\/00	1	
Claims per 200,000 Exposure Hours (1 month	17.28	14.84	14.65	13.85	FY06	FY06	June 16.97	
lag)					16.20	13.85	10.97	
Division 5								
MMBCMF				3,656	3,500	3,007	3,007	\Diamond
In-Service On-time Performance	66.30%	63.17%	65.58%	61.85%	70%	64.90%	64.90%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.58	3.90	4.31	4.01	3.50	4.96	4.96	$\overline{\Diamond}$
Complaints per 100,000 Boardings	2.86	3.45	2.71	1.87	4.25	2.09	2.09	Ŏ
New Workers' Compensation Indemnity		00			0			
Claims per 200,000 Exposure Hours (1 month	24.16	15.22	18.72	14.68	FY06	FY06	June	
lag)					16.20	14.68	21.65	
Division 18								
MMBCMF				3,712	3,500	3,719	3,719	
In-Service On-time Performance	61.23%	60.78%	63.42%	57.31%	70%	54.40%	54.10%	$\overline{\diamond}$
Bus Traffic Accidents Per 100,000 Miles	3.57	3.51	3.02	3.45	3.50	3.70	3.70	Ŏ
Complaints per 100,000 Boardings	5.26	5.74	4.44	3.07	4.25	3.46	3.46	Ŏ
New Workers' Compensation Indemnity	0.20	J 1					00	
Claims per 200,000 Exposure Hours (1 month	13.40	14.71	11.67	13.63	FY06	FY06	June	
lag)	2				16.20	13.63	12.52	_
*New Indicator.								

Green - High probability of achieving the FY06 target (on track).

Vellow - Uncertain if the FY06 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY06 target will not be achieved -- significant problems and/or delays.

SOUTH BAY SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES REQUIRING BUS EXCHANGE Systemwide and Divisions 5 and 18

Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.


Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)




IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))




Running Hot - Systemwide and Bus Operating Divisions 5 and 18



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Systemwide and Bus Operating Divisions 5 and 18

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




COMPLAINTS PER 100,000 BOARDINGS

Systemwide and Bus Operating Divisions 5 and 18

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS Systemwide and Bus Operating Divisions 5 and 18

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



Westside/Central Sector Scorecard Overview (WC)

This sector has three Metro operating divisions, Division 6 in Venice, Division 7 in West Hollywood, and Division 10 in Los Angeles, near the Gateway building. The sector will be responsible for the operation of approximately 620 Metro buses and 21 Metro Bus lines carrying nearly 86.1 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)
- * In-Service On-Time Performance
- * Traffic Accidents per 100,000 Hub
- * Complaints per 100,000 Boardings
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours

Measurement	FY03	FY04	FY05	FY06	FY07 Target	FY07 YTD	July Month	Status
Bus Systemwide								
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)				3,274	3,500	3,060	3,060	\limits
In-Service On-time Performance	69.23%	65.43%	66.50%	64.35%**	70%	63.00%	63.00%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	3.86	3.65	3.50	3.45	3.40	3.86	3.86	\Diamond
Complaints per 100,000 Boardings	4.23	4.51	3.54	2.41	2.50	2.61	2.61	\Diamond
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag) **Div 15 Nov. '05 data excluded & Dec. Data after shake-up	17.80	17.64	13.61	12.27	FY06 15.00	FY06 12.27	June 13.42	•
WC Sector								
MMBMF				3,499	3,500	2,956	2,956	\Diamond
In-Service On-time Performance	67.88%	63.31%	63.39%	60.82%	65%	57.00%	57.00%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.72	4.61	4.03	3.95	3.65	4.92	4.92	\Diamond
Complaints per 100,000 Boardings	4.84	5.30	4.10	2.53	3.25	2.82	2.82	Ŏ
New Workers' Compensation IndemnityClaims per 200,000 Exposure Hours (1 month lag)	28.74	21.52	18.80	14.61	FY06 20.00	FY06 14.61	June 16.21	•
Division 6								
MMBMF				6,279	3,500	2,069	2,069	\Diamond
In-Service On-time Performance	65.93%	60.11%	56.75%	57.20%	65%	51.29%	51.29%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.52	4.10	3.91	4.13	3.65	8.05	8.05	
Complaints per 100,000 Boardings	6.10	6.15	4.47	2.52	3.25	1.72	1.72	
New Workers' Compensation IndemnityClaims per 200,000 Exposure Hours (1 month lag)	30.72	21.71	18.23	16.43	FY06 20.00	FY06 16.43	June 27.35	
Division 7								
MMBMF				2,947	3,500	2,858	2,858	\Diamond
In-Service On-time Performance	68.80%	64.59%	64.22%	61.78%	65%	59.70%	59.70%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.95	4.63	4.62	4.36	3.65	3.82	3.82	\Diamond
Complaints per 100,000 Boardings	4.74	5.70	4.24	2.87	3.25	3.83	3.83	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	24.52	21.05	19.44	15.76	FY06 20.00	FY06 15.76	June 14.94	
Division 10								
MMBMF				3,723	3,500	3,230	3,230	\Diamond
In-Service On-time Performance	67.34%	62.85%	64.14%	60.73%	65%	56.14%	56.14%	\Diamond
Bus Traffic Accidents Per 100,000 Miles	4.55	4.68	3.50	3.63	3.65	5.33	5.33	\Diamond
Complaints per 100,000 Boardings	4.73	4.85	3.92	2.23	3.25	2.15	2.15	
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	35.38	22.90	19.19	13.03	FY06 20.00	FY06 13.03	June 11.03	

Green - High probability of achieving the FY06 target (on track).

Yellow - Uncertain if the FY06 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY06 target will not be achieved -- significant problems and/or delays.

WESTSIDE / CENTRAL SECTOR BUS SERVICE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES REQUIRING BUS EXCHANGE Systemwide and Divisions 6, 7 and 10


Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.

Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)




IN-SERVICE ON-TIME PERFORMANCE

Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no **Calculation:** ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes




Running Hot - Systemwide and Bus Operating Divisions 6, 7 and 10



BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILESSystemwide and Bus Operating Divisions 6, 7 and 10

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




COMPLAINTS PER 100.000 BOARDINGS

Systemwide and Bus Operating Divisions 6, 7 and 10

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS Systemwide and Bus Operating Divisions 6, 7 and 10

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.



Metro Rail Scorecard Overview

Metro Rail operates one heavy rail line, Metro Red Line from Union Station to North Hollywood and three light rail lines, Metro Blue Line from downtown to Long Beach, Metro Green Line along the 105 freeway and Metro Gold Line to Pasadena. Metro Rail is responsible for the operation of approximately 104 heavy rail cars and 121 light rail cars carrying nearly 5.8 million boarding passengers each year.

This report gives a brief overview of sector operations':

- * On-Time Pullout Percentage
- * In-Service On-Time Performance
- * Mean Miles Between Chargeable Mechanical Failures (MMBMF)
- * Traffic Accidents per 100,000 Train Miles
- * Complaints per 100,000 Boardings

					FY07	FY07	July	
Measurement	FY03	FY04	FY05	FY06	Target	YTD	Month	Status
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours (1 month lag)	11.25	11.59	9.32	11.56	FY06 10.00	FY06 11.56	June 11.09	_
Metro Red Line (MRL)								
On-Time Pullouts	99.36%	99.71%	99.94%	99.61%	99.00%	100%	100%	
Mean Miles Between Chargeable Mechanical Failures*	9,495	12,793	11,759	19,587	15,000	25,939	25,939	0
In-Service On-time Performance	99.15%	99.04%	98.66%	99.05%	99.20%	98.89%	98.89%	\Diamond
Traffic Accidents Per 100,000 Train Miles	0.07	0	0.22	0.22	0.14	0.00	0.00	
Complaints per 100,000 Boardings	1.20	1.17	1.13	0.66	0.80	0.40	0.40	
Metro Blue Line (MBL)								
On-Time Pullouts	99.07%	99.94%	99.73%	99.76%	99.00%	99.72%	99.72%	
Mean Miles Between Chargeable Mechanical Failures	6,399	10,365	16,273	26,774	15,000	23,242	23,242	0
In-Service On-time Performance	97.59%	98.74%	98.16%	96.95%	99.00%	98.61%	98.61%	\Diamond
Traffic Accidents Per 100,000 Train Miles	0.82	1.36	0.64	0.96	0.37	1.42	1.42	\Diamond
Complaints per 100,000 Boardings	1.30	0.97	0.98	0.78	1.00	0.58	0.58	
Metro Green Line (MGrL)								
On-Time Pullouts	98.99%	99.78%	99.91%	99.97%	99.00%	100%	100%	
Mean Miles Between Chargeable Mechanical Failures	5,617	11,337	12,558	20,635	15,000	24,283	24,283	0
In-Service On-time Performance	98.21%	98.99%	98.22%	99.36%	99.00%	99.32%	99.32%	
Traffic Accidents Per 100,000 Train Miles	0.14	0.08	0.00	0	0.37	0	0	
Complaints per 100,000 Boardings	1.26	1.37	1.39	0.92	1.00	1.33	1.33	\Diamond
Metro Gold Line (MGoL)								
On-Time Pullouts		100%	99.85%	99.97%	99.00%	100%	100%	
Mean Miles Between Chargeable Mechanical Failures		8,938	16,571	23,329	15,000	24,813	24,813	0
In-Service On-time Performance		98.52%	97.97%	98.90%	99.00%	99.50%	99.50%	
Traffic Accidents Per 100,000 Train Miles		0.25	0.23	0.12	0.37	0.00	0.00	
Complaints per 100,000 Boardings		3.81	2.85	2.71	1.00	3.58	3.58	\Diamond

Green - High probability of achieving the FY06 target (on track).

[♦] Yellow - Uncertain if the FY06 target will be achieved -- slight problems, delays or management issues.


Red - High probability that the FY06 target will not be achieved -- significant problems and/or delays.


RAIL SERVICE PERFORMANCE

ON-TIME PULLOUTS (OTP)

Definition: On-time Pullouts measures the percentage of trains leaving the yard within ninety seconds of the scheduled pullout time. The higher the number, the more reliable the service.

Calculation: OTP% = [(100% - [(Total cancelled pullouts plus late pullouts) / by Total scheduled pullouts) X by 100)]







IN-SERVICE ON-TIME PERFORMANCE (ISOTP)

Definition: In-Service On-Time Performance measures the percentage of trains leaving all timecheck points on any run no earlier than thirty seconds, nor later than 5 minutes of the scheduled time. The higher the number, the more reliable the service.

Calculation: ISOTP% = [(100% minus [(Total runs in which a train left any timecheck point either late or early) / by Total scheduled runs) X by 100)]







Scheduled Revenue Hours Delivered (SRHD) by Rail Line

Definition: This performance indicator measures the percentage of scheduled Revenue Service Hours delivered after subtracting cancellations, outlates and in-service delays.

Calculation: SRSHD% = (1-(Total Service Hours Lost / by Total Scheduled Service Hours))






Mean Miles Between Chargeable Mechanical Failures

Definition: Mean vehicle miles between Revenue Vehicle Failures. NTD defined Revenue Vehicle Failures are vehicle systems failures that occur in revenue service and during deadhead miles in which the vehicle did not complete its scheduled revenue trip or in which the vehicle did not start its next scheduled revenue trip.






NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)





BUS SERVICE PERFORMANCE

ON-TIME PULLOUT FROM PRIMARY TERMINAL POINT (OTP-PTP) PERCENTAGE *


Reporting of the OTP-PTP indicator has been suspended pending investigation of issues related to the geo-coding of terminal locations.


IN-SERVICE ON-TIME PERFORMANCE


Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled.

Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))

Systemwide Trend







ISOTP By Sectors' Divisions

Year-to-Date Compared To Last Year

		o Bato oo.		
		FY06	FY07-YTD	Variance
San Ferna	ndo Valley	Sector (SF	V)	
Division 8				
	Early	7.13%	6.23%	-0.89%
	On-Time	68.23%	71.57%	3.34%
	Late	24.64%	22.19%	-2.45%
Division 15				
	Early	8.30%	7.26%	-1.04%
	On-Time	63.84%	65.81%	1.97%
	Late	27.87%	26.94%	-0.93%
Gateway C	ities Secto	or (GWC)		
Division 1				
	Early	7.39%	8.97%	1.58%
	On-Time	71.06%	69.90%	-1.16%
	Late	21.55%	21.13%	-0.42%
Division 2				
	Early	7.80%	8.61%	0.81%
	On-Time	72.71%	69.02%	-3.68%
	Late	19.49%	22.37%	2.87%
South Bay	Sector (SI	3)		
Division 5				
	Early	8.44%	12.34%	3.90%
	On-Time	61.85%	64.90%	3.05%
	Late	29.71%	22.76%	-6.95%
Division 18				
	Early	8.47%	11.88%	3.41%
	On-Time	57.31%	54.10%	-3.21%
	Late	34.22%	34.03%	-0.20%


ast rear									
	FY06	FY07-YTD	Variance						
San Gabri	el Valley Sed	ctor (SGV)							
Division 3									
Early	8.50%	14.70%	6.20%						
On-Time	70.05%	63.90%	-6.15%						
Late	21.45%	21.41%	-0.04%						
Division 9									
Early	8.00%	8.84%	0.85%						
On-Time	67.01%	69.98%	2.97%						
Late	24.99%	21.17%	-3.81%						
Westside/	Westside/Central Sector (WC)								
Division 6									
Early	7.57%	7.41%	-0.16%						
On-Time	57.20%	51.29%	-5.91%						
Late	35.23%	41.29%	6.06%						
Division 7									
Early	8.27%	9.11%	0.83%						
On-Time	61.78%	59.70%	-2.08%						
Late	29.95%	31.19%	1.25%						
Division 10									
Early	8.51%	9.00%	0.49%						
On-Time	60.73%	56.14%	-4.59%						
Late	30.77%	34.86%	4.10%						

SYSTEM	WIDE			
Ea	rly	8.09%	9.20%	1.10%
On-Tir	ne	64.35%	63.00%	-1.35%
La	ate	27.56%	27.81%	0.25%


ACTUAL TO SCHEDULED REVENUE HOURS DELIVERED*

Definition: This performance indicator measures the percentage of scheduled Revenue Hours delivered after being offset by cancellations, outlates and in-service equipment failures. FY06: This performance indicator measures the percentage of scheduled Revenue Hours delivered after adding in temporary RH service added, Hollywood Bowl and Race Track RH, in addition RH due to overtime offset by cancellations and in-service delays.

Calculation: SRHD% = 1- ((In-Service Delay Revenue Hours plus Cancelled Revenue Hours) divided by (Total Scheduled Service Hours + Temporary Revenue Hours + Hollywood Bowl and Race Track Revenue Hours + In Addition Revenue Hours)) FY06: Actual Revenue Hours Delivered divided by Scheduled Revenue Hours.



* Used Scheduled Hours delivered in FY05. Beginning July 2005, calculating the Actual RH to Scheduled Revenue Hours.




MAINTENANCE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES (MMBMF)*


Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.

Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)




* New Indicator.

MMBMBF -- Bus Operating Sector Divisions May - July 2006



MEAN MILES BETWEEN TOTAL ROAD CALLS (MMBTRC)*


Definition: Average Hub Miles traveled between road call problems. **Calculation:** MMBTRC = (Total Hub Miles / by Total Road Calls)



^{*} New Indicator.

Bus Maintenance Performance - Continued

MMBTRC --Bus Operating Sector Divisions May - July 2006



Fleet Mix by Fuel Type Systemwide (Metro Divisions only)

	Number of Buses	Percent of Buses
CNG	2,072	80.09%
Diesel (Except FlexMetro)	422	16.31%
FlexMetro Diesel	0	0.00%
Gasoline	59	2.28%
Propane	34	1.31%
Total	2,587	100.00%

Average Age of Fleet by Sectors' Divisions


	SFV		SFV		SGV		G	WC	SB	
	Div 8	Div 15	Div 3	Div 9	Div 1	Div 2	Div 5	Div 18		
	8.0	7.6	8.1	5.9	5.8	5.7	5.9	7.3		

	WC	
Div 6	Div 7	Div 10
11.9	6.0	6.8

PAST DUE CRITICAL PREVENTIVE MAINTENANCE PROGRAM JOBS (PMP's)


Definition: Average past due critical scheduled preventive maintenance jobs per bus. This indicator measures maintenance management's ability to prioritize and perform critical repairs and indicates the general maintenance condition of the fleet.

Calculation: Past Due Critical PMP's = (Total Past Due Critical PMP's / by Buses)



Note: Since July 2004, three sectors, San Fernando Valley, San Gabriel Valley and Gateway Cities, have had their six divisions (Divisions 8, 15, 3, 9, 1 and 2) involved in a pilot project to test extending maintenance critical PMP mileage periodicities. These "extended" mileages have not been officially implemented at this time; therefore, these divisions will appear not to have completed their critical PMP's in current monthly and weekly reports until the program is officially modified systemwide accordingly.

Past Due Critical PMs - by Sectors' Divisions May - July 2006




ATTENDANCE


MAINTENANCE ATTENDANCE

Definition: Maintenance Mechanics and Service Attendants - % attendance Monday through Friday for the month.

Calculation: 1-(FTEs absent / by the total FTEs assigned)



Maintenance Attendance - By Sectors' Divisions (By Current Month) May - July 2006




SAFETY PERFORMANCE


BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))




Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.




BUS PASSENGER ACCIDENTS PER 100,000 BOARDINGS*

Definition: Average number of Passenger Accidents for every 100,000 Boardings. This indicator **Calculation:** Passenger Accidents Per 100,000 Boardings = (The number of Pasengers Accidents / by




Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.



RAIL ACCIDENTS PER 100,000 REVENUE TRAIN MILES

Definition: Average number of Rail Accidents for every 100,000 Revenue Train Miles traveled. This indicator measures system safety.

Calculation: Rail Accidents Per 100,000 Revenue Train Miles = (The number of Rail Accidents / by (Revenue Train Miles / by 100,000))




RAIL PASSENGER ACCIDENTS PER 100,000 BOARDINGS*

Definition: Average number of Rail Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.

 $\textbf{Calculation:} \ \ \text{Rail Passenger Accidents Per 100,000 Boardings} = (\text{The number of Rail Passenger Accidents Per 100,000 Boardings}) \\$


Accidents / by (Train Boardings / by 100,000))




CUSTOMER SATISFACTION

COMPLAINTS PER 100,000 BOARDINGS

Definition: Average number of customer complaints per 100,000 boardings. This indicator **Calculation:** Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)





WORKERS COMPENSATION CLAIMS

New Workers Compensation Claims per 200,000 Exposure Hours

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)



One month lag from current month


NEW CLAIMS PER 200,000 EXPOSURE HOURS-MONTH BY BUS SECTORS' DIVISION & RAIL

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

Bus & Rail - by Bus Sectors' Divisions and Rail April - June 2006






"HOW YOU DOIN'?" PERFORMANCE INCENTIVE PROGRAM

Monthly Calculations - July 2006 Metro Bus - Maintenance

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

					Maintenan	ce						
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
Miles Between Total Road												
Calls	64%	794.6	968.3	1179.9	1283.4	656.4	1049.4	1350.5	1650.5	1062.9	1127.3	1034.9
Points		2	3	8	9	1	5	10	11	6	7	4
Attendance	20%	0.99036	0.96366	0.98577	0.98920	0.99764	0.97931	0.98134	0.97453	0.98323	0.98290	0.97917
Points		10	1	8	9	11	4	5	2	7	6	3
New WC Claims /200,000												
Exp Hrs*	36%	9.6443	0.0000	0.0000	0.0000	0.0000	19.4774	10.4832	0.0000	17.0132	33.7015	8.5267
Points		5	9	9	9	9	2	4	9	3	1	6
*One month lag												
Totals		4.50	4.40	8.30	9.00	5.40	3.90	7.20	8.60	5.30	5.00	4.40
FINAL		Maintenance Division Ranking (Sorted)										
RANKING	DIV.	Div 5	Div 9	Div 3	Div 8	Div 6	Div 10	Div 15	Div 1	Div 2	Div 18	Div 7
	Score	9.00	8.60	8.30	7.20	5.40	5.30	5.00	4.50	4.40	4.40	3.90
	Rank	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	9th	11th




Monthly Calculations - July 2006 Metro Bus - Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

Transportation												
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	25%	0.6990	0.6902	0.6390	0.6490	0.5129	0.5970	0.7157	0.6998	0.5614	0.6581	0.5410
Points		9	8	5	6	1	4	11	10	3	7	2
Miles Between Total Road												
Calls	10%	794.6396	968.3280	1179.9345	1283.4219	656.3643	1049.4080	1350.4895	1650.5295	1062.9009	1127.3159	1034.9104
Points		2	3	8	9	1	5	10	11	6	7	4
Accident Rate	25%	4.3473	3.2837	3.8966	4.9620	8.0540	3.8212	2.4761	2.9814	5.3289	2.9755	3.6991
Points	2070	4.5476	8	5	3	1	6	11	9	2	10	7
Complaints/100K												
Boardings	15%	2.2901	1.8497	1.8059	2.0933	1.7169	3.8327	2.2006	3.2861	2.1491	3.2494	3.4644
Points		5	9	10	8	11	1	6	3	7	4	2
New WC Claims /200,000												
Exp Hrs*	25%	16.3974	20.8823	15.8488	27.9998	36.7226	13.6636	20.1511	15.0210	9.3819	15.3715	13.5860
Points *One month lag		5	3	6	2	1	9	4	8	11	7	10
Totals		5.45	6.40	6.30	4.85	2.50	5.40	8.40	8.30	5.65	7.30	5.45
FINAL					Transporta	tion Divisio	n Ranking (Sorted)				
RANKING	DIV.	Div 8	Div 9	Div 15	Div 2	Div 3	Div 10	Div 1	Div 18	Div 7	Div 5	Div 6
	Score	8.40	8.30	7.30	6.40	6.30	5.65	5.45	5.45	5.40	4.85	2.50
	Rank	1st	2nd	3rd	3rd	5th	6th	7th	7th	9th	10th	11th



Monthly Calculations - June 2006 Metro Rail

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance indicators are ranked from best to worst. Performance percentages for various indicators are averaged and outcomes are are sorted from high to low. The rail line competes with itself on its own improvement over prior year performance. The percentage score showing best improvement (or least decline) wins the program award for the month.

	M	etro Blue Lin	ie	Metro Red Line			Met	tro Green L	ine	Metro Gold Line		
Wayside Availability	Jul-05	Jul-06	Yearly Improvement	Jul-05	Jul-06	Yearly Improvement	Jul-05	Jul-06	Yearly Improvement	Jul-05	Jul-06	Yearly Improvement
Track	100.00%	100.00%	0.00%	100.00%	100.00%	0.00%	100.00%	100.00%	0.00%	100.00%	100.00%	0.00%
Signals	99.97%	99.92%	-0.05%	100.00%	99.79%	-0.21%	99.90%	100.00%	0.10%	99.90%	99.78%	-0.12%
Power	99.97%	99.99%	0.02%	99.98%	99.94%	-0.04%	100.00%	99.84%	-0.16%	100.00%	100.00%	0.00%
Wayside Performance	99.98%	99.97%	-0.01%	99.99%	99.91%	-0.08%	99.97%	99.95%	-0.02%	99.97%	99.93%	-0.04%
Vehicle Availability Vehicle Performance	100.00%	99.25%	-0.75%	98.87%	99.09%	0.22%	99.51%	99.65%	0.14%	99.72%	99.68%	-0.03%
Operator Availability Operators	100.00%	99.91%	-0.09%	99.97%	99.88%	-0.09%	99.62%	99.95%	0.34%	99.87%	99.98%	0.11%
In-Service Performance Rev. Hr. Delivered - Rail	98.65%	99.07%	0.42%	98.80%	98.45%	-0.35%	99.03%	99.45%	0.42%	99.49%	99.45%	-0.04%
tal Rail Line Performance	99.66%	99.55%	-0.11%	99.41%	99.33%	-0.08%	99.53%	99.75%	0.22%	99.76%	99.76%	0.00%

