MAY 2013

METRO OPERATIONS MONTHLY PERFORMANCE REPORT




Table of Contents

	Page
Bus Overview	3
Bus Service Performance Systemwide In-Service On-Time Performance Scheduled Revenue Service Hours Delivered	9
Bus Maintenance Performance Mean Miles Between Chargeable Mechanical Failures Past Due Critical Preventive Maintenance Program	14
Attendance Maintenance Attendance	21
Bus Cleanliness	22
Rail Performance On-time Service In-Service On-Time Performance Schedule Revenue Service Hours Delivered Mean Miles Between Chargeable Mechanical Failures	26
Safety Performance Bus Accidents per 100,000 Hub Miles Bus Passenger Accidents per 100,000 Boardings Rail Accidents per 100,000 Revenue Train Miles Rail Passenger Accidents per 100,000 Boardings OSHA Injuries per 200,000 Exposure Hours Lost Work Days Paid per 200,000 Exposure Hours	33
Customer Satisfaction Complaints per 100,000 Boardings	41
New Workers' Compensation Claims New Workers' Compensation Claims per 200,000 Exposure Hours OSHA Injuries Filed per 200,000 Exposure Hours Number of Lost Work Days Paid per 200,000 Exposure Hours	44
"How You Doin'?" Incentive Program Monthly Metro Bus & Metro Rail	53

Metro Bus Systemwide and Division Scorecard Overview

Metro Bus has eleven Metro operating divisions: Division 1 and 2, both operating out of the downtown Los Angeles area; Division 3 in Cypress Park; Arthur Winston Division 5 in South Los Angeles; Division 6 in Venice; Division 7 in West Hollywood; Di vision 8 in Chatsworth; Division 9 in El Monte; Division 10 in Los Angeles, near the Gateway building; Division 15 in Sun Valley; and Division 18 in Carson. Metro Bus systemwide is responsible for the operation of approximately 2,490 Metro buses and 144 Met ro Bus lines carrying nearly 373.1 million boarding passengers each year. Metro bus also operates the successful Orange Line. This report gives a brief overview of Systemwide and Division operations:

- * Mean Miles Between Mechanical Failures Requiring Bus Exchange (MMBMF).
- * Mean Miles Between Total Road Calls (MMBTRC).
- * In-Service On-Time Performance.
- * Traffic Accidents per 100,000 Hub Miles.
- * Complaints per 100,000 Boardings.
- * New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours.

	EV40	EV44	E)/40	FY13	FY13	FYTD	Mar	Apr	May
Measurement	FY10	FY11	FY12	Target	YTD	Status	Month	Month	Month
Bus Systemwide									
Mean Miles Between Mechanical Failures	3.222	3,523	3.759		3,811	\wedge	3,862	4,242	3,835
Requiring Bus Exchange. (MMBMF) No. of unaddressed road calls	305	125	47	3,900	15	$\overline{}$	1	1	0
Mean Miles Between Total Road Calls						_			
(MMBTRC) **	1,566	2,052	2,292	2,400	2,432		2,552	2,689	2,447
In-Service On-time Performance ***	72.33%	75.17%	76.54%	80.00%	75.89%	\Diamond	75.60%	76.17%	74.76%
Bus Traffic Accidents Per 100,000 Miles *	3.08	3.23	3.72	3.10	3.65	\wedge	3.61	3.77	3.93
Number of "482 alleged accidents"	245	232	248	3.10	196	\Diamond	14	19	20
Complaints per 100,000 Boardings	2.61	2.53	3.14	2.20	3.14	\Diamond	3.03	2.99	2.79
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	10.36	13.43	14.72	13.25	15.23	\limits	15.38	16.41	15.89
* Data reflects updated data for each month.					W	C now re	flects current n	nonth's data	No data lag
Division 1									
MMBMF	2,831	2,609	3,143	0.000	3,497	$\overline{}$	3,187	4,161	3,403
No. of unaddressed road calls	36	3	1	3,900	0	\Diamond	0	0	0
MMBTRC	1,354	1,540	1,823	2,400	1,899	\Diamond	1,862	2,129	1,936
In-Service On-time Performance	76.61%	78.85%	80.10%	80.00%	79.74%		78.45%	79.40%	78.00%
Bus Traffic Accidents Per 100,000 Miles *	3.07	3.42	3.77	3.24	3.73	\Diamond	3.59	3.12	4.24
Number of "482 alleged accidents"	49	30	19	3.24	21	~	1	1	3
Complaints per 100,000 Boardings	1.89	1.85	2.09	1.44	2.33		2.21	2.19	2.23
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.52	14.10	13.98	13.25	15.71	\limits	15.90	14.52	23.36
* Data reflects updated data for each month.					W	.C. now re	flects current n	nonth's data. I	No data lag.
Division 2									ū
MMBMF	2,714	3,378	3,280	0.000	2,955	$\overline{}$	3,379	3,209	3,267
No. of unaddressed road calls	29	8	6	3,900	8	\diamond	0	0	0
MMBTRC	1,475	1,721	1,834	2,400	1,862	\Diamond	2,106	1,963	1,909
In-Service On-time Performance	77.24%	73.89%	74.22%	80.00%	73.94%	\Diamond	74.27%	74.82%	73.28%
Bus Traffic Accidents Per 100,000 Miles *	3.16	3.56	4.33	0.70	4.34		3.65	5.97	5.04
Number of "482 alleged accidents"	23	21	25	3.76	16	<u> </u>	1	3	1
Complaints per 100,000 Boardings	1.87	2.02	2.28	1.61	2.05	\Diamond	2.38	2.03	1.65
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.93	16.86	14.34	13.25	17.61	\rightarrow	29.06	27.88	8.41
* Data reflects updated data for each month.					W	'.C. now re	flects current n	nonth's data. I	No data lag.

				FY13	FY13	FYTD	Mar	Apr	May
Measurement	FY10	FY11	FY12	Target	YTD	Status	Month	Month	Month
Division 3									
MMBMF	2,770	2,909	2,975	3,900	3,372	< >	3,334	3,614	3,678
No. of unaddressed road calls	24	7	2		2	<u> </u>	0	1	0
MMBTRC	1,555	1,967	2,195	2,400	2,508		2,619	2,727	2,788
In-Service On-time Performance	76.81%	77.71%	77.83%	80.00%	76.14%	\Diamond	75.25%	75.10%	75.13%
Bus Traffic Accidents Per 100,000 Miles *	3.39	3.28	3.27	2.81	3.86	< >	4.75	3.83	4.59
Number of "482 alleged accidents"	0	0	26		27		1	4	2
Complaints per 100,000 Boardings	2.65	2.51	3.14	2.16	3.21		3.02	3.86	2.54
New Workers' Compensation Indemnity Claims	8.84	11.61	14.38	13.25	11.74		11.06	12.34	8.14
per 200,000 Exposure Hours *	0.0.								
* Data reflects updated data for each month. Division 5					И	/.C. now re	flects current i	month's data.	No data laa.
MMBMF	2 402	2 642	2 1 1 1		2 262		2 904	4 104	4 100
No. of unaddressed road calls	3,493 4	3,643 2	3,141 2	3,900	3,363 0	< >	3,804 0	4,104 0	4,123
MMBTRC	1,712	2,053	1,771	2,400	2,194		2,379	2,399	2,647
In-Service On-time Performance						-			
	67.82%	74.63%	78.30%	80.00%	75.99%		74.82%	76.28%	75.94%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	4.44 30	4.42 24	5.64 28	4.20	4.55 32		4.83 1	2.89 2	4.74
Complaints per 100,000 Boardings	1.90		2.00	1 11				3.03	1.93
New Workers' Compensation Indemnity Claims	1.90	1.84	2.00	1.41	2.43		2.49	3.03	1.93
per 200,000 Exposure Hours *	14.78	12.43	13.50	13.25	21.08		24.83	11.92	16.23
* Data reflects updated data for each month.					И	/ C. now re	l flects current i	month's data	No data lad
Division 6						7. O. 110 W 10		nomino data.	rvo data ida.
MMBMF	7,816	11,021	12,999	0.000	11,120		11,642	8,806	5,376
No. of unaddressed road calls	8	1	0	3,900	0		0	0	0
MMBTRC	2,172	3,008	3,849	2,400	3,831		4,234	3,340	2,419
In-Service On-time Performance	68.27%	69.28%	78.44%	80.00%	75.40%	\Diamond	76.87%	76.88%	73.46%
Bus Traffic Accidents Per 100,000 Miles *	5.01	5.06	7.54	4.00	7.02		8.59	7.23	6.20
Number of "482 alleged accidents"	4	7	3	4.20	1		0	1	0
Complaints per 100,000 Boardings	2.86	3.17	2.52	1.57	2.36		3.22	2.03	1.01
New Workers' Compensation Indemnity Claims	5.05	0.00	0.00	40.05	40.75		0.00	07.00	0.00
per 200,000 Exposure Hours *	5.95	8.26	9.69	13.25	12.75		0.00	37.62	0.00
* Data reflects updated data for each month.					И	/.C. now re	flects current i	month's data.	No data laa.
Division 7									
MMBMF	2,997	3,106	3,611	3,900	3,403	< >	3,449	4,129	3,460
No. of unaddressed road calls	101	18	6		0	•	0	0	0
MMBTRC	1,217	1,644	1,859	2,400	1,985		2,120	2,219	2,128
In-Service On-time Performance	68.38%	72.47%	73.15%	80.00%	72.16%	\Diamond	70.90%	71.59%	70.60%
Bus Traffic Accidents Per 100,000 Miles *	3.55	3.85	4.32	3.44	4.06		3.75	4.40	5.41
Number of "482 alleged accidents"	52	47	48		27		4	4	3
Complaints per 100,000 Boardings	2.56	2.40	3.28	2.30	3.06	$\overline{}$	2.90	3.05	2.71
New Workers' Compensation Indemnity Claims	9.64	13.04	11.53	13.25	11.09		10.92	9.49	23.37
per 200,000 Exposure Hours *						_			
* Data reflects updated data for each month. Division 8					VI	I.C. now re	flects current i	month's data.	No data lad.
MMBCMF	4,596	6,600	6,518		5,994		E 1E7	7,696	5,135
No. of unaddressed road calls	4,596	0,600	0,516	3,900	5,994		5,157 1	7,090	5, 135 N
MMBTRC	2,445	4,348	4,924	2,400	4,369		3,989	5,930	3,865
In-Service On-time Performance									
	75.99%	79.00%	78.72%	80.00%	79.64%		81.08%	81.29%	79.59%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.29	2.87	2.78	2.14	2.19 7	< >	2.22	2.21	2.45
Complaints per 100,000 Boardings	17	7	2.57	2.50			3 63	2.61	2 52
New Workers' Compensation Indemnity Claims	2.97	2.84	3.57	2.50	3.77		3.62	3.61	3.52
per 200,000 Exposure Hours *	11.20	17.35	21.17	13.25	14.46	\Diamond	16.68	15.06	24.58
* Data reflects updated data for each month.					14	/ C now ro	flects current i	manthia data	No. detector

				FY13	FY13	FYTD	Mar	Apr	May
Measurement	FY10	FY11	FY12	Target	YTD	Status	Month	Month	Month
Division 9									
MMBMF	4,673	5,126	5,281	0.000	5,158		4,824	4,883	4,573
No. of unaddressed road calls	66	11	11	3,900	2		0	0	0
MMBTRC	2,918	3,489	3,879	2,400	4,101		3,887	3,816	3,560
In-Service On-time Performance	75.89%	76.33%	76.83%	80.00%	76.05%	\Diamond	75.59%	75.89%	74.74%
Bus Traffic Accidents Per 100,000 Miles *	2.01	1.81	2.10	4.75	2.32	\Diamond	2.08	2.44	2.47
Number of "482 alleged accidents"	3	20	10	1.75	16		0	0	1
Complaints per 100,000 Boardings	3.21	3.50	4.55	3.24	5.11		4.19	4.16	3.92
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	10.03	15.30	15.10	13.25	17.71	\rightarrow	13.44	17.25	15.30
* Data reflects updated data for each month.					W	' C now re	flects current n	nonth's data	No data lag
Division 10							nooto oun ont n	ionin'o data. I	vo data ida.
MMBMF	2,594	2,392	2,653	0.000	2,991	\wedge	3,525	3,482	3,342
No. of unaddressed road calls	11	58	11	3,900	0		0	0	0
MMBTRC	1,129	1,446	1,727	2,400	1,946	\Diamond	2,285	2,416	2,170
In-Service On-time Performance	68.98%	71.93%	73.42%	80.00%	72.16%	\Diamond	72.39%	71.85%	68.22%
Bus Traffic Accidents Per 100,000 Miles *	4.02	3.93	4.27	0.00	4.64	♦	4.38	6.11	4.34
Number of "482 accidents"	33	41	30	3.89	8	\smile	0	0	2
Complaints per 100,000 Boardings	2.08	2.12	2.74	1.93	2.54	\Diamond	2.39	2.38	2.39
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	10.76	10.58	12.38	13.25	13.53	\limits	12.28	23.76	9.25
* Data reflects updated data for each month.					W	.C. now re	flects current n	nonth's data. I	No data lag.
Division 15									
MMBCMF	3,357	4,097	4,459	3,900	4,327		4,701	4,407	4,230
No. of unaddressed road calls	6	0	0	3,900	0		0	0	0
MMBTRC	1,747	2,507	2,898	2,400	2,988		3,206	3,103	3,228
In-Service On-time Performance	74.62%	76.84%	76.95%	80.00%	77.42%	\Diamond	76.94%	77.48%	76.33%
Bus Traffic Accidents Per 100,000 Miles *	2.67	2.84	3.11	2.52	3.25	^	3.70	3.26	2.91
Number of "482 alleged accidents"	15	19	19	2.52	15	$\overline{}$	3	2	2
Complaints per 100,000 Boardings	2.98	3.01	3.77	2.68	3.25	\Diamond	3.39	2.83	3.22
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	14.11	11.73	15.53	13.25	11.58		11.46	14.57	15.27
* Data reflects updated data for each month.					W	'.C. now re	flects current m	nonth's data. I	No data lag.
Division 18									ū
MMBCMF	2,917	3,506	4,183	2.000	3,700	\Diamond	3,403	3,959	3,427
No. of unaddressed road calls	20	17	6	3,900	1	$\overline{}$	0	0	0
MMBTRC	1,292	1,839	2,203	2,400	2,022	\Diamond	2,076	2,266	1,723
In-Service On-time Performance	66.12%	70.63%	75.32%	80.00%	74.31%	\Diamond	73.86%	75.01%	73.44%
Bus Traffic Accidents Per 100,000 Miles *	2.67	3.32	4.25	0.61	4.02	♦	3.53	4.01	4.02
Number of "482 alleged accidents"	19	16	31	3.84	26	$\overline{}$	3	2	3
Complaints per 100,000 Boardings	4.19	3.42	4.19	2.89	3.80	\Diamond	3.64	3.09	3.83
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	11.06	13.65	16.51	13.25	18.58	\limits	14.41	15.61	16.22

^{*} Data reflects updated data for each month.

W.C. now reflects current month's data. No data lag.

[●] Green - High probability of achieving the target (on track). Meets Target at 100% or better.

[◆]Yellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

Bus Operations 13-Month Overview

Measurement	FY12 Target	May 12	June 12	FY13 Target	July 12	Aug 12	Sep 12	Oct 12	Nov 12	Dec 12	Jan 13	Feb 13	Mar 13	Apr 13	13-May
Bus Systemwide	Target	IVIAY 12	Julie 12	Target	July 12	Aug 12	Sep 12	OCT 12	1404 12	Dec 12	Jan 13	1 60 13	IVIAI 13	Apr 13	13-iviay
Mean Miles Between Mechanical Failures															
Requiring Bus Exchange. (MMBMF) No. of unaddressed road calls	3,650	3,863	3,992	3,900	3,605	3,419	3,495	3,690	4,088	3,928	3,867	4,116	3,862	4,242	3,835
Mean Miles Between Total Road Calls (MMBTRC) **	1,556	2,500	2,603	2,400	2,418	2,223	2,291	2,348	2,472	2,455	2,409	2,534	2,552	2,689	2,447
In-Service On-time Performance ***	85%	76%	77%	80%	79.9%	77%	74%	74%	75%	76%	78%	75%	76%	76%	75%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.10	3.85	3.88	3.10	3.60	3.60	3.31	4.12	3.32	3.68	3.38	3.74	3.55	3.84	3.93
Complaints per 100,000 Boardings	2.20	3.11	3.34	2.20	3.34	3.60	3.40	3.56	3.13	2.68	2.93	3.02	3.03	2.99	2.79
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	14.33	13.20	13.25	16.26	19.08	17.22	12.95	14.54	11.54	14.55	13.82	15.38	16.41	15.89
* Data reflects updated data for each month.		•									W.C.	now reflects	current mor	th's data. N	lo data laa.
Division 1															
MMBMF No. of unaddressed road calls	3,650	3,359	3,368	3,900	2,916	2,880	3,036	3,579	4,797	3,762	3,628	4,112	3,187	4,161	3,403
MMBTRC	1,556	1.981	1.940	2,400	1.862	1.630	1.626	1.785	2.111	2,108	1.905	2,161	1.862	2.129	1.936
In-Service On-time Performance	85%	79%	80%	80%	83%	81%	79%	79%	79%	79%	81%	79%	78%	79%	78%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.31	3.21	5.23	3.24	4.81	4.34	2.60	3.29	2.53	4.62	3.70	3.88	3.59	3.12	4.24
Complaints per 100,000 Boardings	1.60	2.36	2.94	1.44	2.40	2.36	2.58	2.26	2.86	2.18	2.15	2.21	2.21	2.19	2.23
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	15.70	17.69	13.25	15.83	15.47	24.75	15.07	5.32	16.04	12.68	13.99	15.90	14.52	23.36
* Data reflects updated data for each month.											W.C.	now reflects	current mor	th's data. N	lo data lag.
Division 2															
MMBMF No. of unaddressed road calls	3,650	3,405	3,208	3,900	3,128	2,614	2,443	2,910	2,596	2,799	3,315	3,253	3,379	3,209	3,267
MMBTRC	1,556	2,018	2,025	2,400	2,134	1,716	1,609	1,839	1,689	1,794	2,024	1,848	2,106	1,963	1,909
In-Service On-time Performance	85%	73%	74%	80%	78.2%	74%	72%	72%	73%	75%	76%	72%	74%	75%	73%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.45	5.87	3.42	3.76	4.23	5.31	3.72	4.91	4.02	3.15	3.33	3.89	3.65	5.97	5.04
Complaints per 100,000 Boardings	1.77	2.29	2.16	1.61	1.86	2.25	2.40	2.53	2.36	1.612	1.64	1.74	2.38	2.03	1.65
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	20.00	13.82	13.25	11.43	16.73	14.99	11.04	17.22	17.13	13.99	28.04	29.06	27.88	8.41
* Data reflects updated data for each month.											W.C.	now reflects	current mor	ith's data. N	lo data lag.
Division 3															
MMBMF No. of unaddressed road calls	3,650	3,183	3,796	3,900	3,374	2,931	3,184	3,024	3,120	3,387	3,849	4,055	3,334	3,614	3,678
MMBTRC	1,556	2,607	2,618	2,400	2.456	2,246	2,637	2,171	2,274	2,412	2,621	2,945	2,619	2,727	2,788
In-Service On-time Performance	85%	77%	77%	80%	80%	77%	74%	75%	76%	76%	78%	76%	75%	75%	75%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.05	2.95	3.12	2.81	4.47	3.37	3.34	4.02	3.36	4.31	3.95	2.86	4.92	4.17	4.59
Complaints per 100,000 Boardings	2.17	3.28	3.40	2.16	3.26	3.56	3.62	3.09	3.29	2.09	3.47	3.50	3.02	3.86	2.54
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	29.52	7.74	13.25	19.55	16.13	14.55	5.37	5.68	5.60	13.50	17.80	11.06	12.34	8.14
* Data reflects updated data for each month.	<u> </u>			<u> </u>							W.C.	now reflects	current mor	nth's data. N	lo data lag.
Division 5															
MMBMF No. of unaddressed road calls	3,650	3,108	3,519	3,900	3,111	2,887	2,950	3,238	3,473	3,303	3,067	3,503	3,804	4,104	4,123
MMBTRC	1.556	1.875	2.122	2.400	1 963	1.842	2.135	2.170	2.398	2.179	1.945	2.406	2,379	2.399	2.647
In-Service On-time Performance	85%	/		80%	1,700	-,		2,170 75%	2,398 76%	2,179 75%	, -	/	2,379 75%	2,399 76%	7.5
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	4.37	78% 6.07	78% 5.50	4.20	81% 3.29	77% 4.66	74% 4.19	5.01	5.16	4.49	76% 5.02	74% 5.83	4.65	3.07	76% 4.74
Complaints per 100,000 Boardings	1.57	1.72	2.20	1.41	2.06	2.22	2.43	2.78	2.94	2.55	1.87	2.45	2.49	3.03	1.93
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	5.69	13.92	13.25	35.97	29.14	14.42	18.38	27.47	22.18	18.33	11.60	24.83	11.92	16.23
* Data reflects updated data for each month.											W.C.	now reflects	current mor	nth's data. N	lo data lag.

Green - Meets Target at 100% or better.Yellow - Falls below Target 70 - 99%.

Red - Falls below Target >70%.

. .	FY12	M 42	l 40	FY13	lulu 40	A 40	0 40	0-446	No. 40	D 40	1 40	F-1-40	M 40	A 40	40.14
Measurement Division C	Target	May 12	June 12	Target	July 12	Aug 12	Sep 12	Oct 12	Nov 12	Dec 12	Jan 13	Feb 13	Mar 13	Apr 13	13-May
Division 6 MMBMF	1														
No. of unaddressed road calls	3,650	49,664	11,915	3,900	12,037	15,751	66,917	25,989	8,704	9,481	13,742	12,509	11,642	8,806	5,376
MMBTRC	1,556	4.966	5,416	2,400	5.159	4.633	16.729	5.997	2.579	4.740	3.206	3.368	4.234	3.340	2,419
In-Service On-time Performance	85%	74%	76%	80%	76%	79%	75%	69%	68%	77%	78%	78%	77%	77%	73%
Bus Traffic Accidents Per 100.000 Miles *															
Number of "482 alleged accidents"	4.87	4.03	6.71	4.20	8.31	3.81	4.48	15.39	7.18	3.96	4.16	7.99	8.59	7.23	6.20
Complaints per 100,000 Boardings	2.80	3.52	3.55	1.57	1.98	1.71	1.02	2.08	1.44	2.89	3.91	4.14	3.22	2.03	1.01
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	0.00	0.00	13.25	24.18	45.73	26.88	0.00	20.66	0.00	0.00	0.00	0.00	37.62	0.00
* Data reflects updated data for each month. Division 7									W.C.	now reflects	current moi	nth's data. I	Vo data laa.	nth's data. I	No data laa.
MMBMF	3.650	2.605	3.581	3.900	3,245	3,336	2,969	3,476	3.268	2 414	3.305	3.622	2.440	4 120	2.460
No. of unaddressed road calls	3,000	3,685	3,581	3,900	0,=10	3,336	,	-, -	-,	3,414	3,305	-,-	3,449	4,129	3,460
MMBTRC	1,556	1,976	2,074	2,400	2,093	1,911	1,882	1,925	1,929	1,968	1,818	1,915	2,120	2,219	2,128
In-Service On-time Performance	85%	72%	73%	80%	75%	72%	71%	72%	73%	74%	75%	71%	71%	72%	71%
Bus Traffic Accidents Per 100,000 Miles *	3.74	5.06	6.19	3.44	4.14	3.61	4.60	3.07	3.42	3.81	5.53	5.53	3.61	4.40	5.41
Number of "482 alleged accidents"														-	
Complaints per 100,000 Boardings	2.07	2.42	2.94	2.30	3.37	3.74	3.25	2.71	3.02	2.37	2.54	3.69	2.90	3.05	2.71
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	8.89	6.53	13.25	11.03	12.91	18.58	6.41	0.00	4.43	14.82	9.41	10.92	9.49	23.37
* Data reflects updated data for each month. Division 8											W.C.	now reflects	current moi	nth's data. I	Vo data lad.
MMBCMF	1														
No. of unaddressed road calls	3,650	5,412	6181	3,900	5,828	5,657	5,082	4,920	6,574	6,809	8,858	6,485	5,157	7,696	5,135
MMBTRC	1,556	4.323	5,198	2,400	4.609	3.715	3,596	4.193	4,619	4.203	5.719	4.828	3.989	5.930	3.865
In-Service On-time Performance	85%	78%	80%	80%	83%	80%	75%	76%	78%	80%	81%	80%	81%	81%	80%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.81	3.20	3.21	2.14	2.41	2.28	2.66	2.44	1.90	2.64	1.38	1.66	2.08	2.21	2.45
Complaints per 100,000 Boardings	2.43	4.36	4.41	2.50	3.65	4.10	4.71	4.55	3.25	3.03	3.76	3.57	3.62	3.61	3.52
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	12.15	29.05	13.25	8.62	16.41	20.75	10.86	20.08	0.00	18.99	6.03	16.68	15.06	24.58
* Data reflects updated data for each month. Division 9	ı										W.C.	now reflects	current mor	nth's data. I	No data laɑ.
MMBMF	0.055	4.055		0.000	T 055	5 0.55		- 46-		= 155		= .==	1.05	1.00=	
No. of unaddressed road calls	3,650	4,932	5,401	3,900	5,920	5,066	6,475	5,106	5,155	5,423	4,559	5,453	4,824	4,883	4,573
MMBTRC	1,556	3,780	5,244	2,400	4,724	4,135	5,473	3,931	3,933	4,043	3,924	4,341	3,887	3,816	3,560
In-Service On-time Performance	85%	75%	77%	80%	81%	78%	73%	74%	75%	76%	78%	75%	76%	76%	75%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	1.76	2.60	1.88	1.75	2.59	2.69	2.39	2.73	2.19	1.88	1.04	3.09	1.98	2.44	2.47
Complaints per 100,000 Boardings	3.06	4.20	4.75	3.24	6.66	6.70	5.16	6.18	5.22	5.12	4.99	3.92	4.19	4.16	3.92
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	20.47	11.00	13.25	24.97	37.23	21.36	12.88	15.80	6.76	13.06	16.84	13.44	17.25	15.30
* Data reflects updated data for each month. Division 10	•										W.C.	now reflects	current mor	nth's data. I	No data lad.
MMBMF	0.050	0.407	2.766	2.000	2.040	0.00=	0.540	2.010	2.204	2005	2.004	2000	0.505	0.460	2.240
No. of unaddressed road calls	3,650	3,127	2,766	3,900	2,818	2,397	2,718	2,918	3,381	2,937	2,884	2,968	3,525	3,482	3,342
MMBTRC	1,556	1,991	1,952	2,400	1,783	1,748	1,787	1,929	1,871	2,006	1,798	1,857	2,285	2,416	2,170
In-Service On-time Performance	85%	72%	71%	80%	75%	72%	70%	70%	72%	75%	75%	73%	72%	72%	68%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 accidents"	3.73	3.86	3.16	3.89	3.68	4.45	4.45	5.33	4.31	4.29	3.47	6.11	4.23	6.26	4.34
Complaints per 100,000 Boardings	1.79	2.77	2.89	1.93	2.73	3.34	2.26	3.15	2.29	2.42	2.29	2.19	2.39	2.38	2.39
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	6.82	10.94	13.25	9.70	16.69	20.18	11.77	21.83	14.43	4.65	5.26	12.28	23.76	9.25

<sup>Green - Meets Target at 100% or better.
Yellow - Falls below Target 70 - 99%.
Red - Falls below Target >70%.</sup>

Measurement	FY12 Target	May 12	June 12	FY13 Target	July 12	Aug 12	Sep 12	Oct 12	Nov 12	Dec 12	Jan 13	Feb 13	Mar 13	Apr 13	13-May
ivision 15	· u. got	y	ouno 12	· u. got	ou.y .z	7.ug	00p .2	001.2		200 .2	04.1.10	. 62 16		740.10	10
MMBCMF No. of unaddressed road calls	3,650	4,799	4,576	3,900	3,403	3,718	3,753	4,163	5,271	5,632	4,436	5,057	4,701	4,407	4,230
MMBTRC	1,556	3,415	3,112	2,400	2,429	2,576	2,649	2,848	3,319	3,416	3,149	3,447	3,206	3,103	3,228
In-Service On-time Performance	85%	76%	78%	80%	82%	78%	75%	75%	77%	78%	80%	77%	77%	77%	76%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.75	2.48	3.54	2.52	3.09	3.86	2.84	4.80	3.10	2.28	3.15	2.60	3.70	3.38	2.9
Complaints per 100,000 Boardings	2.56	3.74	3.65	2.68	3.28	3.78	4.05	3.63	2.64	2.60	3.30	2.92	3.39	2.83	3.22
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	8.72	10.60	13.25	9.11	13.26	14.19	13.00	11.28	6.80	8.75	9.69	11.46	14.57	15.2
* Data reflects updated data for each month.											W.C.	now reflects	current mor	nth's data. N	No data lad
MMBCMF No. of unaddressed road calls	3,650	4,064	4,628	3,900	3,677	3,812	3,657	3,677	4,780	3,612	3,455	3,621	3,403	3,959	3,42
MMBTRC	1,556	2,452	2,452	2,400	2,217	2,051	1,887	2,002	2,329	1,949	1,963	1,934	2,076	2,266	1,72
In-Service On-time Performance	85%	74%	75%	80%	79%	76%	71%	71%	73%	74%	76%	74%	74%	75%	739
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.84	4.52	4.19	3.84	3.49	2.59	2.92	4.89	3.77	5.97	4.33	5.02	3.53	4.01	4.0
Complaints per 100,000 Boardings	2.98	4.33	4.40	2.89	4.06	4.40	4.02	4.76	3.59	2.99	3.46	3.80	3.64	3.09	3.8
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	12.50	17.61	15.42	13.25	16.80	14.20	8.76	24.08	21.03	22.77	27.44	22.04	14.41	15.61	16.2


<sup>Green - Meets Target at 100% or better.
Yellow - Falls below Target 70 - 99%.
Red - Falls below Target >70%.</sup>

BUS SERVICE PERFORMANCE


IN-SERVICE ON-TIME PERFORMANCE


Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled. (Includes Rapid buses). Please note that Rapid Line performance is included in the ISOTP calculation beginning January 2010.


Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))





Remaining Above the Goal line is the target.











ISOTP By Divisions

Year-to-Date Compared To Last Year

FY12	FY13-YTD	Variance
3.22%	4.50%	1.28%
80.10%	79.74%	-0.36%
16.68%	15.76%	-0.92%
	3.22% 80.10%	3.22% 4.50% 80.10% 79.74%

Division 2			
Early	4.55%	5.27%	0.72%
On-Time	74.22%	73.94%	-0.28%
Late	21.22%	20.79%	-0.43%

Division 3			
Early	3.66%	5.06%	1.40%
On-Time	77.83%	76.14%	-1.69%
Late	18.51%	18.80%	0.29%

Division 5			
Early	3.67%	5.67%	1.99%
On-Time	78.30%	75.99%	-2.31%
Late	18.03%	18.34%	0.32%

Division 6			
Early	3.45%	4.39%	0.94%
On-Time	78.44%	75.40%	-3.04%
Late	18.11%	20.21%	2.09%

Division 7			
Early	4.41%	4.91%	0.50%
On-Time	73.15%	72.16%	-0.99%
Late	22.44%	22.93%	0.48%

	FY12	FY13-YTD	Variance
Division 8			
Early	2.84%	3.86%	1.02%
On-Time	78.72%	79.64%	0.92%
Late	18.44%	16.51%	-1.94%

Division 9			
Early	3.07%	4.20%	1.12%
On-Time	76.83%	76.05%	-0.78%
Late	20.10%	19.76%	-0.34%

Division 10			
Early	3.75%	4.49%	0.74%
On-Time	73.42%	72.16%	-1.26%
Late	22.83%	23.35%	0.52%

Division 15			
Early	3.65%	3.63%	-0.03%
On-Time	76.95%	77.42%	0.46%
Late	19.39%	18.96%	-0.44%


Division 18			
Early	3.29%	4.76%	1.47%
On-Time	75.32%	74.31%	-1.01%
Late	21.39%	20.94%	-0.46%

SYSTEMWID	E		
Early	3.58%	4.62%	1.04%
On-Time	76.54%	75.89%	-0.65%
Late	19.87%	19.49%	-0.38%


ACTUAL TO SCHEDULED REVENUE HOURS DELIVERED*

Definition: This performance indicator measures the percentage of scheduled Revenue Hours delivered after being offset by cancellations, outlates and in-service equipment failures. FY06: This performance indicator measures the percentage of scheduled Revenue Hours delivered after adding in temporary RH service added, Hollywood Bowl and Race Track RH, in addition RH due to overtime offset by cancellations and in-service delays.

Calculation: SRHD% = 1- ((In-Service Delay Revenue Hours plus Cancelled Revenue Hours) divided by (Total Scheduled Service Hours + Temporary Revenue Hours + Hollywood Bowl and Race Track Revenue Hours + In Addition Revenue Hours)) FY06: Actual Revenue Hours Delivered divided by Scheduled Revenue Hours.



Remaining At the Goal line is the target.




BUS MAINTENANCE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES (MMBMF)

Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.


Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Remaining Above the Goal line is the target.

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.





Unaddressed Road Calls -- Bus Operating Divisions March 2013 - May 2013

Definition: Road calls cannot be counted, per FTA definition, if no one has jobbed on to assign a job code.

(Source: M3)

Calculation: Unaddressed Road Calls = Total number of road calls that have not been assigned.






Sys. Goal


Div 8

— — Prior Year

Sys. Goal








MEAN MILES BETWEEN TOTAL ROAD CALLS (MMBTRC)

Definition: Average Hub Miles traveled between road call problems.


Calculation: MMBTRC = (Total Hub Miles / by Total Road Calls)

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Remaining Above the Goal line is the target.

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Fleet Mix by Fuel Type Systemwide (Including Contract Services)

	Number of Buses	Percent of Buses
CNG	2,158	89.28%
Diesel	71	2.94%
Gasoline	59	2.44%
Propane	129	5.34%
Hybrid	0	0.00%
Total	2,417	100.00%


Average Age of Fleet by Divisions

Div 1	Div 2	Div 3	Div 5	Div 6	Div 7
10.6	11.7	7.2	10.6	4.2	9.8
Div 8	Div 9	Div 10	Div 15	Div 18	
6.0	10.4	9.1	6.9	6.4	

PAST DUE CRITICAL PREVENTIVE MAINTENANCE PROGRAM JOBS (PMP's)


Definition: Average past due critical scheduled preventive maintenance jobs per bus. This indicator measures maintenance management's ability to prioritize and perform critical repairs and indicates the general maintenance condition of the fleet.

Calculation: Past Due Critical PMP's = (Total Past Due Critical PMP's / by Buses)



Remaining Below the Goal line is the target.

Note: Since July 2004, six divisions (Divisions 1, 2, 3, 8, 9 and 15) have been involved in a pilot project to test extending maintenance critical PMP mileage periodicities. These "extended" mileages have not been officially implemented at this time; therefore, these divisions will appear not to have completed their critical PMP's in current monthly and weekly reports until the program is officially modified systemwide accordingly.




ATTENDANCE


MAINTENANCE ATTENDANCE

Definition: Maintenance Mechanics and Service Attendants - % attendance Monday through Friday for the month.

Calculation: 1-(FTEs absent / by the total FTEs assigned)




Higher is better.




BUS CLEANLINESS


Definition: A team of two Quality Assurance Supervisors inspects and rates ten percent of the fleet at each division per time period. Beginning January 2004, they rate the divisions each month. Each of sixteen categories is examined and assigned a point value as follows: 1-3 = Unsatisfactory; 4-7 = Conditional; 8-10 = Satisfactory. The individual item scores are averaged, unweighted, to produce an overall cleanliness rating.

Calculation: Overall Cleanliness Rating = (Total Points Accumulated divided by number of categories)











Please note that beginning March 2010, quarterly cleanliness is calculated using monthly data.

Prior quarterly data was supplied by QA dept. in a quarterly format.

Remaining Above the Goal line is the target.

BUS CLEANLINESS - Continued





Metro Rail Scorecard Overview

Metro Rail operates heavy rail lines, Metro Red and Purple Lines, from Union Station to North Hollywood and Union Station to Wilshire/Western. Data for Red and Purple lines are reported under Metro Red line in this report. Metro Rail operates three light rail lines: 1. Metro Blue Line from downtown to Long Beach; 2. Metro Green Line along the 105 freeway; and 3. Metro Gold Line from Pasadena and East Los Angeles. Metro Rail is responsible for the operation of approximately 104 heavy rail cars and 121 light rail cars carrying nearly 5.8 million passengers boarding each year.

This report gives a brief overview of Metro Rail operations:

- * On-Time Pullout Percentage.
- * Mean Miles Between Chargeable Mechanical Failures (MMBMF).
- * In-Service On-Time Performance.
- * Traffic Accidents per 100,000 Train Miles.
- * Complaints per 100,000 Boardings.

	EV40	FV44	FV40	FY13	FY13	FYTD	Mar	Apr	May
Measurement	FY10	FY11	FY12	Target	YTD	Status	Month	Month	Month
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	8.54	9.73	8.18	7.36	9.05	\limits	4.82	9.62	13.89
* Data reflects updated data for each month.					W	.C. now ref	lects current m	onth's data. N	lo data lag.
Metro Red Line (MRL)									
On-Time Pullouts	99.55%	99.86%	99.60%	99.00%	99.47%		99.57%	99.34%	98.92%
Mean Miles Between Chargeable Mechanical Failures	38,771	34,194	35,939	36,000	63,075		33,747	150,751	76,754
In-Service On-time Performance	99.54%	99.69%	99.45%	98.00%	99.32%		99.07%	99.41%	99.06%
Traffic Accidents Per 100,000 Train Miles	0.00	0.29	0.00	0.06	0.21		0.00	0.83	0.00
Complaints per 100,000 Boardings **	0.41	0.51	0.56	0.56	0.26		0.33	0.19	0.43
** Beginning in FY13, only Operations-Related Rail Co	mplaints will be	counted per 10	00k Boardings.						
Metro Blue Line (MBL)									
On-Time Pullouts	99.71%	99.10%	99.48%	98.00%	99.33%		99.65%	100.00%	99.77%
Mean Miles Between Chargeable Mechanical Failures	20,830	14,194	13,940	15,000	16,810		21,125	20,927	34,606
In-Service On-time Performance	98.81%	99.11%	98.31%	98.00%	95.60%	\Diamond	95.87%	96.98%	97.56%
Traffic Accidents Per 100,000 Train Miles	1.45	1.76	1.35	1.35	1.47	\Diamond	0.58	2.38	1.72
Complaints per 100,000 Boardings **	0.80	0.81	1.22	1.08	0.92	\Diamond	0.89	0.59	0.42
* At this time Expo Mechanical Failures and Pull Outs of	annot be sepa	rated from Blue	Line so they a	re reported co	mbined for r	eporting pur	poses in Blue Li	ne.	
** Beginning in FY13, only Operations-Related Rail Co	mplaints will be	counted per 10	00k Boardings.						
Metro Expo Line (MExL)									
On-Time Pullouts (Expo Pull Outs are Included	in Blue Line I	Pull Outs)							
Mean Miles Between Chargeable Mechanical Fa	ailures (Exp	o MMBCMF a	are Included i	n Blue Line I	MMBCMF)				
In-Service On-time Performance				98.00%	98.41%		99.28%	96.87%	99.24%
Traffic Accidents Per 100,000 Train Miles				1.35	0.37		0.00	0.00	0.00
Complaints per 100,000 Boardings **				1.08	2.33		1.67	1.43	1.77
* At this time Expo Mechanical Failures and Pull Outs of	annot be sepa	rated from Blue	Line so they a	re reported co	mbined for r	eporting pur	poses in Blue Li	ne.	
** Beginning in FY13, only Operations-Related Rail Co	mplaints will be	counted per 10	00k Boardings.		•			•	

On-Time Pullouts	99.89%	99.85%	99.87%	98.00%	99.69%		100.00%	100.00%	99.77%
Mean Miles Between Chargeable Mechanical Failures	13,599	11,831	14,708	16,000	12,790	\rightarrow	11,304	22,251	18,937
In-Service On-time Performance	99.26%	99.50%	98.86%	98.00%	97.97%	\Diamond	97.63%	98.56%	98.81%
Traffic Accidents Per 100,000 Train Miles	0.00	0.07	0.07	0.06	0.15		0.00	0.00	0.00
Complaints per 100,000 Boardings **	0.76	1.13	1.06	1.01	0.65		0.35	0.63	0.91
** Beginning in FY13, only Operations-Related Rail Cor	mplaints will be o	counted per 10	0k Boardings.						
letro Gold Line (MGoL)	,	,							
letro Gold Line (MGoL) On-Time Pullouts Mean Miles Between Chargeable Mechanical	99.86% 16,151	99.99% 21,097	0k Boardings. 100.00% 18,017	98.00% 23,000	99.87%	0	100.00%	99.87% 33,505	99.49%
letro Gold Line (MGoL) On-Time Pullouts	99.86%	99.99%	100.00%			0			40,132
letro Gold Line (MGoL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures	99.86% 16,151	99.99%	100.00%	23,000	28,802	0	18,773	33,505	

^{**} Beginning in FY13, only Operations-Related Rail Complaints will be counted per 100k Boardings.

[●] Green - High probability of achieving the target (on track). Meets Target at 100% or better.

[♦] Yellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.


Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

RAIL SERVICE PERFORMANCE


IN-SERVICE ON-TIME PERFORMANCE (ISOTP)

Definition: In-Service On-Time Performance measures the percentage of trains leaving all timecheck points on any run no earlier than thirty seconds, nor later than 5 minutes of the scheduled time. The higher the number, the more reliable the service.

Calculation: ISOTP% = [(100% minus [(Total runs in which a train left any timecheck point either late or early) / by Total scheduled runs) X by 100)]




Remaining Above the Goal line is the target.




Scheduled Revenue Hours Delivered (SRHD) by Rail Line

Definition: This performance indicator measures the percentage of scheduled Revenue Service Hours delivered after subtracting cancellations, outlates and in-service delays.

Calculation: SRSHD% = (1-(Total Service Hours Lost / by Total Scheduled Service Hours))




Remaining At the Goal line is the target.




Mean Miles Between Chargeable Mechanical Failures

Definition: Mean vehicle miles between Revenue Vehicle Failures. NTD defined Revenue Vehicle Failures are vehicle systems failures that occur in revenue service and during deadhead miles in which the vehicle did not complete its scheduled revenue trip or in which the vehicle did not start its next scheduled revenue trip.

Calculation: MVMBRVF = Total Vehicle Miles / Revenue Vehicle Systems Failures Remaining Above the Goal line is the target.



Remaining Above the Goal line is the target.




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

One month lag in reporting.


Remaining Below the Goal line is the target.




ON-TIME PULLOUTS (OTP)

Definition: On-time Pullouts measures the percentage of trains leaving the yard within ninety seconds of the scheduled pullout time. The higher the number, the more reliable the service.

Calculation: OTP% = [(100% - [(Total cancelled pullouts plus late pullouts) / by Total scheduled pullouts) X by 100)]



Remaining Above the Goal line is the target.



SAFETY PERFORMANCE


BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))

Systemwide Trend


Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports. As of Aug. '07, Accident code 482 (alleged accidents) has been excluded from "Accidents per 100,000 Hub Miles" calculation per management decision.

Remaining Below the Goal line is the target.

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.




Number of 482 Accidents in Vehicle Accident Management System (VAMS) Download by Avoidable (A), Pending (P) or Unavoidable (U) Bus Operating Divisions

Definition: Number of accidents that are coded 482 "alledged" accidents in prior 13 months and the accident determination as avoidable (A), pending investigation (P) or unavoidable (U).


Calculation: Number of accidents in prior 13 months coded 482 "alledged" in the categories of A, P or U.


NOTE: Accident code 482 (alleged accidents) has been excluded from "Accidents per 100,000 Hub Miles" calculation per management decision.





BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Bus Operating Divisions

Remaining Below the Goal line is the target












Safety Performance Continued

BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Bus Operating Divisions








Α

BUS PASSENGER ACCIDENTS PER 100,000 BOARDINGS


Definition: Average number of Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.

Calculation: Passenger Accidents Per 100,000 Boardings = (The number of Passengers Accidents / by (Boardings / by 100,000))



Remaining Below the Goal line is the target.

Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.



OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) RECORDABLE INJURIES PER 200,000 EXPOSURE HOURS

Definition: Work-related injuries and illnesses that result in: death, loss of consciousness, days away from work, restricted work activity or job transfer, or medical treatment beyond first aid. **Calculation:** Number of OSHA Injuries / Illnesses Filed / (Exposure Hours / 200,000)


One month lag from current month




Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of injuries and late filling of reports.

Remaining Below the Goal line is the target.

One month lag from current month






LOST WORK DAYS (LWD) PAID PER 200,000 EXPOSURE HOURS


Definition: Number of paid working days lost due to employees workers' compensation injuries each month per 200,000 exposure hours.

Calculation: (Total Temporary Disability Benefit Payments / Estimated TD Benefit Rate) x (5/7) / (Number of Exposure Hours / 200,000)

One month lag from current month




One month lag from current month




RAIL ACCIDENTS PER 100,000 REVENUE TRAIN MILES (PUC Reportable)

Definition: Average number of Rail Accidents for every 100,000 Revenue Train Miles traveled. This indicator measures system safety.

Calculation: Rail Accidents Per 100,000 Revenue Train Miles = (The number of Rail Accidents / by (Revenue Train Miles / by 100,000))







Remaining Below the Goal line is the target.

RAIL PASSENGER ACCIDENTS PER 100,000 BOARDINGS*

Definition: Average number of Rail Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.

Calculation: Rail Passenger Accidents Per 100,000 Boardings = (The number of Rail Passenger Accidents / by (Train Boardings / by 100,000))






CUSTOMER SATISFACTION


COMPLAINTS PER 100,000 BOARDINGS

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)



Remaining Below the Goal line is the target.



COMPLAINTS PER 100,000 BOARDINGS ◆ Current Year - - - Prior Year Remaining Below the Goal line is the target. Div 1 Div 2 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 0.0 Div 3 Div 5 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 0.0 Div 6 Div 7 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 0.0 М 0 Ν 0 Ν D M Div 8 Div 9 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 S 0 Ν D D

2.0

1.0

0.0 | M

2.0

1.0

0.0

WORKERS COMPENSATION CLAIMS


New Workers Compensation Claims per 200,000 Exposure Hours

Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

Metro Operations Trend

Data now reflects the current month.



Remaining Below the Goal line is the target.

NEW CLAIMS PER 200,000 EXPOSURE HOURS - MONTH BY BUS DIVISION & RAIL


Definition: Average number of new workers compensation indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New workers' compensation indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

Bus & Rail by Division March 2013 - May 2013

Data now reflects the current month.

Remaining Below the Goal line is the target.





NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS Systemwide and Bus Operating Divisions

Definition: Average number of new Workers Compensation Indemnity claims filed per 200,000 exposure hours. Indemnity – requires an overnight hospital stay or involves more than 3 calendar days of lost time. This indicator measures safety.

Calculation: New Workers' Compensation Indemnity claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)


W.C. now reflects current month's data. No data lag.






Remaining Below the Goal line is the target.

W.C. now reflects current month's data. No data lag.







NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS - Continued


Remaining Below the Goal line is the target.


W.C. now reflects current month's data. No data lag.







W.C. now reflects current month's data. No data lag.





W.C. now reflects current month's data. No data lag.






NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS - Continued

Remaining Below the Goal line is the target.

W.C. now reflects current month's data. No data lag.




OSHA INJURIES FILED PER 200,000 EXPOSURE HOURS


Systemwide and Bus Operating Divisions

Definition: Work-related injuries and illnesses that result in: death, loss of consciousness, days away from work, restricted work activity or job transfer, or medical treatment beyond first aid which are filed per 200,000 exposure hours.

Calculation: New OSHA Injuries filed per 200,000 Exposure Hours = New Injuries /(Exposure Hours/200,000)


One month lag in reporting.








Remaining Below the Goal line is the target.

One month lag in reporting.













One month lag in reporting.






One month lag in reporting.








NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS


Systemwide and Bus Operating Divisions

Definition: Number of paid working days lost due to employees workers' compensation injuries each month per 200,000 exposure hours. This indicator measures use of Transitional Duty Program.


Calculation: : (Total Temporary Disability Benefit Payments / Estimated TD Benefit Rate) x (5/7) / (Number of Exposure Hours / 200,000)


One month lag in reporting.














NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS - Continued


One month lag in reporting.







One month lag in reporting.










NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS - Continued

One month lag in reporting.

Lower is better.




"HOW YOU DOIN'?" PERFORMANCE INCENTIVE PROGRAM

Monthly Calculations - May 2013 Metro Bus - Maintenance

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performances by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

Maintenance												
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	10%	78.0%	73.3%	75.1%	75.9%	73.5%	70.6%	79.6%	74.7%	68.2%	76.3%	73.4%
Points		10	3	7	8	5	2	11	6	1	9	4
Miles Between Total												
Road Calls	30%	1935.8	1908.7	2788.2	2646.6	2419.0	2128.4	3865.1	3560.5	2169.9	3227.9	1723.4
Points		3	2	8	7	6	4	11	10	5	9	1
Past Due PMPs	25%	0.059	0.097	0.014	0.207	0.125	0.014	0.142	0.120	0.010	0.000	0.082
Points		7	5	9	1	3	8	2	4	10	11	6
Bus Cleanliness	25%	8.17	8.04	8.70	8.24	9.02	8.53	9.03	8.85	8.74	8.86	8.14
Points		3	1	6	4	10	5	11	8	7	9	2
New WC Claims												
/200,000 Exp Hrs	10%	0.00	0.00	0.00	34.58	0.00	0.00	0.00	9.91	0.00	18.72	27.65
Points		5	5	5	1	5	5	5	4	5	3	2
Totals		4.90	2.90	7.35	4.25	6.05	5.15	8.15	7.00	6.35	8.90	2.90
FINAL	Maintenance Division Ranking (Sorted)											
RANKING	DIV.	DIV. 15	DIV. 8	DIV. 3	DIV. 9	DIV. 10	DIV. 6	DIV. 7	DIV. 1	DIV. 5	DIV. 2	DIV. 18
	Score	8.90	8.15	7.35	7.00	6.35	6.05	5.15	4.90	4.25	2.90	2.90
	Rank	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	10th



Monthly Calculations - May 2013 Metro Bus - Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

Transportation *												
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	20%	0.780	0.733	0.751	0.759	0.735	0.706	0.796	0.747	0.682	0.763	0.734
Points		10	3	7	8	5	2	11	6	1	9	4
Accident Rate	35%	4.24	5.04	4.59	4.74	6.20	5.41	2.45	2.47	4.34	2.91	4.02
Points	3370	7	3.04	5	4.74	1	2	11	10	6	9	8
Complaints/100K Boardings	35%	2.23	1.65	2.54	1.93	1.01	2.71	3.52	3.92	2.39	3.22	3.83
Points	35%	8	1.65	6	1.93	1.01	5	3.52	3.92	2.39	3.22	2.63
New WC Claims												
/200,000 Exp Hrs	10%	30.67	10.99	10.59	10.60	0.00	30.43	32.78	16.83	12.32	14.22	13.00
Points		2	8	10	9	11	3	1	4	7	5	6
Totals		7.45	5.95	6.25	7.05	6.30	3.15	7.20	5.45	5.45	6.85	4.90
FINAL	Transportation Division Ranking (Sorted)											
RANKING	DIV.	DIV. 1	DIV. 8	DIV. 5	DIV. 15	DIV. 6	DIV. 3	DIV. 2	DIV. 9	DIV. 10	DIV. 18	DIV. 7
	Score	7.45	7.20	7.05	6.85	6.30	6.25	5.95	5.45	5.45	4.90	3.15
	Rank	1st	2nd	3rd	4th	5th	6th	7th	8th	8th	9th	10th

* Please Note: The Transportation HYD ranking categories and weighting have been modified effective January 2013.

