JUN 2014

METRO OPERATIONS MONTHLY PERFORMANCE REPORT




Table of Contents

	Page
Bus Scorecard Overview	3
Bus Service Performance Systemwide In-Service On-Time Performance Scheduled Revenue Service Hours Delivered	9
Bus Maintenance Performance Mean Miles Between Chargeable Mechanical Failures Past Due Critical Preventive Maintenance Program	14
Attendance Maintenance Attendance	21
Bus Cleanliness	22
Rail Performance On-time Service In-Service On-Time Performance Schedule Revenue Service Hours Delivered Mean Miles Between Chargeable Mechanical Failures	26
Safety Performance Bus Accidents per 100,000 Hub Miles Bus Passenger Accidents per 100,000 Boardings Rail Accidents per 100,000 Revenue Train Miles Rail Passenger Accidents per 100,000 Boardings	33
Customer Satisfaction Complaints per 100,000 Boardings	39
New Workers' Compensation Claims New Workers' Compensation Claims per 200,000 Exposure Hours OSHA Injuries Filed per 200,000 Exposure Hours Number of Lost Work Days Paid per 200,000 Exposure Hours	42
"How You Doin'?" Incentive Program Monthly Metro Bus & Metro Rail Quarterly Metro Bus & Metro Rail Yearly Metro Bus & Rail Yearly Most Improved Metro Bus	50

Metro Bus Systemwide and Division Scorecard Overview

Metro Bus has eleven Metro operating divisions: Division 1 and 2, both operating out of the downtown Los Angeles area; Division 3 in Cypress Park; Arthur Winston Division 5 in South Los Angeles; Division 6 in Venice; Division 7 in West Hollywood; Division 8 in Chatsworth; Division 9 in El Monte; Division 10 in Los Angeles, near the Gateway building; Division 15 in Sun Valley; and Division 18 in Carson. Metro Bus systemwide is responsible for the operation of approximately 2,490 Metro buses and 144 Metro Bus lines carrying nearly 395.5 million boarding passengers each year. Metro bus also operates the Orange and Silver Lines. This report gives a brief overview of Systemwide and Division operations:

- * Mean Miles Between Mechanical Failures Requiring Bus Exchange (MMBMF).
- * Mean Miles Between Total Road Calls (MMBTRC).
- * In-Service On-Time Performance.
- * Traffic Accidents per 100,000 Hub Miles.
- * Complaints per 100,000 Boardings.
- * New Reported Workers' Compensation Indemnity & Medical Claims per 200,000 Exposure Hours.

						FY14	FY14	FYTD	Apr	May	Jun
Mea	surement	FY10	FY11	FY12	FY13	Target	YTD	Status	Month	Month	Month
Bus Systemwide											
Mean Miles Between	Mechanical Failures	3,222	3,523	3,759	3.827	4.000	3,961		3,917	3.685	4,480
Requiring Bus Excha	,	3,222	3,323	3,739	3,021	4,000	,	\Diamond	3,917	3,000	4,400
No. of unaddressed		305	125	47	15		42		4	2	0
Mean Miles Between	Total Road Calls (MMBTRC)	1,566	2,052	2,292	2,443	2,550	2,863		2,969	2,699	3,161
In-Service On-time P	Performance ***	72.33%	75.17%	76.54%	75.82%	80.00%	75.95%	\Diamond	77.17%	76.07%	78.33%
Bus Traffic Accidents	s Per 100,000 Miles	3.08	3.23	3.72	3.66	3.10	3.56	\Diamond	3.36	3.15	3.57
Number of "482 alleg	ged accidents"	245	232	248	219		215		19	21	18
Complaints per 100,	000 Boardings	2.61	2.53	3.14	3.12	2.20	3.64		3.25	3.53	3.33
New Reported Work per 200,000 Exposu	ers' Compensation Claims re Hours *	14.03	15.28	16.84	16.80	15.12	18.34	\langle	24.49	19.23	16.27
	reflects Indeminity and Medical Claims					FY10 have been	updated				
Division 1	combined as well. W.C. Goal has been	modified from 1	3.25 to 10% Im	provement over	last FY Actual.						
MMBMF		2,831	2,609	3,143	3,539	4,000	2 640		3,638	2.046	2.610
No. of unaddressed	road calls	2,031	2,609	3, 143 1	3,539	4,000	3,649 0	~	3,030	3,046 0	3,610 0
MMBTRC	Toad cails	1,354	1,540	1,823	1,915	2,550	2,077	\Diamond	2,416	1,801	2,010
In-Service On-time F	Porformanco		78.85%						76.88%		78.08%
Bus Traffic Accidents		76.61% 3.07	3.42	80.10% 3.77	79.56% 3.75	80.00% 3.15	77.77% 3.96		3.11	76.63% 3.86	4.48
Number of "482 alleg						3.15		~	-	3.86	
Complaints per 100,		49	30	19	24	4.07	26		4		2
		1.89	1.85	2.09	2.35	1.67	2.72		3.01	3.34	2.71
per 200,000 Exposu		15.65	17.78	16.78	16.95	15.12	19.57	\limits	24.42	21.65	19.19
, ,	reflects Indeminity and Medical Claims	combined.									
Division 2											
MMBMF	read calls	2,714	3,378	3,280	2,993	4,000	3,151	\Diamond	2,686	2,603	2,796
No. of unaddressed	road calls	29	8	6	8	0.550	1		0	0	0
MMBTRC)	1,475	1,721	1,834	1,892	2,550	2,251	$\stackrel{\diamond}{\sim}$	1,995	1,796	1,895
In-Service On-time F		77.24%	73.89%	74.22%	74.02%	80.00%	76.12%	<u> </u>	76.91%	74.71%	77.68%
Bus Traffic Accidents	,	3.16	3.56	4.33	4.31	3.60	4.22	~	2.65	3.55	2.66
Number of "482 alleg		23	21	25	17		25		3	2	0
Complaints per 100,	•	1.87	2.02	2.28	2.01	1.43	2.40		1.89	2.03	2.45
per 200,000 Exposu	re Hours *	16.81	17.55	17.45	20.29	15.12	21.72	\rightarrow	19.57	27.74	25.03
New Reported Work per 200,000 Exposu	ers' Compensation Claims	16.81									

					FY14	FY14	FYTD	Apr	May	Jun
Measurement	FY10	FY11	FY12	FY13	Target	YTD	Status	Month	Month	Month
Division 3										
MMBMF	2,770	2,909	2,975	3,446	4,000	4,614		4,682	4,779	4,914
No. of unaddressed road calls	24	7	2	2		3		0	0	0
MMBTRC	1,555	1,967	2,195	2,575	2,550	3,732		3,851	3,548	3,878
In-Service On-time Performance	76.81%	77.71%	77.83%	76.10%	80.00%	75.12%	<u> </u>	75.43%	75.67%	77.01%
Bus Traffic Accidents Per 100,000 Miles	3.39	3.28	3.27	3.90	3.27	4.46	\Diamond	4.44	3.63	4.04
Number of "482 alleged accidents"	0	0	26	28		7		1	0	1
Complaints per 100,000 Boardings	2.65	2.51	3.14	3.20	2.27	3.71		3.32	3.84	3.50
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	11.51	12.47	19.46	13.24	15.12	15.09	0	19.11	24.99	16.87
* Starting July 2013, Data now reflects Indeminity and Medical Claims Division 5	combined.									
MMBMF	3,493	3,643	3,141	3,428	4,000	3,954		3,858	4,062	5,404
No. of unaddressed road calls	4	2	2,141	0,420	4,000	3,334		0,000	2	0,404
MMBTRC	1,712	2,053	1,771	2,211	2,550	2,731		2,787	3,147	3,972
In-Service On-time Performance	67.82%	74.63%	78.30%	75.89%	80.00%	75.27%	$\overline{\diamond}$	76.42%	74.94%	76.70%
Bus Traffic Accidents Per 100,000 Miles	4.44	4.42	5.64	4.50	3.79	4.82	$\stackrel{\vee}{\diamond}$	5.67	5.82	5.84
Number of "482 alleged accidents"	30	24	28	36	3.19	34	\checkmark	3.07	2	2.04
Complaints per 100,000 Boardings	1.90	1.84	2.00	2.37	1.68	2.92		2.55	2.61	2.80
New Reported Workers' Compensation Claims	18.38	15.21	16.10	21.74	15.12	17.88	<u> </u>	29.36	29.12	13.80
per 200,000 Exposure Hours * * Starting July 2013, Data now reflects Indeminity and Medical Claims	combined.									
Division 6	- Combined:									
MMBMF	7,816	11,021	12,999	11,013	4,000	7,017		5,550	10,081	15,075
No. of unaddressed road calls	8	1	0	0	,	0		0	0	0
MMBTRC	2,172	3,008	3,849	3,726	2,550	2,861		2,621	3,240	4,761
In-Service On-time Performance	68.27%	69.28%	78.44%	75.26%	80.00%	71.88%	\Diamond	82.06%	78.56%	79.19%
Bus Traffic Accidents Per 100,000 Miles	5.01	5.06	7.54	6.98	5.79	4.75	Ŏ	2.12	2.20	2.21
Number of "482 alleged accidents"	4	7	3	1		1	_	0	0	0
Complaints per 100,000 Boardings	2.86	3.17	2.52	2.34	1.88	4.29		3.79	6.20	5.54
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	7.65	10.33	9.69	11.46	15.12	35.33		49.85	0.00	37.53
* Starting July 2013, Data now reflects Indeminity and Medical Claims Division 7	combined.									
MMBMF	2,997	3,106	3,611	3,394	4,000	3,453	\Diamond	3,842	3,622	4,695
No. of unaddressed road calls	101	18	6	0		2	•	0	0	0
MMBTRC	1,217	1,644	1,859	1,980	2,550	2,423	\Diamond	2,553	2,629	3,208
In-Service On-time Performance	68.38%	72.47%	73.15%	71.96%	80.00%	71.98%	\Diamond	73.05%	72.46%	75.63%
Bus Traffic Accidents Per 100,000 Miles	3.55	3.85	4.32	4.06	3.42	4.60	Ŏ	3.42	4.33	4.16
Number of "482 alleged accidents"	52	47	48	30		11	-	0	1	0
Complaints per 100,000 Boardings	2.56	2.40	3.28	3.10	2.20	3.32		3.18	3.29	2.76
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	10.71	13.42	12.09	12.82	15.12	13.74		17.20	19.32	19.84
* Starting July 2013, Data now reflects Indeminity and Medical Claims	combined.									
Division 8										
MMBMF	4,596	6,600	6,518	5,957	4,000	5,292		5,606	5,609	5,553
No. of unaddressed road calls	0	0	2	2		21		1	0	0
MMBTRC	2,445	4,348	4,924	4,348	2,550	4,717		5,041	5,012	5,141
In-Service On-time Performance	75.99%	79.00%	78.72%	79.82%	80.00%	83.65%		85.28%	83.44%	86.46%
Bus Traffic Accidents Per 100,000 Miles	2.29	2.87	2.78	2.20	2.00	1.86	_	1.57	1.70	1.44
Number of "482 alleged accidents"	17	7	9	8		10		0	0	2
Complaints per 100,000 Boardings	2.97	2.84	3.57	3.75	2.66	4.28		2.89	4.09	3.03
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	15.55	18.99	22.18	14.80	15.12	18.34	\Diamond	19.50	16.76	17.33

					FY14	FY14	FYTD	Apr	May	Jun
Measurement	FY10	FY11	FY12	FY13	Target	YTD	Status	Month	Month	Month
Division 9										
MMBMF	4,673	5,126	5,281	5,109	4,000	4,366		4,454	4,023	6,054
No. of unaddressed road calls	66	11	11	2		4		1	0	0
MMBTRC	2,918	3,489	3,879	4,101	2,550	4,100		4,278	3,836	5,232
In-Service On-time Performance	75.89%	76.33%	76.83%	76.04%	80.00%	75.55%	\Diamond	76.03%	75.35%	78.39%
Bus Traffic Accidents Per 100,000 Miles	2.01	1.81	2.10	2.29	2.00	2.24	\Diamond	2.46	1.31	2.18
Number of "482 alleged accidents"	3	20	10	16		25		0	3	1
Complaints per 100,000 Boardings	3.21	3.50	4.55	5.05	3.58	5.33		5.48	5.45	5.59
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	12.15	16.79	17.55	18.34	15.12	25.80		47.87	22.06	13.45
* Starting July 2013, Data now reflects Indeminity and Medical Claims	combined.									
Division 10										
MMBMF	2,594	2,392	2,653	2,999	4,000	2,931	\Diamond	2,899	2,911	3,632
No. of unaddressed road calls	11	58	11	0		5		2	0	0
MMBTRC	1,129	1,446	1,727	1,947	2,550	2,145	\Diamond	2,139	2,062	2,553
In-Service On-time Performance	68.98%	71.93%	73.42%	71.76%	80.00%	71.87%	\Diamond	73.12%	73.37%	74.75%
Bus Traffic Accidents Per 100,000 Miles	4.02	3.93	4.27	4.77	4.01	3.79		3.71	3.02	4.42
Number of "482 alleged accidents"	33	41	30	12		19		3	1	4
Complaints per 100,000 Boardings	2.08	2.12	2.74	2.56	1.81	2.93		2.59	2.88	2.34
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	14.29	14.29	14.86	18.73	15.12	16.74	\Diamond	21.78	19.24	5.06
* Starting July 2013, Data now reflects Indeminity and Medical Claims	combined.									
Division 15										
MMBMF	3,357	4,097	4,459	4,285	4,000	4,210		3,924	3,138	3,756
No. of unaddressed road calls	6	0	0	0		0	_	0	0	0
MMBTRC	1,747	2,507	2,898	2,984	2,550	3,552		3,580	2,755	3,036
In-Service On-time Performance	74.62%	76.84%	76.95%	77.46%	80.00%	78.10%		79.53%	78.05%	79.98%
Bus Traffic Accidents Per 100,000 Miles	2.67	2.84	3.11	3.29	2.76	3.19	\Diamond	2.82	2.28	4.09
Number of "482 alleged accidents"	15	19	19	16		23		2	4	1
Complaints per 100,000 Boardings	2.98	3.01	3.77	3.23	2.29	4.26		3.88	4.02	4.15
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	15.55	13.45	15.89	12.97	15.12	13.26		17.76	8.81	13.66
* Starting July 2013, Data now reflects Indeminity and Medical Claims	combined.									
Division 18										
MMBMF	2,917	3,506	4,183	3,712	4,000	4,425	_	4,403	4,335	5,430
No. of unaddressed road calls	20	17	6	1		3	_	0	0	0
MMBTRC	1,292	1,839	2,203	2,024	2,550	2,558		2,857	2,540	3,103
In-Service On-time Performance	66.12%	70.63%	75.32%	74.21%	80.00%	74.87%	\Diamond	76.01%	74.62%	76.56%
Bus Traffic Accidents Per 100,000 Miles	2.67	3.32	4.25	4.03	3.40	3.45		4.57	3.44	3.42
Number of "482 alleged accidents"	19	16	31	31		34		5	1	5
Complaints per 100,000 Boardings	4.19	3.42	4.19	3.12	2.66	4.46		3.65	3.80	3.81
New Reported Workers' Compensation Claims per 200,000 Exposure Hours *	12.15	15.00	18.15	19.28	15.12	19.15	\limits	22.41	10.19	16.64
* Starting July 2013 Data now reflects Indeminity and Medical Claims										

^{*} Starting July 2013, Data now reflects Indeminity and Medical Claims combined.

[●] Green - High probability of achieving the target (on track). Meets Target at 100% or better.

[◆]Yellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

	FY13		FY14												
Measurement Pure Sustannial A	Target	Jun 13	Target	Jul 13	Aug 13	Sep 13	Oct 13	Nov 13	Dec 13	Jan 14	Feb 14	Mar 14	Apr 14	May 14	Jun 14
Bus Systemwide											1				
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF) No. of unaddressed road calls	3,900	4,023	4,000	4,128	3,859	3,865	3,901	3,702	4,126	4,022	3,999	3,970	3,917	3,685	4,480
Mean Miles Between Total Road Calls (MMBTRC) **	2,400	2,580	2,550	2,561	2,486	2,538	2,989	2,995	3,112	3,120	2,987	3,032	2,969	2,699	3,161
In-Service On-time Performance ***	80%	75.1%	80%	77.8%	74.7%	73.3%	74.0%	74.2%	76.4%	79.2%	76.1%	76.5%	77.2%	76.1%	78.3%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.10	3.80	3.10	3.83	3.63	3.53	3.53	3.99	3.67	3.47	3.10	3.60	3.24	3.14	3.57
Complaints per 100,000 Boardings	2.20	2.90	2.20	3.12	3.23	3.28	3.60	4.09	4.08	3.62	4.14	4.08	3.25	3.53	3.33
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	17.33	15.12	20.43	18.82	15.50	17.18	12.66	18.85	16.12	20.89	19.63	24.49	19.23	16.27
* Data reflects updated data for each month. Division 1															
MMBMF															
No. of unaddressed road calls	3,900	4,087	4,000	3,731	3,525	3,418	3,717	3,803	3,867	3,798	4,127	3,775	3,638	3,046	3,610
MMBTRC	2,400	2,112	2,550	1,871	1,768	1,801	2,122	2,161	2,455	2,284	2,327	2,285	2,416	1,801	2,010
In-Service On-time Performance	80%	77.4%	80%	79.7%	76.9%	75.9%	75.2%	76.1%	77.8%	82.2%	78.6%	78.9%	76.9%	76.6%	78.1%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.24	3.97	3.15	4.39	3.74	3.66	4.20	4.83	3.39	4.36	3.01	3.55	3.11	3.86	4.48
Complaints per 100,000 Boardings	1.44	2.54	1.67	1.70	2.20	2.45	2.87	3.44	2.84	2.63	2.76	2.42	3.01	3.34	2.71
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	24.94	15.12	21.36	16.04	13.81	25.77	22.12	21.36	10.48	25.97	13.17	24.42	21.65	19.19
* Data reflects updated data for each month. Division 2															
MMBMF	0.000	0.404	4.000	0.004	0.540	0.540	4.000	0.000	0.004	0.004	0.050	0.400	0.000	0.000	0.700
No. of unaddressed road calls	3,900	3,491	4,000	3,391	3,513	3,516	4,063	3,320	3,294	2,984	3,052	3,196	2,686	2,603	2,796
MMBTRC	2,400	2,307	2,550	2,106	2,362	2,197	3,148	2,502	2,574	2,583	2,224	2,251	1,995	1,796	1,895
In-Service On-time Performance	80%	74.9%	80%	78.4%	74.4%	74.5%	75.4%	75.5%	77.1%	78.9%	74.5%	75.3%	76.9%	74.7%	77.7%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.76	3.96	3.60	5.83	5.10	2.94	5.76	4.83	3.98	4.17	3.43	4.15	2.65	3.55	2.66
Complaints per 100,000 Boardings	1.61	1.58	1.43	1.92	2.52	1.65	1.88	3.43	2.70	2.42	3.31	2.25	1.89	2.03	2.45
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	32.29	15.12	11.18	19.27	26.14	16.37	17.50	27.94	18.92	29.98	21.78	19.57	27.74	25.03
* Data reflects updated data for each month. Division 3															
MMBMF No. of unaddressed road calls	3,900	4,641	4,000	5,012	4,725	4,966	3,802	3,769	4,560	4,479	4,509	5,915	4,682	4,779	4,914
MMBTRC	2.400	3.761	2.550	3.690	3,405	3,370	3,778	3,560	4.560	3.514	3.595	4.425	3.851	3.548	3.878
In-Service On-time Performance	80%	75.7%	80%	76.7%	74.7%	72.4%	71.9%	72.2%	75.0%	78.7%	75.9%	76.3%	75.4%	75.7%	77.0%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.81	4.17	3.27	5.82	3.94	2.30	2.98	5.48	5.22	6.14	4.13	5.18	4.27	3.63	4.04
Complaints per 100,000 Boardings	2.16	3.01	2.27	4.12	3.08	3.62	3.44	3.87	4.18	3.73	4.63	3.13	3.32	3.84	3.50
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	8.70	15.12	16.52	22.10	8.69	13.37	8.43	5.58	11.00	26.85	8.14	19.11	24.99	16.87
* Data reflects updated data for each month. Division 5			<u> </u>												
MMBMF No. of unaddressed road calls	3,900	4,358	4,000	4,349	3,721	4,071	3,492	2,888	4,036	3,952	4,117	4,373	3,858	4,062	5,404
MMBTRC	2.400	2.417	2.550	2.358	2,203	2,435	2.612	2.564	2.684	3.064	2.950	2.718	2,787	3.147	3.972
In-Service On-time Performance	80%	74.8%	80%	75.5%	72.9%	71.6%	74.2%	73.5%	74.9%	77.4%	75.5%	74.7%	76.4%	74.9%	76.7%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	4.20	4.34	3.79	5.11	4.84	5.38	3.66	5.10	4.28	5.41	3.77	4.13	5.49	5.82	5.84
Complaints per 100,000 Boardings	1,41	1.71	1.68	2.04	2,22	2.83	2.83	2.97	3.48	2.70	3.68	4.46	2.55	2.61	2.80
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	17.31	15.12	21.52	18.64	11.25	18.54	11.11	13.54	10.77	14.69	20.98	29.36	29.12	13.80
* Data reflecte undated data for each month															

[•]Green - Meets Target at 100% or

[◆]Yellow - Falls below Target 70 -

[■]Red - Falls below Target >70%.

Measurement	FY13 Target	Jun 13	FY14 Target	Jul 13	Aug 13	Sep 13	Oct 13	Nov 13	Dec 13	Jan 14	Feb 14	Mar 14	Apr 14	May 14	Jun 14
Division 6															
MMBMF No. of unaddressed road calls	3,900	10,040	4,000	4,509	4,424	6,654	7,782	5,565	5,697	10,507	12,231	11,379	5,550	10,081	15,075
MMBTRC	2,400	2.915	2,550	2,412	2,264	2,218	2,529	2.968	2,337	4,728	2.952	3,793	2,621	3,240	4,761
In-Service On-time Performance	80%	74.0%	80%	75.6%	75.1%	75.1%	73.4%	68.9%	71.0%	75.8%	75.4%	78.5%	82.1%	78.6%	79.2%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	4.20	6.64	5.79	5.78	6.16	6.94	5.93	10.11	4.39	3.17	2.34	4.39	2.12	2.20	2.21
Complaints per 100,000 Boardings	1.57	2.17	1.88	2.55	5.43	3.26	3.93	3.81	3.20	3.75	6.69	4.27	3.79	6.20	5.54
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	0.00	15.12	80.62	65.37	69.99	15.12	32.81	16.35	0.00	0.00	51.51	49.85	0.00	37.53
* Data reflects updated data for each month. Division 7															
MMBMF No. of unaddressed road calls	3,900	3,294	4,000	3,367	3,187	2,957	3,503	2,939	3,798	3,659	3,633	2,853	3,842	3,622	4,695
MMBTRC	2,400	1,920	2,550	2,188	1,902	2,004	2,513	2,280	2,677	2,537	2,631	2,399	2,553	2,629	3,208
In-Service On-time Performance	80%	70.1%	80%	72.6%	69.9%	69.3%	69.5%	70.6%	72.8%	75.1%	71.2%	71.5%	73.1%	72.5%	75.6%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.44	4.02	3.42	4.32	4.80	4.32	4.92	4.69	5.30	4.89	4.07	5.80	3.42	4.20	4.16
Complaints per 100,000 Boardings	2.30	3.54	2.20	2.63	3.02	2.71	2.73	4.02	4.07	3.25	3.71	4.03	3.18	3.29	2.76
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	6.74	15.12	12.82	19.02	15.70	8.31	6.87	13.04	10.57	11.55	10.49	17.20	19.32	19.84
* Data reflects updated data for each month. Division 8														ı	
MMBCMF No. of unaddressed road calls	3,900	5,577	4,000	6,211	5,278	4,711	4,498	5,450	5,198	5,684	5,056	4,957	5,606	5,609	5,553
MMBTRC	2,400	4,125	2,550	4,200	4,047	3,779	4,570	5,495	5,082	5,826	4,586	4,721	5,041	5,012	5,141
In-Service On-time Performance	80%	81.8%	80%	86.4%	83.2%	80.6%	80.3%	81.5%	83.3%	85.5%	83.4%	84.6%	85.3%	83.4%	86.5%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.14	2.44	2.00	1.65	1.92	1.45	1.50	2.54	2.33	1.86	2.02	2.31	1.57	1.70	1.44
Complaints per 100,000 Boardings	2.50	3.45	2.66	3.17	4.63	3.95	5.26	4.90	5.39	4.62	4.36	4.51	2.89	4.09	3.03
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	14.56	15.12	27.88	22.12	11.71	18.76	17.21	11.34	19.44	18.09	19.36	19.50	16.76	17.33
* Data reflects updated data for each month. Division 9															
MMBMF No. of unaddressed road calls	3,900	4,611	4,000	4,669	4,546	4,539	4,391	3,895	4,218	3,694	4,720	4,007	4,454	4,023	6,054
MMBTRC	2,400	4,092	2,550	3,727	3,759	4,125	4,279	3,945	4,237	3,870	4,228	4,056	4,278	3,836	5,232
In-Service On-time Performance	80%	76.0%	80%	78.9%	76.3%	71.2%	73.4%	71.9%	74.8%	77.9%	75.5%	76.6%	76.0%	75.3%	78.4%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	1.75	1.87	2.00	1.88	2.30	2.32	3.17	2.48	2.00	2.15	1.91	2.05	2.36	1.31	2.18
Complaints per 100,000 Boardings	3.24	4.40	3.58	4.78	4.05	5.04	4.76	5.62	5.71	5.15	4.96	6.38	5.48	5.45	5.59
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	11.50	15.12	28.97	15.63	23.36	23.61	13.74	24.36	23.47	40.59	32.45	47.87	22.06	13.45
* Data reflects updated data for each month. Division 10															
MMBMF No. of unaddressed road calls	3,900	3,098	4,000	3,314	2,892	2,823	2,787	2,819	3,058	2,818	2,569	2,879	2,899	2,911	3,632
MMBTRC	2,400	1,967	2,550	2,147	1,953	1,921	1,969	2,307	2,390	2,196	2,022	2,299	2,139	2,062	2,553
In-Service On-time Performance	80%	67.3%	80%	71.2%	68.7%	69.0%	69.4%	68.2%	73.6%	76.2%	72.3%	72.5%	73.1%	73.4%	74.7%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 accidents"	3.89	5.93	4.01	3.37	4.23	4.31	3.76	4.47	5.11	2.36	2.63	3.19	3.71	3.02	4.42
Complaints per 100,000 Boardings	1.93	2.69	1.81	2.51	3.14	2.46	3.21	3.44	2.97	2.93	3.60	3.31	2.59	2.88	2.34
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	24.65	15.12	11.89	23.44	14.60	15.99	7.28	31.36	14.35	13.28	21.58	21.78	19.24	5.06
* Data reflects updated data for each month.															

[●]Green - Meets Target at 100% or ◆Yellow - Falls below Target 70 -—Red - Falls below Target >70%.

Measurement	FY13 Target	Jun 13	FY14 Target	Jul 13	Aug 13	Sep 13	Oct 13	Nov 13	Dec 13	Jan 14	Feb 14	Mar 14	Apr 14	May 14	Jun 14
Division 15						•									
MMBCMF No. of unaddressed road calls	3,900	3,866	4,000	4,242	4,103	4,988	4,314	4,028	4,877	5,260	4,114	4,688	3,924	3,138	3,756
MMBTRC	2,400	2,942	2,550	3,041	3,326	3,793	4,053	3,711	4,142	4,208	3,576	4,190	3,580	2,755	3,036
In-Service On-time Performance	80%	77.9%	80%	80.0%	76.2%	76.2%	75.4%	76.3%	78.0%	80.9%	78.1%	78.6%	79.5%	78.1%	80.0%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	2.52	3.69	2.76	3.77	3.48	3.59	2.64	2.87	3.40	2.73	3.01	3.74	2.82	2.28	4.09
Complaints per 100,000 Boardings	2.68	2.98	2.29	3.87	4.07	2.91	3.98	4.49	4.65	4.13	5.12	5.11	3.88	4.02	4.15
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	14.01	15.12	11.22	2.21	9.30	8.51	9.24	13.44	30.46	12.02	21.90	17.76	8.81	13.66
* Data reflects updated data for each month. Division 18															
MMBCMF No. of unaddressed road calls	3,900	3,847	4,000	4,123	3,834	3,614	4,346	4,887	4,712	4,867	4,579	4,583	4,403	4,335	5,430
MMBTRC	2,400	2,046	2,550	2,042	1,893	1,968	2,746	3,216	2,534	2,973	3,001	2,827	2,857	2,540	3,103
In-Service On-time Performance	80%	73.2%	80%	76.5%	73.1%	70.8%	73.5%	73.7%	75.3%	78.6%	74.8%	75.0%	76.0%	74.6%	76.6%
Bus Traffic Accidents Per 100,000 Miles * Number of "482 alleged accidents"	3.84	4.21	3.40	3.56	2.91	4.87	3.27	3.47	2.97	2.48	3.74	2.87	3.86	3.44	3.42
Complaints per 100,000 Boardings	2.89	3.28	2.66	4.49	3.40	4.97	4.92	4.73	5.04	4.62	4.94	4.94	3.65	3.80	3.81
New Workers' Compensation Indemnity Claims per 200,000 Exposure Hours *	13.25	23.14	15.12	30.66	24.01	12.54	23.63	12.47	24.44	12.16	20.18	20.04	22.41	10.19	16.64


[●]Green - Meets Target at 100% or ◆Yellow - Falls below Target 70 -—Red - Falls below Target >70%.

BUS SERVICE PERFORMANCE


IN-SERVICE ON-TIME PERFORMANCE


Definition: This performance indicator measures the percentage of scheduled buses that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled. (Includes Rapid buses). Please note that Rapid Line performance is included in the ISOTP calculation beginning January 2010.

Calculation: ISOTP% =1-((Number of buses departing early + Number of buses departing more than five minutes late)/(Total buses sampled))





Remaining Above the Goal line is the target.











ISOTP By Divisions

Year-to-Date Compared To Last Year

	FY13	FY14-YTD	Variance
Division 1			
Early	4.59%	4.54%	-0.05%
On-Time	79.56%	77.77%	-1.79%
Late	15.85%	17.69%	1.85%
Division 2			
Early	E 2/10/	4 740/	O E 40/

Division 2			
Early	5.24%	4.71%	-0.54%
On-Time	74.02%	76.12%	2.10%
Late	20.74%	19.17%	-1.57%

Division 3			
Early	5.18%	6.18%	1.00%
On-Time	76.10%	75.12%	-0.98%
Late	18.72%	18.69%	-0.02%

Division 5			
Early	5.78%	5.49%	-0.29%
On-Time	75.89%	75.27%	-0.62%
Late	18.33%	19.24%	0.91%

Division 6			
Early	4.43%	5.93%	1.50%
On-Time	75.26%	71.88%	-3.38%
Late	20.31%	22.19%	1.88%

Division 7			
Early	4.95%	5.32%	0.36%
On-Time	71.96%	71.98%	0.02%
Late	23.09%	22.71%	-0.38%

	FY13	FY14-YTD	Variance
Division 8			
Early	3.95%	3.97%	0.02%
On-Time	79.82%	83.65%	3.83%
Late	16.23%	12.38%	-3.85%

Division 9			
Early	4.35%	5.65%	1.30%
On-Time	76.04%	75.55%	-0.49%
Late	19.61%	18.80%	-0.81%

Division 10			
Early	4.54%	5.00%	0.46%
On-Time	71.76%	71.87%	0.11%
Late	23.70%	23.13%	-0.57%

Division 15			
Early	3.68%	4.19%	0.50%
On-Time	77.46%	78.10%	0.64%
Late	18.86%	17.71%	-1.15%


Division 18			
Early	4.82%	4.99%	0.17%
On-Time	74.21%	74.87%	0.66%
Late	20.97%	20.14%	-0.83%

SYSTEMWID	E		
Early	4.69%	4.97%	0.28%
On-Time	75.82%	75.95%	0.12%
Late	19.49%	19.08%	-0.40%


ACTUAL TO SCHEDULED REVENUE HOURS DELIVERED*

Definition: This performance indicator measures the percentage of scheduled Revenue Hours delivered after being offset by cancellations, outlates and in-service equipment failures. FY06: This performance indicator measures the percentage of scheduled Revenue Hours delivered after adding in temporary RH service added, Hollywood Bowl and Race Track RH, in addition RH due to overtime offset by cancellations and in-service delays.

Calculation: SRHD% = 1- ((In-Service Delay Revenue Hours plus Cancelled Revenue Hours) divided by (Total Scheduled Service Hours + Temporary Revenue Hours + Hollywood Bowl and Race Track Revenue Hours + In Addition Revenue Hours)) FY06: Actual Revenue Hours Delivered divided by Scheduled Revenue Hours.



Remaining At the Goal line is the target.




BUS MAINTENANCE PERFORMANCE

MEAN MILES BETWEEN MECHANICAL FAILURES (MMBMF)

Definition: Average Hub Miles traveled between mechanical problems that result in a bus exchange.


Calculation: MMBMF = (Total Hub Miles / by Mechanical Related Roadcalls Requiring a Bus Exchange)

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Remaining Above the Goal line is the target.

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.





Unaddressed Road Calls -- Bus Operating Divisions April 2014 - June 2014


Definition: Road calls cannot be counted, per FTA definition, if no one has jobbed on to assign a job code.


(Source: M3)


Calculation: Unaddressed Road Calls = Total number of road calls that have not been assigned.

















MEAN MILES BETWEEN TOTAL ROAD CALLS (MMBTRC)

Definition: Average Hub Miles traveled between road call problems.


Calculation: MMBTRC = (Total Hub Miles / by Total Road Calls)

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.

MMBTRC Systemwide Trend 3,700 3,200 2,700 2,200 1,700 2,550 1,200 Jun-13 Jul-13 Aug-13 Sep-13 Oct-13 Nov-13 Dec-13 Jan-14 Feb-14 Mar-14 Apr-14 May-14 Jun-14 Systemwide Goal Prior Year Svstemwide

Remaining Above the Goal line is the target.

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Fleet Mix by Fuel Type Systemwide (Including Contract Services)

	Number of Buses	Percent of Buses
CNG	2,255	93.22%
Diesel	71	2.94%
Gasoline	59	2.44%
Propane	34	1.41%
Hybrid	0	0.00%
Total		100.00%


Average Age of Fleet by Divisions

Div 1	Div 2	Div 3	Div 5	Div 6	Div 7
11.6	12.5	8.6	7.2	5.3	6.0
Div 8	Div 9	Div 10	Div 15	Div 18	
7.2	11.3	10.2	7.2	6.0	

PAST DUE CRITICAL PREVENTIVE MAINTENANCE PROGRAM JOBS (PMP's)


Definition: Average past due critical scheduled preventive maintenance jobs per bus. This indicator measures maintenance management's ability to prioritize and perform critical repairs and indicates the general maintenance condition of the fleet.

Calculation: Past Due Critical PMP's = (Total Past Due Critical PMP's / by Buses)



Remaining Below the Goal line is the target.

Note: Since July 2004, six divisions (Divisions 1, 2, 3, 8, 9 and 15) have been involved in a pilot project to test extending maintenance critical PMP mileage periodicities. These "extended" mileages have not been officially implemented at this time; therefore, these divisions will appear not to have completed their critical PMP's in current monthly and weekly reports until the program is officially modified systemwide accordingly.




ATTENDANCE

MAINTENANCE ATTENDANCE


Definition: Maintenance Mechanics and Service Attendants - % attendance Monday through Friday for the month.

Calculation: 1-(FTEs absent / by the total FTEs assigned)



Higher is better.







BUS CLEANLINESS


Definition: A team of two Quality Assurance Supervisors inspects and rates ten percent of the fleet at each division per time period. Beginning January 2004, they rate the divisions each month. Each of sixteen categories is examined and assigned a point value as follows: 1-3 = Unsatisfactory; 4-7 = Conditional; 8-10 = Satisfactory. The individual item scores are averaged, unweighted, to produce an overall cleanliness rating.

Calculation: Overall Cleanliness Rating = (Total Points Accumulated divided by number of categories)



Remaining Above the Goal line is the target.







Please note that beginning March 2010, quarterly cleanliness is calculated using monthly data.


Prior quarterly data was supplied by QA dept. in a quarterly format.

Remaining Above the Goal line is the target.


BUS CLEANLINESS - Continued























Metro Rail Scorecard Overview

Metro Rail operates heavy rail lines, Metro Red and Purple Lines, from Union Station to North Hollywood and Union Station to Wilshire/Western. Data for Red and Purple lines are reported under Metro Red line in this report. Metro Rail operates four light rail lines: 1. Metro Blue Line from downtown to Long Beach; 2. Metro Green Line along the 105 freeway; 3. Metro Gold Line from Pasadena and East Los Angeles; and 4. Expo Line from Los Anageles to La Cienega Bl. Metro Rail is responsible for the operation of approximately 104 heavy rail cars and 121 light rail cars carrying nearly 5.8 million passengers boarding each year.

This report gives a brief overview of Metro Rail operations:

- * On-Time Pullout Percentage.
- * Mean Miles Between Chargeable Mechanical Failures (MMBMF).
- * In-Service On-Time Performance.
- * Traffic Accidents per 100,000 Train Miles.
- * Complaints per 100,000 Boardings.
- * New Reported Workers' Compensation Indemnity & Medical Claims per 200,000 Exposure Hours.

Measurement					FY14	FY14	FYTD	Apr	May	Jun
Medadiement	FY10	FY11	FY12	FY13	Target	YTD	Status	Month	Month	Month
New Workers' Compensation Indemnity	40.07	11.00	10.00	40.50	0.40	44.05		10.71	40.04	40.00
Claims per 200,000 Exposure Hours *	10.67	11.89	10.28	10.53	9.48	14.35		19.74	16.84	10.88
* Starting July 2013, Data now reflects Indeminity and Medical Cla reflecting Indemnity & Medical combined as well. W.C. Goal has be	ims combined. been modified from	For comparison por 7.36 to 10% l	ourposes, historica mprovement over	al results throu last FY Actua	gh FY10 have b l.	een updated				
Metro Red Line (MRL)										
On-Time Pullouts	99.55%	99.86%	99.60%	99.37%	98.00%	99.72%		99.34%	100.00%	100.00%
Mean Miles Between Chargeable Mechanical Failures	38,771	34,194	35,939	62,212	36,000	65,254	0	54,676	88,480	64,775
In-Service On-time Performance	99.54%	99.69%	99.45%	99.32%	98.00%	98.91%		97.19%	99.48%	99.02%
Traffic Accidents Per 100,000 Train Miles	0.00	0.29	0.00	0.19	0.06	0.47		1.65	1.57	0.00
Complaints per 100,000 Boardings **	0.41	0.51	0.56	0.26	0.45	0.25		0.25	0.13	0.26
** Beginning in FY13, only Operations-Related Rail Complaints wil	Il be counted per	100k Boardings								
Metro Blue Line (MBL)										
On-Time Pullouts	99.71%	99.10%	99.48%	99.34%	98.00%	99.37%		98.60%	99.65%	99.88%
Mean Miles Between Chargeable Mechanical Failures	20,830	14,194	13,940	16,755	15,000	18,893		13,196	10,060	25,346
In-Service On-time Performance	98.81%	99.11%	98.31%	95.80%	98.00%	95.84%	\Diamond	95.35%	93.92%	95.54%
Traffic Accidents Per 100,000 Train Miles	1.45	1.76	1.35	1.45	1.35	1.46	\langle	2.86	2.23	1.73
Complaints per 100,000 Boardings **	0.80	0.81	1.22	0.90	1.08	0.59		0.44	0.48	0.31
* At this time Expo Mechanical Failures and Pull Outs cannot be s	eparated from th	e Blue Line so th	ey are reported c	ombined for re	porting purpose	s in the Blue				
Line results.	Il he counted ner	100k Boardings								
Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil	Il be counted per	100k Boardings								
Line results.										
Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL)	I in Blue Line	Pull Outs)		d in Blue Li	ne MMBCM	F)				
Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included	I in Blue Line	Pull Outs)		d in Blue Li 98.47%	ne MMBCM 98.00%	F) 98.70%		98.33%	99.49%	98.99%
Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F	I in Blue Line	Pull Outs)					0	98.33%	99.49%	
Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance	I in Blue Line	Pull Outs)		98.47%	98.00%	98.70%	0			0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be s	I in Blue Line	Pull Outs)	= are Include	98.47% 0.34 2.20	98.00% 1.35 1.08	98.70% 1.17 1.01		3.47	1.72	0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints will Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** * At this time Expo Mechanical Failures and Pull Outs cannot be scline results.	I in Blue Line ailures (Ex	e Pull Outs) cpo MMBCMI	= are Included	98.47% 0.34 2.20	98.00% 1.35 1.08	98.70% 1.17 1.01		3.47	1.72	0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** * At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil	I in Blue Line ailures (Ex	e Pull Outs) cpo MMBCMI	= are Included	98.47% 0.34 2.20	98.00% 1.35 1.08	98.70% 1.17 1.01		3.47	1.72	0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** * At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL)	l in Blue Line aillures (Ex	e Pull Outs) spo MMBCMI se Blue Line so the 100k Boardings	= are Included	98.47% 0.34 2.20 ombined for re	98.00% 1.35 1.08 sporting purpose	98.70% 1.17 1.01 s in the Blue		3.47 0.74	1.72 0.97	0.00 0.49
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical	eparated from th	e Pull Outs) cpo MMBCMI	= are Included	98.47% 0.34 2.20	98.00% 1.35 1.08	98.70% 1.17 1.01		3.47	1.72	0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be seline results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures	eparated from the solution of the counted per solution of the	e Pull Outs) spo MMBCMI se Blue Line so the 100k Boardings 99.85% 11,831	F are Included are reported of 99.87%	98.47% 0.34 2.20 ombined for re 99.71% 13,297	98.00% 1.35 1.08 porting purpose 98.00% 16,000	98.70% 1.17 1.01 s in the Blue 99.69% 19,513	•	3.47 0.74 100.00% 14,717	1.72 0.97 100.00% 32,167	0.00 0.49 100.00% 14,567
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** * At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance	eparated from the state of the counted per state of the s	e Pull Outs) spo MMBCMI see Blue Line so the 100k Boardings 99.85% 11,831 99.50%	99.87% 14,708 98.86%	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06%	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00%	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85%	0	3.47 0.74 100.00% 14,717 98.30%	1.72 0.97 100.00% 32,167 98.11%	0.00 0.49 100.00% 14,567 98.27%
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** * At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles	eparated from the second of the counted per second of the	e Pull Outs) spo MMBCMI see Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07	99.87% 14,708 98.86% 0.07	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85% 0.00	•	3.47 0.74 100.00% 14,717 98.30% 0.00	1.72 0.97 100.00% 32,167 98.11% 0.00	0.00 0.49 100.00% 14,567 98.27% 0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings **	eparated from the state of the	e Pull Outs) spo MMBCMI see Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06%	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00%	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85%	0	3.47 0.74 100.00% 14,717 98.30%	1.72 0.97 100.00% 32,167 98.11%	0.00 0.49 100.00% 14,567 98.27% 0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** * At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. ** Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles	eparated from the state of the	e Pull Outs) spo MMBCMI see Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85% 0.00	0	3.47 0.74 100.00% 14,717 98.30% 0.00	1.72 0.97 100.00% 32,167 98.11% 0.00	0.00 0.49 100.00% 14,567 98.27% 0.00
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be seline results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Gold Line (MGoL)	eparated from the separated from	e Pull Outs) ppo MMBCMI e Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13 100k Boardings	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14 0.63	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06 0.90	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85% 0.00 0.62	0	3.47 0.74 100.00% 14,717 98.30% 0.00 0.65	1.72 0.97 100.00% 32,167 98.11% 0.00 0.75	0.00 0.49 100.00% 14,567 98.27% 0.00 0.58
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be seline results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Boardings ** *Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Gold Line (MGoL) On-Time Pullouts	eparated from the state of the	e Pull Outs) spo MMBCMI see Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85% 0.00	0	3.47 0.74 100.00% 14,717 98.30% 0.00	1.72 0.97 100.00% 32,167 98.11% 0.00	0.00 0.49 100.00% 14,567 98.27% 0.00 0.58
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Gold Line (MGoL)	eparated from the separated from	e Pull Outs) ppo MMBCMI e Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13 100k Boardings	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14 0.63	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06 0.90	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85% 0.00 0.62	0	3.47 0.74 100.00% 14,717 98.30% 0.00 0.65	1.72 0.97 100.00% 32,167 98.11% 0.00 0.75	0.00 0.45 100.00% 14,567 98.27% 0.00 0.58
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be seline results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Gold Line (MGoL) On-Time Pullouts Mean Miles Between Chargeable Mechanical	eparated from the separated from	e Pull Outs) spo MMBCMI see Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13 100k Boardings	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14 0.63	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06 0.90	98.70% 1.17 1.01 s in the Blue 99.69% 19,513 97.85% 0.00 0.62	0	3.47 0.74 100.00% 14,717 98.30% 0.00 0.65	1.72 0.97 100.00% 32,167 98.11% 0.00 0.75	0.00 0.49 100.00% 14,567 98.27% 0.00 0.58 99.59% 63,930
Line results. **Beginning in FY13, only Operations-Related Rail Complaints wil Metro Expo Line (MExL) On-Time Pullouts (Expo Pull Outs are Included Mean Miles Between Chargeable Mechanical F In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *At this time Expo Mechanical Failures and Pull Outs cannot be s Line results. *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Green Line (MGrL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures In-Service On-time Performance Traffic Accidents Per 100,000 Train Miles Complaints per 100,000 Boardings ** *Beginning in FY13, only Operations-Related Rail Complaints wil Metro Gold Line (MGoL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures Metro Gold Line (MGoL) On-Time Pullouts Mean Miles Between Chargeable Mechanical Failures	eparated from the second of the counted per	e Pull Outs) spo MMBCMI re Blue Line so the 100k Boardings 99.85% 11,831 99.50% 0.07 1.13 100k Boardings	99.87% 14,708 98.86% 0.07 1.06	98.47% 0.34 2.20 ombined for re 99.71% 13,297 98.06% 0.14 0.63 99.88% 28,299	98.00% 1.35 1.08 porting purpose 98.00% 16,000 98.00% 0.06 0.90 98.00% 23,000	98.70% 1.17 1.01 1.01 s in the Blue 99.69% 19,513 97.85% 0.00 0.62	0	3.47 0.74 100.00% 14,717 98.30% 0.00 0.65 98.91% 76,310	1.72 0.97 100.00% 32,167 98.11% 0.00 0.75 99.60% 47,914	98.99% 0.00 0.49 100.00% 14,567 98.27% 0.00 0.58 99.59% 63,930 99.58% 0.00

Green - High probability of achieving the target (on track). Meets Target at 100% or better.

Yellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.


⁼ Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

RAIL SERVICE PERFORMANCE


IN-SERVICE ON-TIME PERFORMANCE (ISOTP)

Definition: In-Service On-Time Performance measures the percentage of trains leaving all timecheck points on any run no earlier than thirty seconds, nor later than 5 minutes of the scheduled time. The higher the number, the more reliable the service.

Calculation: ISOTP% = [(100% minus [(Total runs in which a train left any timecheck point either late or early) / by Total scheduled runs) X by 100)]




Remaining Above the Goal line is the target.




Scheduled Revenue Hours Delivered (SRHD) by Rail Line

Definition: This performance indicator measures the percentage of scheduled Revenue Service Hours delivered after subtracting cancellations, outlates and in-service delays.

Calculation: SRSHD% = (1-(Total Service Hours Lost / by Total Scheduled Service Hours))




Remaining At the Goal line is the target.




Mean Miles Between Chargeable Mechanical Failures

Definition: Mean vehicle miles between Revenue Vehicle Failures. NTD defined Revenue Vehicle Failures are vehicle systems failures that occur in revenue service and during deadhead miles in which the vehicle did not complete its scheduled revenue trip or in which the vehicle did not start its next scheduled revenue trip.

Calculation: MVMBRVF = Total Vehicle Miles / Revenue Vehicle Systems Failures Remaining Above the Goal line is the target.



Remaining Above the Goal line is the target.




NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS

Definition: Average number of new reported workers compensation Indemnity and Medical claims filed per 200,000 exposure hours. This indicator measures safety.

Calculation: New reported workers' compensation Indemnity and Medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)


Data now reflects combination of Indeminity and Medical Claims reported in the current month. Remaining Below the Goal line is the target.




ON-TIME PULLOUTS (OTP)

Definition: On-time Pullouts measures the percentage of trains leaving the yard within ninety seconds of the scheduled pullout time. The higher the number, the more reliable the service.

Calculation: OTP% = [(100% - [(Total cancelled pullouts plus late pullouts) / by Total scheduled pullouts) X by 100)]







SAFETY PERFORMANCE


BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES

Definition: Average number of Traffic Accidents for every 100,000 Hub Miles traveled. This indicator measures system safety.

Calculation: Traffic Accidents Per 100,000 Hub Miles = (The number of Traffic Accidents / by (Hub Miles / by 100,000))

Systemwide Trend


Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.



Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports. As of Aug. '07, Accident code 482 (alleged accidents) has been excluded from "Accidents per 100,000 Hub Miles" calculation per management decision.

Remaining Below the Goal line is the target.

Hub Miles were restated by Fleet Mgmt from June '12 through January '13. Indicators using Hub Mile data were revised.




Number of 482 Accidents in Vehicle Accident Management System (VAMS) Download by Avoidable (A), Pending (P) or Unavoidable (U) Bus Operating Divisions

Definition: Number of accidents that are coded 482 "alledged" accidents in prior 13 months and the accident determination as avoidable (A), pending investigation (P) or unavoidable (U).


Calculation: Number of accidents in prior 13 months coded 482 "alledged" in the categories of A, P or U.


NOTE: Accident code 482 (alleged accidents) has been excluded from "Accidents per 100,000 Hub Miles" calculation per management decision.





BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Bus Operating Divisions

Remaining Below the Goal line is the target.












Safety Performance Continued


BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Bus Operating Divisions


Remaining Below the Goal line is the target.


















BUS PASSENGER ACCIDENTS PER 100,000 BOARDINGS


Definition: Average number of Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.

Calculation: Passenger Accidents Per 100,000 Boardings = (The number of Passengers Accidents / by (Boardings / by 100,000))



Remaining Below the Goal line is the target.


Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.




RAIL ACCIDENTS PER 100,000 REVENUE TRAIN MILES (PUC Reportable)

Definition: Average number of Rail Accidents for every 100,000 Revenue Train Miles traveled. This indicator measures system safety.

Calculation: Rail Accidents Per 100,000 Revenue Train Miles = (The number of Rail Accidents / by (Revenue Train Miles / by 100,000))







Remaining Below the Goal line is the target.

RAIL PASSENGER ACCIDENTS PER 100,000 BOARDINGS*

Definition: Average number of Rail Passenger Accidents for every 100,000 Boardings. This indicator measures system safety.

Calculation: Rail Passenger Accidents Per 100,000 Boardings = (The number of Rail Passenger Accidents / by (Train Boardings / by 100,000))






CUSTOMER SATISFACTION


COMPLAINTS PER 100,000 BOARDINGS

Definition: Average number of customer complaints per 100,000 boardings. This indicator measures service quality and customer satisfaction.

Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)



Remaining Below the Goal line is the target.



COMPLAINTS PER 100,000 BOARDINGS Current Year - - - Prior Year Remaining Below the Goal line is the target. Div 1 Div 2 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 0.0 S 0 Ν D F М М S 0 Ν D F Μ Div 3 Div 5 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 0.0 Α Ν D J F J Α Ν D J Div 6 Div 7 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0 0.0 0.0 S 0 F Μ Α М S D Div 8 Div 9 7.0 7.0 6.0 6.0 5.0 5.0 4.0 4.0 3.0 3.0 2.0 2.0 1.0 1.0

0.0

F

 $\mathsf{M} \quad \mathsf{A} \quad \mathsf{M}$

 $\mathsf{A} \quad \mathsf{S} \quad \mathsf{O} \quad \mathsf{N} \quad \mathsf{D}$

F M


J


М


0.0

 $\hbox{A S O N D } J \\$

COMPLAINTS PER 100,000 BOARDINGS - Continued







WORKERS COMPENSATION CLAIMS


New Workers Compensation Claims per 200,000 Exposure Hours

Definition: Average number of new reported workers compensation indemnity and medical claims filed per 200,000 exposure hours. This indicator measures safety.

Calculation: New reported workers' compensation indemnity and medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

Metro Operations Trend

Data now reflects combination of Indeminity and Medical Claims reported in the current month



Note: Beginning for FY14 (July 2013) W.C. figures now reflect Indemnity and Medical claims combined.

Transportation & Maintenance Performance combined.

Remaining Below the Goal line is the target.

NEW CLAIMS PER 200,000 EXPOSURE HOURS - MONTH BY BUS DIVISION & RAIL

Definition: Average number of new reported workers compensation indemnity and medical claims filed per 200,000 exposure hours. This indicator measures safety.


Calculation: New reported workers' compensation indemnity and medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

Bus & Rail by Division April 2014 - June 2014

Data reflects combination of Indeminity and Medical Claims reported in the current month.

Transportation & Maintenance Performance combined.

Remaining Below the Goal line is the target.





NEW WORKERS' COMPENSATION INDEMNITY CLAIMS FILED PER 200,000 EXPOSURE HOURS Systemwide and Bus Operating Divisions

Definition: Average number of new reported Workers Compensation Indemnity and Medical claims filed per 200,000 exposure hours. This indicator measures safety.

Calculation: New reported Workers' Compensation Indemnity and Medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)


W.C. now reflects current month's data. No data lag.






Remaining Below the Goal line is the target.

W.C. now reflects current month's data. No data lag.







NEW REPORTED WORKERS' COMPENSATION CLAIMS FILED PER 200,000 EXPOSURE HOURS - Continued


Remaining Below the Goal line is the target.


W.C. now reflects current month's data. No data lag.







W.C. now reflects current month's data. No data lag.





W.C. now reflects current month's data. No data lag.






NEW REPORTED WORKERS' COMPENSATION CLAIMS FILED PER 200,000 EXPOSURE HOURS - Continued

Remaining Below the Goal line is the target.

W.C. now reflects current month's data. No data lag.



OSHA INJURIES FILED PER 200,000 EXPOSURE HOURS

Systemwide and Bus Operating Divisions

Definition: Work-related injuries and illnesses that result in: death, loss of consciousness, days away from work, restricted work activity or job transfer, or medical treatment beyond first aid which are filed per 200,000 exposure hours.

Calculation: New OSHA Injuries filed per 200,000 Exposure Hours = New Injuries /(Exposure Hours/200,000)

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) RECORDABLE INJURIES PER 200,000


EXPOSURE HOURS


One month lag from current month



Remaining Below the Goal line is the target.

One month lag from current month







Remaining Below the Goal line is the target.

OSHA INJURIES FILED PER 200,000 EXPOSURE HOURS - Continued


One month lag in reporting.







Remaining Below the Goal line is the target.


One month lag in reporting.







One month lag in reporting.












Remaining Below the Goal line is the target. One month lag in reporting.

OSHA INJURIES FILED PER 200,000 EXPOSURE HOURS - Continued








NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS

Systemwide and Bus Operating Divisions


Definition: Number of paid working days lost due to employees workers' compensation injuries each month per 200,000 exposure hours. This indicator measures use of Transitional Duty Program.

Calculation: : (Total Temporary Disability Benefit Payments / Estimated TD Benefit Rate) x (5/7) / (Number of Exposure Hours / 200,000)

One month lag from current month




One month lag from current month




NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS - Continued

One month lag in reporting.


Lower is better.








One month lag in reporting.

Lower is better.












NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS - Continued


One month lag in reporting.






Lower is better.





One month lag in reporting.

Lower is better.




Monthly Calculations - June 2014 Metro Bus - Maintenance

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performances by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

					Mainter	nance						
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time)											
Performance	10%	78.1%	77.7%	77.0%	76.7%	79.2%	75.6%	86.5%	78.4%	74.7%	80.0%	76.6%
Points		7	6	5	4	9	2	11	8	1	10	3
Miles Between												
Total Road Calls	30%	2009.6	1895.4	3877.6	3972.2	4760.6	3208.3	5141.3	5231.6	2553.1	3035.7	3102.9
Points		2	1	7	8	9	6	10	11	3	4	5
Past Due PMPs	25%	0.021	0.050	0.024	0.547	0.189	0.150	0.020	0.016	0.009	0.000	0.000
Points		6	4	5	1	2	3	7	8	9	10	10
Bus Cleanliness	25%	8.51	8.36	8.29	8.47	9.06	8.72	8.94	8.79	8.39	8.64	8.48
Points	25 /6	6.51	2	0.29	4	9.00	8	10	9	3	7	5
i oiitis		O	2	•	7		Ü	10	3	3	,	3
New WC Claims												
/200,000 Exp Hrs	10%	21.65	22.69	24.07	11.20	0.00	0.00	0.00	0.00	0.00	19.66	9.00
Points		3	2	1	5	7	7	7	7	7	4	6
Totals		4.60	2.60	4.20	4.55	7.55	5.45	9.05	9.05	4.70	6.85	6.15
FINAL					Maintenan	ce Division	Ranking (S	orted)				
RANKING	DIV.	DIV. 8	DIV. 9	DIV. 6	DIV. 15	DIV. 18	DIV. 7	DIV. 10	DIV. 1	DIV. 5	DIV. 3	DIV. 2
	Score	9.05	9.05	7.55	6.85	6.15	5.45	4.70	4.60	4.55	4.20	2.60
	Rank	1st	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th




Monthly Calculations - June 2014 Metro Bus - Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance indicator and then summed. Summed values are sorted from high to low and the Division with the highest score wins the program award for the month.

					Transpo	rtation						
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	20%	0.781	0.777	0.770	0.767	0.792	0.756	0.865	0.784	0.747	0.800	0.766
Points		7	6	5	4	9	2	11	8	1	10	3
Accident Rate	35%	4.48	2.66	4.04	5.84	2.21	4.16	1.44	2.18	4.42	4.09	3.42
Points	33 /6	2	2.00	4.04	5.04 1	9	4.16	1.44	10	3	4.09	7
							•					·
Complaints/100K												
Boardings	35%	2.71	2.45	3.50	2.80	5.54	2.76	3.03	5.59	2.34	4.15	3.81
Points		9	10	5	7	2	8	6	1	11	3	4
New WC Claims												
/200,000 Exp Hrs	10%	18.35	25.79	14.68	14.65	51.60	25.34	22.71	17.23	6.66	11.86	18.93
Points		6	2	8	9	1	3	4	7	11	10	5
Totals		5.85	7.70	5.65	4.50	5.75	4.90	8.55	6.15	6.20	5.80	4.95
FINAL					Transportati	on Division	Ranking (Sorted)				
RANKING	DIV.	DIV. 8	DIV. 2	DIV. 10	DIV. 9	DIV. 1	DIV. 15	DIV. 6	DIV. 3	DIV. 18	DIV. 7	DIV. 5
	Score	8.55	7.70	6.20	6.15	5.85	5.80	5.75	5.65	4.95	4.90	4.50
	Rank	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th




Quarterly Calculations: FY14 - Q4 Metro Bus - Maintenance and Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Data reflects a cumulative total of performance data for each performance indicator for the three months in the most current closed quarter. Performance by Division are ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance measure, summed

				Mainten	ance and	Transpor	tation					
Maintenance	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	5.0%	0.772	0.764	0.760	0.760	0.800	0.737	0.851	0.766	0.737	0.792	0.757
Points		8	6	4	5	10	1	11	7	2	9	3
Miles Between Total												
Road Calls	15.0%	2043.81	1890.69	3752.29	3236.67	3319.60	2771.02	5063.97	4369.08	2229.38	3084.48	2811.52
Points		2	1	9	7	8	4	11	10	3	6	5
Past Due PMPs	12.5%	0.016	0.199	0.039	0.301	0.287	0.098	0.129	0.035	0.004	0.001	0.000
Points		8	3	6	1	2	5	4	7	9	10	11
Bus Cleanliness	12.5%	8.391	8.150	8.370	8.335	9.069	8.723	8.861	8.750	8.465	8.870	8.350
Points		5	1	4	2	11	7	9	8	6	10	3
Claims /200000												
Exp.Hrs	5.0%	17.988	7.828	11.672	7.238	22.882	0.000	11.870	13.544	3.245	9.425	8.965
Points *		2	8	5	9	1	11	4	3	10	6	7
Transportation												
In-Service On-Time												
Performance	10.0%	0.772	0.764	0.760	0.760	0.800	0.737	0.851	0.766	0.737	0.792	0.757
Points		8	6	4	5	10	1	11	7	2	9	3
Accidents/100k Hub												
Miles	17.5%	3.814	2.961	4.038	5.775	2.178	3.981	1.570	1.978	3.711	3.051	3.809
Points		4	8	2	1	9	3	11	10	6	7	5
Complaints/100K												
Boardings	17.5%	3.031	2.113	3.553	2.646	5.158	3.088	3.351	5.507	2.608	4.013	3.750
Points		8	11	5	9	2	7	6	1	10	3	4
Claims /200000												
Exp.Hrs	5.0%	23.029	29.192	23.027	29.819	32.203	24.119	19.743	31.969	19.642	14.629	18.617
Points *		6	4	7	3	1	5	8	2	9	11	10
Totals		5.63	5.48	5.03	4.53	6.35	4.80	8.50	6.60	6.38	7.35	5.38
			M	aintenanc	e and Tra	ansportati	on Divisio	n Rankin	a (Sorted)			
FINAL	DIV.	DIV. 8	DIV. 15	DIV. 9	DIV. 10	DIV. 6	DIV. 1	DIV. 2	DIV. 18	DIV. 3	DIV. 7	DIV. 5
RANKING	Score	8.50	7.35	6.60	6.38	6.35	5.63	5.48	5.38	5.03	4.80	4.53
	Rank	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th




Yearly Calculations - FY14 Metro Bus - Maintenance and Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Data reflects a cumulative total of performance data for each performance indicator for the first six months in the current calendar year. Performance by Division is ranked from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance measure, summed with the other scores for that Division and sorted from high to low score.

					Mainten	ance						
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	5.0%	0.78	0.76	0.75	0.75	0.72	0.72	0.84	0.76	0.72	0.78	0.75
Points		9	8	5	6	2	3	11	7	1	10	4
Miles Between Total												
Road Calls	15.0%	2077.26	2251.03	3732.47	2731.15	2860.59	2423.44	4716.57	4099.98	2144.93	3552.00	2558.32
Points		1	3	9	6	7	4	11	10	2	8	5
Past Due PMPs	12.5%	0.053	0.078	0.033	0.140	0.343	0.053	0.051	0.050	0.011	0.001	0.002
Points		4	3	8	2	1	5	6	7	9	11	10
Bus Cleanliness	12.5%	8.320	8.149	8.395	8.345	8.962	8.547	8.919	8.693	8.429	8.766	8.319
Points		3	1	5	4	11	7	10	8	6	9	2
New WC Claims /100												
Emp	5.0%	19.339	9.921	11.827	8.012	16.339	5.604	7.687	14.501	9.525	11.038	12.412
Points		1	7	5	9	2	11	10	3	8	6	4
					Transpor	tation						
	Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Service On-Time												
Performance	10.0%	0.778	0.761	0.751	0.753	0.719	0.720	0.836	0.756	0.719	0.781	0.749
Points		9	8	5	6	2	3	11	7	1	10	4
Accident Rate	17.5%	3.955	4.225	4.458	4.824	4.751	4.605	1.864	2.240	3.794	3.189	3.454
Points		6	5	4	1	2	3	11	10	7	9	8
Complaints/100K												
Boardings	17.5%	2.719	2.401	3.706	2.916	4.287	3.317	4.278	5.330	2.933	4.265	4.459
Points		10	11	6	9	3	7	4	1	8	5	2
New WC Claims /Emp	5.0%	19.646	25.358	16.091	21.244	41.987	16.107	21.790	28.939	19.196	13.953	21.208
Points		7	3	10	5	1	9	4	2	8	11	6
Totals		5.58	5.45	6.23	5.00	3.88	5.30	8.63	6.60	5.75	8.50	5.10
		0.00										
FINAL		0.00		Maintenan	ce and Tr	ansportati	on Divisio	n Rankino	(Sorted)			
	DIV.	DIV. 8		Maintenan DIV. 9	ce and Tra	ansportati DIV. 10	on Divisio	n Ranking DIV. 2	(Sorted) DIV. 7	DIV. 18	DIV. 5	DIV. 6
FINAL	DIV. Score					-				DIV. 18 5.10	DIV. 5 5.00	DIV. 6 3.88



Most Improved Yearly Calculations: FY13 to FY14 Metro Bus - Maintenance and Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: Data reflects a positive or negative difference in performance between the first and last quarters of the current calendar year. Performance indicators by Division are sorted from best to worst. A score of 1 to 11 is assigned, with 11 being the best and 1 being the worst. Each score for each performance indicator is then multiplied by the weight assigned to the particular performance measure, summed with the other scores for that Division and sorted from high to low score.

					ı	Maintena	nce						
		Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
	ervice On-Time												
	ormance	5.0%	-0.0179	0.0210	-0.0098		-0.0338	0.0002	0.0383	-0.0049	0.0011	0.0064	0.0066
Poin	ts		2	10	3	4	1	6	11	5	7	8	9
	s Between Total												
	d Calls	15.0%			1157.12	520.02	-865.12	443.66	369.04	-0.51	197.52	567.80	534.81
Poin	ts		3	5	11	8	1	7	6	2	4	10	9
Past	Due PMPs	12.5%	-0.0313	0.0148	0.0093	-0.0097	0.1476	0.0211	-0.0033	-0.0615	-0.0400	-0.0026	-0.1049
Poin	ts		8	3	4	7	1	2	6	10	9	5	11
Bus	Cleanliness	12.5%	0.0870	0.0949	-0.0918	0.2439	0.0792	0.1318	-0.1472	-0.0745	0.1653	-0.0399	0.2833
Poin	ts		6	7	2	10	5	8	1	3	9	4	11
New	WC Claims												
/100	k Exp Hrs	5.0%	6.1670	-0.2964	3.9439	-15.3064	-2.3960	2.4565	5.7849	6.9447	-3.5118	-4.8612	0.4844
Poin	ts		2	7	4	11	8	5	3	1	9	10	6
					Tı	ransporta	ition						
		Weight	Div 1	Div 2	Div 3	Div 5	Div 6	Div 7	Div 8	Div 9	Div 10	Div 15	Div 18
In-Se	ervice On-Time												
	ormance	10.0%	-0.0179	0.0210	-0.0098	-0.0062	-0.0338	0.0002	0.0383	-0.0049	0.0011	0.0064	0.0066
Poin	ts		2	10	3	4	1	6	11	5	7	8	9
Acci	dent Rate	17.5%	0.2014	-0.0815	0.5614	0.3227	-2.2338	0.5481	-0.3369	-0.0542	-0.9785	-0.0992	-0.5715
Poin	ts		4	6	1	3	11	2	8	5	10	7	9
Com	plaints/100K												
Boar	dings	17.5%	0.3736	0.3920	0.5110	0.5407	1.9422	0.2142	0.5280	0.2756	0.3774	1.0334	0.7025
Poin	ts		9	7	6	4	1	11	5	10	8	2	3
New	WC Claims												
/100	k Exp Hrs	5.0%	2.0843	3.8895	3.4667	1.3053	33.0011	3.0464	3.1449	8.9368	4.2820	3.4726	0.1089
Poin	ts		9	4	6	10	1	8	7	2	3	5	11
Tota	ls		5.33	6.33	4.58	6.20	3.60	6.13	6.20	5.45	7.65	6.15	8.40
	FINAL			Maint	enance	and Trans	sportatio	n Divisi	on Rank	ing (Sor	ted)		
	RANKING	DIV.	DIV. 18	DIV. 10	DIV. 2	DIV. 5	DIV. 8	DIV. 15	DIV. 7	DIV. 9	DIV. 1	DIV. 3	DIV. 6
		Score	8.40	7.65	6.33	6.20	6.20	6.15	6.13	5.45	5.33	4.58	3.60
		Rank	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th
	9.00 - 8.40				MAINT	ENANCE	and Ti	RANSP	ORTATI	ON			
	l —	7.65											
	8.00				6	20	6.15						
	7.00		6.33	6.2	0			6.13	E 4E				
S S	6.00				***************************************	*************	**********	****	5.45	5.33	4.	 5.2	
Points	5.00				***************************************	***************************************	***************************************		******	***************************************			3.60
<u> </u>	4.00											1	0.00
	3.00												
	2.00							-					
	1.00												
	0.00						W 45	DD/ =	DII: 5				
	DIV. 18	DIV. 10	0 DIV. 2	DIV.	5 DI	V. 8 DI	V. 15	DIV. 7	DIV. 9	DIV.	1 DIV	7.3 D	IV. 6