Los Angeles County Metropolitan Transportation Authority California

OPERATIONS MONTHLY BUS PERFORMANCE REPORT

IULY 2010



Table of Contents

	Page
Bus Scorecard Overview	3
Bus Service Performance Systemwide In-Service On-Time Performance Scheduled Revenue Service Hours Delivered	9
Bus Maintenance Performance Mean Miles Between Chargeable Mechanical Failures Past Due Critical Preventive Maintenance Program	16
Attendance Maintenance Attendance	22
Bus Cleanliness	23
Safety Performance Bus Accidents per 100,000 Hub Miles Bus Passenger Accidents per 100,000 Boardings	26
Customer Satisfaction Complaints per 100,000 Boardings	32
New Workers' Compensation Claims New Workers' Compensation Claims per 200,000 Exposure Hours OSHA Injuries Filed per 200,000 Exposure Hours Number of Lost Work Days Paid per 200,000 Exposure Hours	36
"Excellence in Service and Support" Incentive Program	45

Metro Bus Systemwide and Division Scorecard Overview

Metro Bus has eleven Metro operating divisions: Division 1 and 2, both operating out of the downtown Los Angeles area; Division 3 in Cypress Park; Arthur Winston Division 5 in South Los Angeles; Division 6 in Venice (Closed); Division 7 in West Hollywood; Division 8 in Chatsworth; Division 9 in El Monte; Division 10 in Los Angeles; Division 13 in Los Angeles; Division 15 in Sun Valley; and Division 18 in Carson. Metro Bus systemwide is responsible for the operation of approximately 2,490 Metro buses and 144 Metro Bus lines carrying nearly 395.5 million boarding passengers each year. Metro bus also operates the Orange and Silver Lines.

Notes:

Accidents: Accidents of prior month are re-examined each month to allow for reclassification of accidents and late filing of reports.

Complaints: Complaints on scorecard will differ from the Excellence in Service and Support (ESS) section due to increased reporting. Complaints for ESS calculations are transportation related complaints only.

Lost Work Days and OSHA injuries: There is a one month lag in this data.

MMBMF: Beginning Fiscal Year 2018, the methodology for determining MMBMF was changed to more accurately meet FTA Requirements for mechanical failures.

The FY20 goals shown have not been finalized. There will be slight changes which will be reflected on the August 2019 reports.

The FF20 goals shown have not been inhalized.		l and the second	angee min						
	E)/ 004E	EV 0040	E)/ 0040	FY 2020		FYTD	May	Jun	Jul
Measurement	FY 2017	FY 2018	FY 2019	Target	YTD	Status	Month	Month	Month
Bus Systemwide	1	I		1				Ī	
Mean Miles Between Mechanical Failures Requiring	5,368	4,510	4,555	5,183	4,202		4,916	4,611	4,202
Bus Exchange. (MMBMF) Number of Unaddressed Road Calls	60	40	13		4		1	2	4
Mean Miles Between Total Road Calls				4 200	2.040	-	4 000	4.005	2.040
	4,290	4,251	4,063	4,200	3,849		4,293	4,035	3,849
Bus Traffic Accidents Per 100,000 Miles	4.42	4.22	4.28	3.94	4.35		4.22	4.16	4.35
Number of 482 Alleged Accidents	277	292	270	-	19	-	26	15	19
Complaints per 100,000 Boardings	5.09	5.42	5.34	4.24	5.43		4.83	5.28	5.43
New Reported Workers' Compensation Claims per 200,000 Exposure Hours	17.35	17.63	16.11	16.82	18.82		18.44	16.61	18.82
*Lost Work Days per 200,000 Exposure Hours	1,256	1,239	1,095	1,164	N/A		1,182	850	N/A
*OSHA Injuries per 200,000 Exposure Hours	11.41	11.31	11.04	11.02	N/A		11.66	12.57	N/A
% of OnTime Pullouts	96.22%	96.42%	95.89%	97.11%	96.38%		96.74%	96.19%	96.38%
In-Service On-time Performance - Early	4.15%	3.85%	4.06%	2.00%	4.61%		4.22%	4.57%	4.61%
In-Service On-time Performance - Late	23.00%	22.31%	23.11%	-	19.10%	-	22.10%	21.15%	19.10%
In-Service On-time Performance - OnTime	72.85%	73.83%	72.83%	78.20%	76.28%		73.67%	74.28%	76.28%
									- 101-070
Bus Directly Operated									
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	5,117	4,240	4,259	5,019	4,203		4,627	4,278	4,203
Number of Unaddressed Road Calls	60	40	13	-	4	_	1	2	4
Mean Miles Between Total Road Calls	4,058	4,009	3,812	4,222	3,788		4,023	3,776	3,788
Bus Traffic Accidents Per 100,000 Miles	4.35	4.26	4.33	4.04	4.43		4.21	4.21	4.43
Number of 482 Alleged Accidents	277	292	270	7.07	19	-	26	15	19
Complaints per 100,000 Boardings	4.81	5.08	5.10	3.96	5.09		4.61	5.11	5.09
New Reported Workers' Compensation Claims per	4.01	3.00	3.10	3.90	3.03		4.01	3.11	3.03
200,000 Exposure Hours	17.35	17.63	16.11	16.82	18.82		18.44	16.61	18.82
*Lost Work Days per 200,000 Exposure Hours	1,256	1,239	1,095	1,164	0		1,182	850	N/A
*OSHA Injuries per 200,000 Exposure Hours	11.41	11.31	11.04	11.02	0.00		11.66	12.57	N/A
% of OnTime Pullouts	96.12%	96.37%	95.89%	97.00%	96.46%		96.81%	96.31%	96.46%
In-Service On-time Performance - Early	4.37%	4.03%	4.25%	2.00%	4.81%		4.44%	4.78%	4.81%
In-Service On-time Performance - Late	23.08%	22.20%	23.16%	-	19.12%	-	22.13%	21.10%	19.12%
In-Service On-time Performance - OnTime	72.55%	73.77%	72.59%	78.07%	76.07%		73.44%	74.12%	76.07%
Bus Purchased Transportation									
Mean Miles Between Meanical Failures Requiring	11,623	11,485	16,920	7,500	4,192		13,238	26,992	4,192
Bus Exchange. (MMBMF) Mean Miles Between Total Road Calls	11,533	10,022	13,070	4.000	4,689		13,238	15,142	4,689
Bus Traffic Accidents Per 100,000 Miles				,					
· · · · · · · · · · · · · · · · · · ·	5.15	3.87	3.65	3.00	3.48		4.28	3.54	3.48
Complaints per 100,000 Boardings	10.89	12.55	10.59	10.00	13.27		9.37	9.01	13.27
% of OnTime Pullouts	97.93%	97.30%	95.89%	99.00%	94.81%		95.62%	94.07%	94.81%
In-Service On-time Performance - Early	1.20%	1.32%	1.29%	2.00%	1.36%		1.17%	1.44%	1.36%
In-Service On-time Performance - Late	22.00%	23.93%	22.45%	-	18.90%	-	21.80%	21.94%	18.90%
In-Service On-time Performance - OnTime	76.80%	74.74%	76.26%	80.00%	79.73%		77.03%	76.62%	79.73%

^{*} There is One Month lag in reporting this data

[■]Green - High probability of achieving the target (on track). Meets Target at 100% or better.

OYellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

				FY 2020	FY 2020	FYTD	May	Jun	Jul
Measurement	FY 2017	FY 2018	FY 2019	Target	YTD	Status	Month	Month	Month
Division 1									
Mean Miles Between Mechanical Failures Requiring									
Bus Exchange. (MMBMF)	4,655	4,628	4,321	5,500	3,663		4,956	4,189	3,663
Number of Unaddressed Road Calls	0	1	0		0		0	0	0
Mean Miles Between Total Road Calls	3,571	4,043	3,490	4,100	3,046		3,610	3,208	3,046
Bus Traffic Accidents Per 100,000 Miles	4.65	4.50	4.92	4.15	6.03		4.27	4.63	6.03
Number of 482 Alleged Accidents	31	26	25	-	3	-	1	2	3
Complaints per 100,000 Boardings	4.11	3.87	4.24	3.00	4.95		3.90	4.13	4.95
New Reported Workers' Compensation Claims per									
200,000 Exposure Hours	14.57	12.91	12.28	11.99	11.77		7.35	17.78	11.77
*Lost Work Days per 200,000 Exposure Hours	695	953	1,011	798	0		1,024	741	N/A
*OSHA Injuries per 200,000 Exposure Hours	8.65	8.90	8.95	7.78	0.00		4.90	10.16	N/A
% of OnTime Pullouts	95.71%	95.70%	94.77%	97.00%	95.20%		95.46%	95.19%	95.20%
In-Service On-time Performance - Early	3.74%	3.50%	4.13%	2.00%	6.10%		4.79%	5.49%	6.10%
In-Service On-time Performance - Late	23.93%	22.76%	21.66%	•	18.32%	1	20.26%	20.27%	18.32%
In-Service On-time Performance - OnTime	72.33%	73.73%	74.21%	78.07%	75.59%		74.95%	74.24%	75.59%
Division 2									
Mean Miles Between Mechanical Failures Requiring	7,225	6,331	6,427	7,000	5,435		7,331	6,363	E 12E
Bus Exchange. (MMBMF)		0,331		7,000	3,433		7,331	0,303	5,435
Number of Unaddressed Road Calls	5	2	2	-	1		0	1	1
Mean Miles Between Total Road Calls	4,659	5,549	4,942	5,400	4,329		5,848	4,554	4,329
Bus Traffic Accidents Per 100,000 Miles	4.79	4.66	4.68	4.36	4.50		6.15	3.02	4.50
Number of 482 Alleged Accidents	13	13	22	-	3	-	0	0	3
Complaints per 100,000 Boardings	3.11	3.13	2.96	2.50	2.52		3.00	2.95	2.52
New Reported Workers' Compensation Claims per	16.48	20.72	16.33	20.45	20.90		31.36	24.67	20.90
200,000 Exposure Hours	10.40	20.72	10.00	20.40	20.50	_	01.00	24.07	20.50
*Lost Work Days per 200,000 Exposure Hours	1,410	1,386	1,368	1,271	0		1,286	987	N/A
*OSHA Injuries per 200,000 Exposure Hours	9.31	10.25	9.80	11.40	0.00		13.07	21.93	N/A
% of OnTime Pullouts	97.06%	98.07%	97.33%	97.00%	97.16%		97.46%	97.18%	97.16%
In-Service On-time Performance - Early	4.52%	4.58%	3.16%	2.00%	2.85%		2.96%	3.14%	2.85%
In-Service On-time Performance - Late	24.78%	27.28%	29.34%	-	23.82%		29.17%	26.07%	23.82%
In-Service On-time Performance - OnTime	70.70%	68.14%	67.51%	78.07%	73.33%		67.87%	70.79%	73.33%
Division 3									
Mean Miles Between Mechanical Failures Requiring									
Bus Exchange. (MMBMF)	4,780	4,508	4,353	5,500	4,304		4,458	4,485	4,304
Number of Unaddressed Road Calls	2	1	0	-	0	-	0	0	0
Mean Miles Between Total Road Calls	3,999	4,304	3,646	4,380	3,851		4,090	3,924	3,851
Bus Traffic Accidents Per 100,000 Miles	5.35	4.96	4.63	4.90	4.69		4.96	5.77	4.69
Number of 482 Alleged Accidents	29	15	17		1		5	1	1
Complaints per 100,000 Boardings	4.91	5.04	5.18	4.00	5.29		3.99	5.09	5.29
New Reported Workers' Compensation Claims per 200,000 Exposure Hours	19.02	17.88	17.44	15.93	27.04		15.55	14.03	27.04
*Lost Work Days per 200,000 Exposure Hours	1,995	1,306	1,169	1,247	0		947	736	N/A
*OSHA Injuries per 200,000 Exposure Hours	13.96	12.94	11.92	11.46	0.00		15.55	16.83	N/A
% of OnTime Pullouts	97.73%	97.37%	96.31%	97.00%	97.75%		97.84%	97.98%	97.75%
In-Service On-time Performance - Early	5.36%	5.07%	4.85%	2.00%	5.76%		5.59%	5.89%	5.76%
In-Service On-time Performance - Late	24.32%	21.88%	22.27%	-	18.80%	-	21.16%	20.25%	18.80%
In-Service On-time Performance - OnTime	70.32%	73.05%	72.88%	78.07%	75.44%		73.25%	73.86%	75.44%

^{*} There is One Month lag in reporting this data

Green - High probability of achieving the target (on track). Meets Target at 100% or better.

Yellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

				FY 2020	FY 2020	FYTD	May	Jun	Jul
Measurement	FY 2017	FY 2018	FY 2019	Target	YTD	Status	Month	Month	Month
Division 5									1
Mean Miles Between Mechanical Failures Requiring									
Bus Exchange. (MMBMF)	5,678	4,520	4,498	5,000	4,300		4,834	4,715	4,300
Number of Unaddressed Road Calls	13	2	0	-	0	-	0	0	0
Mean Miles Between Total Road Calls	4,481	3,925	3,818	4,308	3,698		3,749	4,015	3,698
Bus Traffic Accidents Per 100,000 Miles	5.69	5.02	5.21	4.92	4.69		4.36	4.09	4.69
Number of 482 Alleged Accidents	43	29	51	-	2	-	4	2	2
Complaints per 100,000 Boardings	4.17	4.61	4.93	3.50	4.68		4.43	5.00	4.68
New Reported Workers' Compensation Claims per	20.62	17.45	19.52	16.58	14.90		26.96	39.34	14.90
200,000 Exposure Hours									
*Lost Work Days per 200,000 Exposure Hours	1,254	1,139	903	1,215	0		1,169	1,046	N/A
*OSHA Injuries per 200,000 Exposure Hours	14.43	10.03	12.25	11.14	0.00		22.06	18.36	N/A
% of OnTime Pullouts	97.24%	97.38%	97.61%	97.00%	95.92%		97.46%	96.18%	95.92%
In-Service On-time Performance - Early	5.49%	5.19%	5.39%	2.00%	5.41%		5.13%	5.90%	5.41%
In-Service On-time Performance - Late	25.23%	23.91%	24.69%	-	20.47%	-	24.42%	21.56%	20.47%
In-Service On-time Performance - OnTime	69.28%	70.90%	69.92%	78.07%	74.12%		70.45%	72.54%	74.12%
Division 7									
Mean Miles Between Mechanical Failures Requiring									
Bus Exchange. (MMBMF)	4,601	3,943	4,524	4,500	5,585		4,980	5,381	5,585
Number of Unaddressed Road Calls	12	17	1	-	0	-	0	0	0
Mean Miles Between Total Road Calls	4,058	3,484	3,550	3,902	4,405		4,072	4,063	4,405
Bus Traffic Accidents Per 100,000 Miles	4.78	5.02	5.58	4.60	6.08		5.41	5.02	6.08
Number of 482 Alleged Accidents	25	53	31	-	0	-	2	0	0
Complaints per 100,000 Boardings	4.95	5.83	6.48	4.50	7.24		6.31	7.69	7.24
New Reported Workers' Compensation Claims per 200,000 Exposure Hours	12.53	14.88	11.58	14.63	13.09		16.93	9.12	13.09
*Lost Work Days per 200,000 Exposure Hours	634	869	789	799	0		1,146	586	N/A
*OSHA Injuries per 200,000 Exposure Hours	5.53	7.99	8.42	7.03	0.00		10.58	6.84	N/A
% of OnTime Pullouts	96.02%	95.68%	95.08%	97.00%	96.10%		96.45%	96.15%	96.10%
In-Service On-time Performance - Early	5.38%	4.90%	5.40%	2.00%	4.17%		4.58%	4.73%	4.17%
In-Service On-time Performance - Late	25.86%	25.29%	24.80%	-	21.54%	-	23.34%	24.95%	21.54%
In-Service On-time Performance - OnTime	68.75%	69.80%	69.80%	78.07%	74.29%		72.08%	70.32%	74.29%
Division 8									
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	5,776	4,788	4,586	5,500	4,172		5,453	4,297	4,172
Number of Unaddressed Road Calls	5	2	1	-	1	-	1	0	1
Mean Miles Between Total Road Calls	5,113	5,239	5,274	5,400	4,669		5,945	4,924	4,669
Bus Traffic Accidents Per 100,000 Miles	2.45	2.48	2.43	2.35	3.26		2.90	1.33	3.26
Number of 482 Alleged Accidents	25	18	13	-	1	-	3	0	1
Complaints per 100,000 Boardings	5.39	5.39	5.40	4.50	5.56		5.16	5.92	5.56
New Reported Workers' Compensation Claims per	17.96	18.53	15.09	17.82	24.33		16.84	17.72	24.33
200,000 Exposure Hours					2 1.50				
*Lost Work Days per 200,000 Exposure Hours	1,796		1,332	1,543	0		1,924	1,294	N/A
*OSHA Injuries per 200,000 Exposure Hours	14.51	13.17	12.82	12.46	0.00		14.43	17.72	N/A
% of OnTime Pullouts	96.22%		96.93%	97.00%	97.77%		97.73%	97.13%	97.77%
In-Service On-time Performance - Early	4.07%	3.51%	4.05%	2.00%	5.29%		4.51%	5.01%	5.29%
In-Service On-time Performance - Late	14.74%	13.61%	16.59%	-	12.29%	-	16.26%	14.07%	12.29%
In-Service On-time Performance - OnTime	81.19%	82.88%	79.36%	78.07%	82.42%		79.22%	80.92%	82.42%

^{*} There is One Month lag in reporting this data

[●] Green - High probability of achieving the target (on track). Meets Target at 100% or better.

OYellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

				FY 2020	FY 2020	FYTD	May	Jun	Jul
Measurement	FY 2017	FY 2018	FY 2019	Target	YTD	Status	Month	Month	Month
Division 0									
Division 9 Mean Miles Between Mechanical Failures Requiring	I								
Bus Exchange. (MMBMF)	7,130	4,541	4,628	5,500	4,919		5,005	3,747	4,919
Number of Unaddressed Road Calls	5	2	1	-	1	-	0	0	1
Mean Miles Between Total Road Calls	4,388	4,844	4,839	5,000	5,282		4,942	3,965	5,282
Bus Traffic Accidents Per 100,000 Miles	2.94	2.73	2.85	2.65	2.29		2.66	3.20	2.29
Number of 482 Alleged Accidents	10	9	8	-	1	-	0	0	1
Complaints per 100,000 Boardings	7.32	7.30	6.72	5.50	5.55		6.28	6.64	5.55
New Reported Workers' Compensation Claims per	40.00	00.40	40.00	00.04	40.04		00.70	45.40	40.04
200,000 Exposure Hours	19.08	22.46	19.99	20.91	12.61		20.78	15.16	12.61
*Lost Work Days per 200,000 Exposure Hours	1,643	1,462	1,833	1,461	0		2,062	1,576	N/A
*OSHA Injuries per 200,000 Exposure Hours	11.29	12.83	13.45	12.64	0.00		10.39	12.99	N/A
% of OnTime Pullouts	96.99%	96.67%	97.26%	97.00%	97.66%		97.12%	97.15%	97.66%
In-Service On-time Performance - Early	3.70%	3.41%	4.08%	2.00%	4.86%		4.91%	4.80%	4.86%
In-Service On-time Performance - Late	19.34%	17.96%	18.52%	-	14.01%	-	17.32%	16.20%	14.01%
In-Service On-time Performance - OnTime	76.96%	78.63%	77.39%	78.07%	81.13%		77.77%	79.01%	81.13%
Division 10									
Mean Miles Between Mechanical Failures Requiring	I					_			
Bus Exchange. (MMBMF)	3,841	2,350	3,837	3,500	5,407		4,781	5,068	5,407
Number of Unaddressed Road Calls	11	6	2	-	0	-	0	0	0
Mean Miles Between Total Road Calls	2,244	1,900	2,642	2,157	3,485		3,270	3,454	3,485
Bus Traffic Accidents Per 100,000 Miles	4.19	4.64	4.77	4.35	3.28		3.35	4.93	3.28
Number of 482 Alleged Accidents	7	8	14	-	3	-	4	4	3
Complaints per 100,000 Boardings	5.93	6.56	4.81	5.50	4.38		2.12	2.69	4.38
New Reported Workers' Compensation Claims per									
200,000 Exposure Hours	33.77	36.11	23.66	34.61	28.08		36.23	28.34	28.08
*Lost Work Days per 200,000 Exposure Hours	4,309	1,937	764	1,501	0		249	182	N/A
*OSHA Injuries per 200,000 Exposure Hours	15.71	24.82	16.15	25.71	0.00		15.10	22.05	N/A
% of OnTime Pullouts	91.83%	93.67%	94.06%	97.00%	96.39%		96.71%	95.73%	96.39%
In-Service On-time Performance - Early	4.49%	4.47%	5.26%	2.00%	12.35%		5.25%	6.49%	12.35%
In-Service On-time Performance - Late	25.62%	25.28%	27.25%	-	19.60%	-	25.56%	24.04%	19.60%
In-Service On-time Performance - OnTime	69.90%	70.25%	67.50%	78.07%	68.05%		69.19%	69.47%	68.05%
Division 13									
Mean Miles Between Mechanical Failures Requiring									
Bus Exchange. (MMBMF)	3,491	3,114	3,083	4,000	3,205		3,444	3,022	3,205
Number of Unaddressed Road Calls	2	2	0	-	0	-	0	0	C
Mean Miles Between Total Road Calls	2,937	2,808	2,565	3,000	2,482		2,816	2,568	2,482
Bus Traffic Accidents Per 100,000 Miles	5.60	5.54	5.73	5.25	5.73		7.21	7.20	5.73
Number of 482 Alleged Accidents	23	32	31	-	2	-	3	0	2
Complaints per 100,000 Boardings	3.72	4.07	3.94	3.50	5.78		3.82	3.89	5.78
New Reported Workers' Compensation Claims per									
200,000 Exposure Hours	15.72	19.56	17.54	17.48	11.07		12.94	8.15	11.07
*Lost Work Days per 200,000 Exposure Hours	360	1,277	901	1,136	N/A	N/A	622	772	N/A
*OSHA Injuries per 200,000 Exposure Hours	10.25	12.05	10.70	10.22	N/A	N/A	2.59	2.72	N/A
% of OnTime Pullouts	94.46%	95.95%	94.98%	97.00%	95.69%		96.42%	95.44%	95.69%
In-Service On-time Performance - Early	3.74%	4.24%	5.30%	2.00%	4.02%		5.76%	5.82%	4.02%
In-Service On-time Performance - Late	24.67%	24.05%	23.20%	-	21.46%	-	21.54%	24.11%	21.46%
In-Service On-time Performance - OnTime	71.59%	71.71%	71.51%	78.07%	74.52%		72.70%	70.07%	74.52%

^{*} There is One Month lag in reporting this data

[■]Green - High probability of achieving the target (on track). Meets Target at 100% or better.

OYellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

Measurement	FY 2017	FY 2018	FY 2019	FY 2020 Target	FY 2020 YTD	FYTD Status	May Month	Jun Month	Jul Month
Division 15									1
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	4,682	4,171	3,943	5,000	3,235		4,050	3,830	3,235
Number of Unaddressed Road Calls	5	4	6	-	1	-	0	1	1
Mean Miles Between Total Road Calls	4,369	4,226	4,252	4,310	3,516		4,293	3,885	3,516
Bus Traffic Accidents Per 100,000 Miles	3.83	3.54	3.10	3.45	3.64		3.03	2.47	3.64
Number of 482 Alleged Accidents	21	17	13	-	2	-	2	2	2
Complaints per 100,000 Boardings	5.68	6.20	6.32	4.50	5.83		5.52	5.78	5.83
New Reported Workers' Compensation Claims per 200,000 Exposure Hours	16.55	14.20	13.94	13.85	19.56		11.30	10.18	19.56
*Lost Work Days per 200,000 Exposure Hours	1,098	1,125	864	1,057	0		959	495	N/A
*OSHA Injuries per 200,000 Exposure Hours	12.59	10.52	11.35	10.87	0.00		13.19	4.07	N/A
% of OnTime Pullouts	95.32%	95.14%	94.62%	97.00%	95.25%		96.52%	95.81%	95.25%
In-Service On-time Performance - Early	4.07%	3.97%	5.03%	2.00%	6.20%		5.56%	5.78%	6.20%
In-Service On-time Performance - Late	20.96%	20.25%	21.09%	-	16.71%	-	19.97%	17.53%	16.71%
In-Service On-time Performance - OnTime	74.98%	75.78%	73.89%	78.07%	77.09%		74.47%	76.69%	77.09%
Division 18									
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	5,466	4,049	3,922	4,500	4,038		3,855	4,249	4,038
Number of Unaddressed Road Calls	0	1	0	-	0	-	0	0	0
Mean Miles Between Total Road Calls	4,300	3,901	3,598	4,200	3,919		3,346	3,734	3,919
Bus Traffic Accidents Per 100,000 Miles	4.61	5.05	5.24	4.77	5.50		3.81	6.09	5.50
Number of 482 Alleged Accidents	50	72	45	-	1	-	2	4	1
Complaints per 100,000 Boardings	4.82	5.10	4.96	4.00	4.52		4.87	5.54	4.52
New Reported Workers' Compensation Claims per 200,000 Exposure Hours	17.34	14.24	14.55	13.87	24.89		13.56	6.17	24.89
*Lost Work Days per 200,000 Exposure Hours	957	1,154	997	1,093	0		1,273	807	N/A
*OSHA Injuries per 200,000 Exposure Hours	13.05	11.19	8.57	10.82	0.00		7.75	10.28	N/A
% of OnTime Pullouts	95.82%	96.16%	95.38%	97.00%	96.43%		96.00%	95.70%	96.43%
In-Service On-time Performance - Early	3.76%	2.42%	1.90%	2.00%	1.98%		1.81%	2.17%	1.98%
In-Service On-time Performance - Late	25.61%	24.35%	26.00%	-	21.62%	-	24.75%	23.62%	21.62%
In-Service On-time Performance - OnTime	70.63%	73.23%	72.09%	78.07%	76.40%		73.44%	74.20%	76.40%

^{*} There is One Month lag in reporting this data

[☐] Green - High probability of achieving the target (on track). Meets Target at 100% or better.

OYellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.

Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

Measurement	FY 2017	FY 2018	FY 2019	FY 2020 Target	FY 2020 YTD	FYTD Status	May Month	Jun Month	Jul Month
Division 95									
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	23,796	23,836	21,480	7,500	6,916		18,360	31,373	6,916
Mean Miles Between Total Road Calls	17,224	19,546	19,117	4,000	11,066		18,360	31,373	11,066
Bus Traffic Accidents Per 100,000 Miles	5.70	4.25	3.35	3.00	3.61		5.45	3.82	3.61
Complaints per 100,000 Boardings	7.11	8.03	7.34	10.00	8.78		7.16	6.00	8.78
% of OnTime Pullouts	99.80%	99.76%	99.73%	99.00%	99.89%	N/A	99.89%	99.89%	99.89%
In-Service On-time Performance - Early	0.51%	0.68%	0.62%	2.00%	1.06%		0.50%	1.08%	1.06%
In-Service On-time Performance - Late	20.68%	21.33%	16.74%	-	10.32%	-	15.62%	14.26%	10.32%
In-Service On-time Performance - OnTime	78.81%	77.99%	82.64%	80.00%	88.62%		83.88%	84.66%	88.62%
Division 97									
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	6,221	5,534	13,604	7,500	3,550		7,681	18,972	3,550
Mean Miles Between Total Road Calls	8,656	5,180	8,807	4,000	7,193		7,681	8,300	7,193
Bus Traffic Accidents Per 100,000 Miles	5.19	4.28	3.44	3.00	1.83		2.06	2.26	1.83
Complaints per 100,000 Boardings	13.46	17.67	13.67	10.00	16.09		11.77	11.85	16.09
% of OnTime Pullouts	98.13%	97.55%	95.34%	99.00%	90.04%	N/A	95.39%	91.03%	90.04%
In-Service On-time Performance - Early	1.17%	1.80%	1.52%	2.00%	2.01%		1.45%	1.79%	2.01%
In-Service On-time Performance - Late	22.95%	24.72%	25.67%	-	25.61%		25.61%	26.24%	25.61%
In-Service On-time Performance - OnTime	75.88%	73.48%	72.81%	80.00%	72.38%		72.95%	71.97%	72.38%
Division 98									
Mean Miles Between Mechanical Failures Requiring Bus Exchange. (MMBMF)	32,212	35,973	19,768	7,500	3,874		40,752	49,586	3,874
Mean Miles Between Total Road Calls	13,589	23,320	20,553	4,000	2,362		40,752	49,586	2,362
Bus Traffic Accidents Per 100,000 Miles	4.71	3.28	4.13	3.00	5.68		6.13	5.04	5.68
Complaints per 100,000 Boardings	10.25	9.36	9.15	10.00	13.03		8.09	7.72	13.03
% of OnTime Pullouts	96.73%	95.67%	93.87%	99.00%	94.26%	N/A	93.10%	92.83%	94.26%
In-Service On-time Performance - Early	1.79%	1.34%	1.63%	2.00%	1.09%		1.46%	1.39%	1.09%
In-Service On-time Performance - Late	21.79%	25.18%	24.20%	-	21.42%	-	22.71%	24.23%	21.42%
In-Service On-time Performance - OnTime	76.42%	73.48%	74.17%	80.00%	77.49%		75.83%	74.38%	77.49%

 $[\]hfill \ensuremath{ f \bigcirc}$ Green - High probability of achieving the target (on track). Meets Target at 100% or better.

OYellow - Uncertain if the target will be achieved -- slight problems, delays or management issues. Falls below Target 70 - 99%.


Red - High probability that the target will not be achieved -- significant problems and/or delays. Falls below Target >70%.

BUS SERVICE PERFORMANCE


IN-SERVICE ON-TIME PERFORMANCE


Definition: This performance indicator measures the percentage of actual buses in revenue service that depart selected time points no more than 1 minute early and no more than five minutes later than scheduled. (Includes Rapid buses).


Calculation: ISOTP%: Early = Early Cases/Total Cases; OnTime = OnTime Cases/Total Cases; Late = Late Cases/Total Cases





Remaining Above the Goal line is the target.











ISOTP By Division


Year-to-Date Compared To Last Year

	E V 2215				E V 221-	-	
	FY 2019	FY 2020 YTD	Variance		FY 2019	FY 2020 YTD	Variance
Division 1				Division 13			
Early	4.13%	6.10%	1.97%	Early	5.30%	4.02%	-1.28%
On-Time	74.21%	75.59%	1.38%	On-Time	71.51%	74.52%	3.01%
Late	21.66%	18.32%	-3.35%	Late	23.20%	21.46%	-1.73%
Division 2				Division 15			
Early	3.16%	2.85%	-0.31%	Early	5.03%	6.20%	1.18%
On-Time	67.51%	73.33%	5.82%	On-Time	73.89%	77.09%	3.20%
Late	29.34%	23.82%	-5.51%	Late	21.09%	16.71%	-4.38%
•				<u></u>			
Division 3				Division 18			
Early	4.85%	5.76%	0.91%	Early	1.90%	1.98%	0.07%
On-Time	72.88%		2.55%	On-Time	72.09%	76.40%	4.31%
Late	22.27%		-3.47%	Late	26.00%	21.62%	-4.38%
			, .				
Division 5				Division 95			
Early	5.39%	5.41%	0.03%	Early	0.62%	1.06%	0.44%
On-Time	69.92%		4.19%	On-Time	82.64%	88.62%	5.98%
Late	24.69%		-4.22%	Late	16.74%	10.32%	-6.42%
Late	24.0070	20.4770	7.22 /0	Late	10.7 4 70	10.52 /0	0.427
Division 7				Division 97			
	E 400/	4.470/	4 220/		4 500/	2.01%	0.400
Early	5.40%	4.17%	-1.23%	Early	1.52%		0.49%
On-Time	69.80%		4.48%	On-Time	72.81%	72.38%	-0.43%
Late	24.80%	21.54%	-3.25%	Late	25.67%	25.61%	-0.06%
		1					
Division 8				Division 98			
Early	4.05%	5.29%	1.24%	Early	1.63%	1.09%	-0.54%
On-Time	79.36%		3.06%	On-Time	74.17%	77.49%	3.32%
Late	16.59%	12.29%	-4.30%	Late	24.20%	21.42%	-2.78%
Division 9				SYSTEMWID			
Early	4.08%		0.78%	Early	4.06%	4.61%	0.55%
On-Time	77.39%	81.13%	3.73%	On-Time	72.83%	76.28%	3.46%
Late	18.52%	14.01%	-4.52%	Late	23.11%	19.10%	-4.01%
		-					
Division 10				DIRECTLY O	PERATED		
Early	5.26%	12.35%	7.09%	Early	4.25%	4.81%	0.56%
On-Time	67.50%	68.05%	0.55%	On-Time	72.59%	76.07%	3.48%
Late	27.25%		-7.65%	Late	23.16%	19.12%	-4.04%
<u>.</u>				<u>-</u>			
				PURCHASED	TRANSPO	RTATION	
				Early	1.29%	1.36%	0.08%
				On-Time	76.26%	79.73%	3.47%
				Late	22.45%	18.90%	-3.55%
				Late	ZZ.7J/0	10.5070	0.0070


ACTUAL TO SCHEDULED REVENUE HOURS DELIVERED

Definition: This performance indicator shows the percentage of scheduled Revenue Hours delivered after deducting cancellations, outlates and in-service equipment failures.


Calculation: SRHD% = Actual Revenue Hours / Scheduled Revenue Hours




Remaining At the Goal line is the target.



Remaining At the Goal line is the target.






BUS MAINTENANCE PERFORMANCE


MEAN MILES BETWEEN MECHANICAL FAILURES (MMBMF)

Definition: Number of Hub Miles traveled between mechanical failures. This includes only those Road Calls that required a bus exchange.


Calculation: MMBMF = Total Hub Miles / Mechanical Failures Requiring a Bus Exchange





Remaining Above the Goal line is the target.




Remaining Above the Goal line is the target.










May 2019 - Jul 2019

Definition: Road Calls that were not assigned in the system.

Calculation: Unaddressed Road Calls = Total Number of Unaddressed Road Calls.




Note: There were no unaddressed road calls for this reporting period.


MEAN MILES BETWEEN TOTAL ROAD CALLS (MMBTRC)

Definition: Number of Hub Miles traveled between Total Road Calls. This includes all Road Calls that required a mechanic dispatch.


Calculation: MMBTRC = Total Hub Miles / Total Road Calls




Remaining Above the Goal line is the target.



Remaining Above the Goal line is the target.





Fleet Mix by Fuel Type Systemwide (Including Contract Services)

	Number of Buses	Percent of Buses
CNG	2,232	100.00%
Electric	0	0.00%
Diesel	0	0.00%
Gasoline	0	0.00%
Propane	0	0.00%
Hybrid	0	0.00%
Total	2,232	100.00%

Average Age of Fleet by Divisions


Div 1	Div 2	Div 3	Div 5	Div 7	Div 8
9.50	7.77	8.98	8.22		8.59


Div 9	Div 10	Div 13	Div 15	Div 18
9.20	10.13	10.13	10.71	9.61

PAST DUE CRITICAL PREVENTIVE MAINTENANCE PROGRAM JOBS (PMP's)

Definition: Number of critical preventative maintenance jobs that are not completed on the last day of the month. This indicator measures maintenance management's ability to prioritize and perform critical repairs and indicates the general maintenance condition of the fleet.

Calculation: Past Due Critical PMP's = Total Past Due Critical PMP's / Number of Buses






ATTENDANCE


MAINTENANCE ATTENDANCE

Definition: Maintenance Mechanics and Service Attendants - % attendance Monday through Friday for the calendar month.

Calculation: Total FTEs assigned - FTEs absent / Total FTEs assigned




Higher is better.




BUS CLEANLINESS

Definition: A team of two Quality Assurance Supervisors inspects and rates ten percent of the fleet at each division per time period. Sixteen categories are examined and assigned a point value as follows: 1-3 = Unsatisfactory; 4-7 = Conditional; 8-10 = Satisfactory. The individual item scores are averaged, unweighted, to produce an overall cleanliness rating.


Calculation: Overall Cleanliness Rating = Total Points Accumulated / number of categories





Remaining Above the Goal line is the target.



Remaining Above the Goal line is the target.








SAFETY PERFORMANCE

BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES

Definition: Number of Traffic Accidents for every 100,000 Hub Miles traveled.

Calculation: Traffic Accidents Per 100,000 Hub Miles = Number of Traffic Accidents / (Hub Miles / 100,000)


Bus Traffic Accidents per 100,000 Hub Miles - Systemwide Trend



Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.


Remaining Below the Goal line is the target.

Bus Traffic Accidents per 100,000 Hub Miles - Directly Operated




Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.





Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.




Number of 482 Accidents in Vehicle Accident Management System (VAMS) Download by Avoidable (A), Pending (P) or Unavoidable (U) Bus Operating Divisions - Jul 2019


Definition: Number of accidents that are coded as Alleged Accidents (482).


Calculation: Number of accidents in prior 13 months coded 482 "alleged" in the categories of avoidable (A), pending investigation (P) or unavoidable (U).


NOTE: Alleged Accidents (482) are not included in the bus traffic accident ratio.




BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Bus Operating Divisions











BUS TRAFFIC ACCIDENTS PER 100,000 HUB MILES Bus Operating Divisions



BUS PASSENGER ACCIDENTS PER 100,000 BOARDINGS


Definition: Number of Passenger Accidents for every 100,000 boardings.


Calculation: Passenger Accidents Per 100,000 Boardings = Number of Passenger Accidents / (Boardings / by 100,000)




Remaining Below the Goal line is the target.

Note: The thirteen months prior to the reporting month are re-examined each month to allow for reclassification of accidents and late filing of reports.








CUSTOMER SATISFACTION


COMPLAINTS PER 100,000 BOARDINGS

Definition: Number of customer complaints per 100,000 boardings.


Calculation: Customer complaints per 100,000 Boardings = Complaints/(Boardings/100,000)




Remaining Below the Goal line is the target.





Remaining Below the Goal line is the target.





COMPLAINTS PER 100,000 BOARDINGS






Remaining Below the Goal line is the target.

WORKERS COMPENSATION CLAIMS

New Workers Compensation Claims per 200,000 Exposure Hours

Definition: Number of New Bus Workers Compensation Indemnity and Medical Claims filed per 200,000 Bus exposure hours.

Calculation: New reported workers' compensation indemnity and medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)



Transportation & Maintenance Performance combined.

Remaining Below the Goal line is the target.


NEW CLAIMS PER 200,000 EXPOSURE HOURS - MONTH BY BUS DIVISION

Definition: Number of New Bus Workers Compensation Indemnity and Medical Claims filed per 200,000 Bus exposure hours.

Calculation: New reported workers' compensation indemnity and medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)

New Claims per 200,000 Exposure Hours by Division May 2019 - Jul 2019


Transportation & Maintenance Performance combined.





NEW WORKERS' COMPENSATION CLAIMS FILED PER 200,000 EXPOSURE HOURS Bus Operating Divisions


Definition: Number of new reported Workers Compensation Indemnity and Medical claims filed per 200,000 exposure hours. This indicator measures safety.

Calculation: New reported Workers' Compensation Indemnity and Medical claims filed per 200,000 Exposure Hours = New Claims/(Exposure Hours/200,000)









Remaining below the goal line is the target.

OSHA INJURIES FILED PER 200,000 EXPOSURE HOURS


Systemwide and Bus Operating Divisions

Definition: Work-related injuries and illnesses that result in: death, loss of consciousness, days away from work, restricted work activity or job transfer, or medical treatment beyond first aid which are filed per 200,000 exposure hours.


Calculation: New OSHA Injuries filed per 200,000 Exposure Hours = New Injuries /(Exposure Hours/200,000)

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) RECORDABLE INJURIES PER 200,000 EXPOSURE HOURS


One month lag from current month














Remaining below the goal line is the target.


One month lag in reporting.







One month lag in reporting.







One month lag in reporting.






One month lag in reporting.







Remaining below the goal line is the target.

One month lag in reporting.





One month lag in reporting.



One month lag in reporting.


NUMBER OF LOST WORK DAYS PAID PER 200,000 EXPOSURE HOURS

Systemwide and Bus Operating Divisions


Definition: Number of paid working days lost due to employees workers' compensation injuries each month per 200,000 exposure hours. This indicator measures use of Transitional Duty Program.

Calculation: : (Total Temporary Disability Benefit Payments / Estimated TD Benefit Rate) x (5/7) / (Number of Exposure Hours / 200,000)

One month lag from current month




One month lag from current month




LWD/200,000 Exposure Hours per Operating Divisions - by Bus Division


One month lag in reporting.

Lower is better.



LWD/200,000 Exposure Hours per Operating Divisions - by Bus Division





One month lag in reporting.


"Excellence in Service and Support" PERFORMANCE INCENTIVE PROGRAM

Monthly Calculations - Jul 2019 Metro Bus - Maintenance

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: At the start of the fiscal year, each Division is given a unique goal for each Key Performance Indicator (KPI). Every month, the difference between each Division's performance and goal is calculated for each KPI. Divisions are ranked 1 through 11 based on how much better they performed in relation to their own unique goal. If the difference between the performance and the goal is the most favorable variance, the Division is given a score of 11 for that KPI. The lowest performing Division is given a score of 1. For the final ranking, each score is weighted based on the weight of the KPI. The final ranking is calculated by aggregating the weighted scores to give a total score out of a total possible maximum of 11 points.

					Mainten	ance						
	Weight	1	2	3	5	7	8	9	10	13	15	18
Miles Between												
Total Road Calls	33.3%	3,046	4,329	3,851	3,698	4,405	4,669	5,282	3,485	2,482	3,516	3,919
Target		4,100	5,400	4,380	4,308	3,902	5,400	5,000	2,157	3,000	4,310	4,200
Points		1	2	7	5	10	6	9	11	4	3	8
Past Due PMPs	33.3%	0.000	0.000	0.000	0.005	0.000	0.005	0.000	0.178	0.000	0.000	0.000
Target	33.3 /6	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
									0.000			
Points		11	11	11	3	11	2	11		11	11	11
Bus Cleanliness	33.3%	8.226	8.842	8.311	8.311	8.926	9.000	8.637	8.858	8.168	8.279	8.789
Target		9.000	9.000	9.000	9.000	9.000	9.000	9.000	9.000	9.000	9.000	9.000
Points		2	8	5	5	10	11	6	9	1	3	7
Totals		4.67	7.00	7.67	4.33	10.33	6.33	8.67	7.00	5.33	5.67	8.67
Ranking		10	5	4	11	1	7	2	5	9	8	2
FINAL					Maintenanc	e Division I	Ranking (So	rted)				
RANKING	DIV.	7	9	18	3	2	10	8	15	13	1	5
	Score	10.33	8.67	8.67	7.67	7.00	7.00	6.33	5.67	5.33	4.67	4.33
	Rank	1	2	2	4	5	5	7	8	9	10	11



Monthly Calculations - Jul 2019 Metro Bus - Transportation

Definition: A performance awareness program designed to increase productivity and efficiency.

Calculation: At the start of the fiscal year, each Division is given a unique goal for each Key Performance Indicator (KPI). Every month, the difference between each Division's performance and goal is calculated for each KPI. Divisions are ranked 1 through 11 based on how much better they performed in relation to their own unique goal. If the difference between the performance and the goal is the most favorable variance, the Division is given a score of 11 for that KPI. The lowest performing Division is given a score of 1. For the final ranking, each score is weighted based on the weight of the KPI. The final ranking is calculated by aggregating the weighted scores to give a total score out of a total possible maximum of 11 points.

Transportation												
	Weight	1	2	3	5	7	8	9	10	13	15	18
ISOTP On-Time	25%	75.585%	73.326%	75.435%	74.117%	74.285%	82.419%	81.129%	68.050%	74.519%	77.091%	76.403%
Target	2070	78.070%	78.070%	78.070%	78.070%	78.070%	78.070%	78.070%	78.070%	78.070%	78.070%	78.070%
Points		70.07070	2	6	3	4	11	10.07070	1	5	9	8
		·							·			
ISOTP Early	25%	6.099%	2.850%	5.763%	5.412%	4.170%	5.295%	4.863%	12.353%	4.019%	6.204%	1.977%
Target		2.000%	2.000%	2.000%	2.000%	2.000%	2.000%	2.000%	2.000%	2.000%	2.000%	2.000%
Points		3	10	4	5	8	6	7	1	9	2	11
Traffic Accident												
Ratio	25%	6.03	4.50	4.69	4.69	6.08	3.26	2.29	3.28	5.73	3.64	5.50
Target		4.15	4.36	4.90	4.92	4.60	2.35	2.65	4.35	5.25	3.45	4.77
Points		1	7	8	9	3	2	10	11	5	6	4
Complaints/100K												
Boardings	25%	3.596	1.868	3.220	3.520	4.698	3.209	4.097	3.121	4.064	3.216	3.500
Target		2.000	1.500	2.400	2.100	2.600	2.100	3.000	2.900	2.000	2.200	2.300
Points		3	10	9	4	2	5	8	11	1	7	6
Totals		3.50	7.25	6.75	5.25	4.25	6.00	8.75	6.00	5.00	6.00	7.25
Ranking		11	2	4	8	10	5	1	5	9	5	2
FINAL	Transportation Division Ranking (Sorted)											
RANKING	DIV.	9	2	18	3	8	10	15	5	13	7	1
	Score	8.75	7.25	7.25	6.75	6.00	6.00	6.00	5.25	5.00	4.25	3.50
	Rank	1	2	2	4	5	5	5	8	9	10	11

