
EC02TCF-WA





U.S. Department of Commerce Economics and Statistics Administration U.S. CENSUS BUREAU



ACKNOWLEDGMENTS

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky**, Assistant Division Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were under the supervision of **John L. Fowler**, Chief, Commodity Flow Survey Branch, assisted by **Bruce Dembroski**, **Marilyn Quiles Amaya**, **Debra Corbett**, **Shirley Gray**, **Stephanie Groth**, **Michael Jones**, **Mabel Ocasio**, **Bonnie Opalko**, **Joyce Price**, and **Barbara Selinske**.

Sample design and statistical methodology were developed under the direction of **Ruth E. Detlefsen**, Assistant Division Chief, Research and Methodology. Sample design and estimation were developed under the supervision of **Jock Black**, Chief, Program Research and Development Branch, assisted by **William C. Davie Jr., Jacklyn R. Jonas, Brett Moore, M. Cristina Cruz,** and **Michael Beaghen.** Frame construction, status change, editing, and imputation procedures were developed under the supervision of **Carol King**, Chief, Statistical Methods Branch, assisted by **David Kinyon, Anthony Myers**, and **Quatracia Williams**.

The processing system and computer programs were developed and implemented by the Economic Statistical Methods and Programming Division, under the direction of **Barry F. Sessamen**, Assistant Division Chief for Post Collection, assisted by **Steven G. McCraith**, Chief, Census Related Surveys Branch, **Joy McLaughlin**, **John Nelson**, **Duc-Mong Nguyen**, and **Edna Vega**.

The Systems Support Division provided the table composition system. **Robert Joseph Brown**, Table Image Processing System (TIPS) Senior Software Engineer, was responsible for the design and development of the TIPS, under the supervision of **Robert J. Bateman**, Assistant Division Chief, Information Systems.

Coordination of data collection efforts was under the direction of National Processing Center, **Judith N. Petty,** Chief, assisted by **Carlene Bottorff, Linda Broadus, Sandra Hurst, Debbie Woods, Debbie Hamilton,** and **Michael Lutz.**

Margaret A. Smith and **Michael T. Browne** of the Administrative and Customer Services Division, **Walter C. Odom,** Chief, provided publications and printing management, graphics design and composition, and editorial review for print and electronic media. General direction and production management were provided by **James R. Clark,** Assistant Division Chief, and **Susan L. Rappa,** Chief, Publications Services Branch.

The Bureau of Transportation Statistics (BTS) of the Department of Transportation played a major role in all aspects of the Commodity Flow Survey. **Jack Wells**, Chief Economist, assisted with program planning and oversight. Survey methodology, design, and implementation were conducted under the direction of **Michael P. Cohen**, Assistant Director for Survey Programs assisted by BTS staff: **Mike Margreta**, **Ronald J. Duych**, **Joy Sharp**, **Julie Smith**, **Irwin Silberman**, **Promod Chandhok**, **Hossain Sanjani**, and **Scott Dennis**. **Felix Ammah-Tagoe** and **Adhi Dipo** of MacroSys Research and Technology assisted BTS in various aspects of the survey. **Frank Southworth**, **Shih-Miao Chin**, and **Bruce Peterson** of Oak Ridge National Laboratory, provided support to BTS staff in performing the mileage calculations for the survey.

Special acknowledgment is also due to the many businesses whose cooperation has contributed to the publication of these data.

EC02TCF-WA

2002 Economic Census

Transportation 2002 Commodity Flow Survey





U.S. Department of Transportation Norman Y. Mineta, Secretary

> Kirk K. Van Tine, Deputy Secretary

BUREAU OF TRANSPORTATION STATISTICS Rick Kowalewski, Deputy Director



U.S. Department of Commerce Donald L. Evans,

Secretary

Theodore W. Kassinger,Deputy Secretary

Economics and Statistics Administration Kathleen B. Cooper,

Under Secretary for Economic Affairs

U.S. CENSUS BUREAU Charles Louis Kincannon, Director



Economics and Statistics Administration Kathleen B. Cooper, **Under Secretary** for Economic Affairs



U.S. CENSUS BUREAU Charles Louis Kincannon,

Director

Hermann Habermann, Deputy Director and Chief Operating Officer

Vacant,

Principal Associate Director for Programs

Frederick T. Knickerbocker,

Associate Director for Economic Programs

Thomas L. Mesenbourg, **Assistant Director** for Economic Programs

Mark E. Wallace, Chief, Service Sector Statistics Division



BUREAU OF TRANSPORTATION STATISTICS

Rick Kowalewski,

Deputy Director

Mary J. Hutzler,

Associate Director for Statistical Programs

William J. Chang,

Associate Director for Information Systems

CONTENTS

	duction to the Economic Census	v Ki
Tabl	es	
1a.	Shipment Characteristics by Mode of Transportation for State of	4
1b.	Origin: 2002Shipment Characteristics by Mode of Transportation for State of	1
2.	Origin: Percent of Total for 2002 and 1997	ا
3.	Origin: 2002	2
4.	Distance Shipped for State of Origin: 2002	3
5a.	Shipment Weight for State of Origin: 2002	ç
5b.	Origin: 2002Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997	10
6.	Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002	11
7.	Outbound Shipment Characteristics by State of Destination for	26
8.	State of Origin: 2002	27
9.	Destination: 2002	30
10.	Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997	30
Appe	endixes	
A. B. C. D.	Comparability With the 1997 Commodity Flow Survey Reliability of the Estimates	A-1 B-1 C-1

Introduction to the Economic Census

PURPOSES AND USES OF THE ECONOMIC CENSUS

The economic census is the major source of facts about the structure and functioning of the Nation's economy. It provides essential information for government, business, industry, and the general public. Title 13 of the United States Code (Sections 131, 191, and 224) directs the Census Bureau to take the economic census every 5 years, covering years ending in "2" and "7".

The economic census furnishes an important part of the framework for such composite measures as the gross domestic product estimates, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions. Specific uses of economic census data include the following:

- Policymaking agencies of the federal government use the data to monitor economic activity and to assess the effectiveness of policies.
- State and local governments use the data to assess business activities and tax bases within their jurisdictions and to develop programs to attract business.
- Trade associations study trends in their own and competing industries, which allows them to keep their members informed of market changes.
- Individual businesses use the data to locate potential markets and to analyze their own production and sales performance relative to industry or area averages.

BASIS OF REPORTING

The economic census is conducted on an establishment basis. A company operating at more than one location is required to file a separate report for each store, factory, shop, or other location. Each establishment is assigned a separate industry classification based on its primary activity and not that of its parent company.

AVAILABILITY OF ADDITIONAL DATA

All results of the 2002 Economic Census are available on the Census Bureau Internet site (www.census.gov) and on compact discs and digital versatile discs (CD-ROMs and DVD-ROMs) for sale by the Census Bureau. The American FactFinder system at the Web site allows selective retrieval and downloading of the data. For more information, including a description of reports being issued, see the Web site, write to the U.S. Census Bureau, Washington, DC 20233-8300, or call Customer Services at 301-763-4636.

HISTORICAL INFORMATION

The economic census has been taken as an integrated program at 5-year intervals since 1967 and before that for 1954, 1958, and 1963. Prior to that time, individual components of the economic census were taken separately at varying intervals.

The economic census traces its beginnings to the 1810 Decennial Census, when questions on manufacturing were included with those for population. Coverage of economic activities was expanded for the 1840 Decennial Census and subsequent censuses to include mining and some commercial activities. The 1905 Manufactures Census was the first time a census was taken apart from the regular decennial population census. Censuses covering retail and wholesale trade and construction industries were added in 1930, as were some service trades in 1933.

Censuses of construction, manufacturing, and the other business service censuses were suspended during World War II.

The 1954 Economic Census was the first census to be fully integrated, providing comparable census data across economic sectors and using consistent time periods, concepts, definitions, classifications, and reporting units. It was the first census to be taken by mail, using lists of firms provided by the administrative records of other Federal agencies. Since 1963, administrative records also have been used to provide basic statistics for very small firms, reducing or eliminating the need to send them census report forms.

The range of industries covered in the economic censuses expanded between 1967 and 2002. The census of construction industries began on a regular basis in 1967, and the scope of service industries, introduced in 1933, was broadened in 1967, 1977, and 1987. While a few transportation industries were covered as early as 1963, it was not until 1992 that the census broadened to include all of transportation, communications, and utilities. Also new for 1992 was coverage of financial, insurance, and real estate industries. With these additions, the economic census and the separate census of governments and census of agriculture collectively covered roughly 98 percent of all economic activity. New for 2002 is coverage of four industries classified in the Agriculture, Forestry, and Fishing sector under the SIC system: landscape agricultural services, landscaping services, veterinary services, and pet care services.

Printed statistical reports from the 1997 and earlier censuses provide historical figures for the study of long-term time series and are available in some large libraries. CD-ROMs issued from the 1987, 1992, and 1997 Economic Censuses contain databases including all or nearly all data published in print, plus additional statistics, such as ZIP Code statistics, published only on CD-ROM.

SOURCES FOR MORE INFORMATION

More information about the scope, coverage, classification system, data items, and publications for each of the economic censuses and related surveys is published in the Guide to the 2002 Economic Census at www.census.gov/epcd/ec02/guide.html. More information on the methodology, procedures, and history of the censuses will be published in the History of the 2002 Economic Census at www.census.gov/econ/www/history.html.

2002 Commodity Flow Survey

GENERAL

The 2002 Commodity Flow Survey (CFS) is undertaken through a partnership between the U.S. Census Bureau, U.S. Department of Commerce, and the Bureau of Transportation Statistics (BTS), U.S. Department of Transportation. This survey produces data on the movement of goods in the United States. It provides information on commodities shipped, their value, weight, and mode of transportation, as well as the origin and destination of shipments of manufacturing, mining, wholesale, and select retail establishments. The data from the CFS are used by public policy analysts and for transportation planning and decision making to assess the demand for transportation facilities and services, energy use, and safety risk and environmental concerns. The CFS was last conducted in 1997.

This report contains background information on the 2002 Commodity Flow Survey and then presents detailed tabular results on shipment characteristics by mode of transportation, commodity, distance shipped, and shipment weight. In Appendix A, key characteristics of the 2002 CFS are compared to those of the 1993 and 1997 surveys. Appendix B focuses on the reliability of the estimates and discusses sampling and nonsampling errors. Tables containing estimates of sampling variability corresponding to each table on shipment characteristics are also included in Appendix B.

This report presents data at the state level. Additional reports will include data for the United States, census regions, divisions, and selected metropolitan areas, as well as selected data on exports and hazardous material shipments.

INDUSTRY COVERAGE

The 2002 CFS covers business establishments with paid employees that are located in the United States and are classified using the 1997 North American Industry Classification System (NAICS) in mining, manufacturing, wholesale trade, and select retail trade industries, namely, electronic shopping and mail-order houses. Establishments classified in services, transportation, construction, and most retail industries are excluded from the survey. Farms, fisheries, foreign establishments, and most government-owned establishments are also excluded.

The survey also covers auxiliary establishments (i.e., warehouses and managing offices) of multi-establishment companies, which have nonauxiliary establishments that are in-scope to the CFS or are classified in retail trade. The coverage of managing offices has been expanded in the 2002 CFS, compared to the 1997 CFS. For the 1997 CFS, the number of in-scope managing offices was reduced to a large extent based on the results of the 1992 Economic Census. A managing office was considered in-scope to the 1997 CFS only if it had sales or end-of-year inventories in the 1992 Census. However, research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, the 1997 Economic Census results were not used in the determination of scope for managing offices in the 2002 CFS.

For the 1993 CFS and the 1997 CFS, establishments were classified based on the 1987 Standard Industrial Classification System (SIC). Though an attempt was made to maintain similar coverage between the 1997 CFS and the 2002 CFS, there were some changes in industry coverage due to the conversion from SIC to NAICS. Most notably, coverage of the logging industry changed from an in-scope Manufacturing SIC code (SIC 2411) to an out-of-scope Agriculture, Forestry, Fishing, and Hunting NAICS code (NAICS 1133). Also, coverage of the publishing industry changed from in-scope Manufacturing SIC codes (SIC 2711, 2721, 2731, 2741, and part of 2771) to out-of-scope Information NAICS codes (NAICS 5111 and 51223).

See Appendix A for a comparison between the 2002, 1997, and 1993 surveys. Also see Appendix C for a more detailed discussion on industry coverage and the sample design.

The NAICS industries covered in the 2002 CFS are listed in the following table:

NAICS code	Description
212	Mining (Except Oil and Gas)
311 312 313 314 315 316	Food Manufacturing Beverage and Tobacco Product Manufacturing Textile Mills Textile Product Mills Apparel Manufacturing Leather and Allied Product Manufacturing
321 322 323 324 325 326 327	Wood Product Manufacturing Paper Manufacturing Printing and Related Support Activities Petroleum and Coal Products Manufacturing Chemical Manufacturing Plastics and Rubber Products Manufacturing Nonmetallic Mineral Product Manufacturing
331 332 333 334 335 336 337 339	Primary Metal Manufacturing Fabricated Metal Product Manufacturing Machinery Manufacturing Computer and Electronic Product Manufacturing Electrical Equipment, Appliance, and Component Manufacturing Transportation Equipment Manufacturing Furniture and Related Product Manufacturing Miscellaneous Manufacturing
421 422	Wholesale Trade, Durable Goods Wholesale Trade, Nondurable Goods
4541	Electronic Shopping and Mail-Order Houses
49310	Warehousing and Storage
551114	Corporate, Subsidiary, and Regional Managing Offices

SHIPMENT COVERAGE

The CFS captures data on shipments originating from select types of business establishments located in the 50 states and the District of Columbia. The data do not cover shipments originating from business establishments located in Puerto Rico and other U.S. possessions and territories. Shipments traversing the U.S. from a foreign location to another foreign location (e.g., from Canada to Mexico) are not included, nor are shipments from a foreign location to a U.S. location. Imported products are included in the CFS at the point that they left the importer's domestic location for shipment to another location. Shipments that are shipped through a foreign territory with both the origin and destination in the U.S. are included in the CFS data. The mileages calculated for these shipments exclude the international segments (e.g., shipments from New York to Michigan through Canada do not include any mileages for Canada). Export shipments are included, with the domestic destination defined as the U.S. port, airport, or border crossing of exit from the U.S.

The "Industry Coverage" section of the text lists the NAICS groups covered by the CFS. Other industry areas that are not covered, but may have significant shipping activity, include agriculture and government. For agriculture, specifically, this means that the CFS does not cover shipments of agricultural products from the farm site to the processing centers or terminal elevators (most likely short-distance local movements), but does cover the shipments of these products from the initial processing centers or terminal elevators onward.

MILEAGE CALCULATIONS

To estimate the distance traveled by each freight shipment sampled for the 2002 Commodity Flow Survey, the BTS Mileage Calculation Team used routing algorithms and an integrated, intermodal transportation network developed and updated expressly for this purpose by the Oak Ridge

National Laboratory (ORNL). The BTS Team worked at a secure data site within the Census Bureau. Each record contained the ZIP Code shipment origin and destination, and the mode or modal sequence required by the routing algorithm for distance estimation. Each record also contained information on type of commodity moved, its weight, dollar value, and hazardous materials status. For export shipments, data on the U.S. port of exit were also identified, along with foreign destination city and country. Processing of shipment records began in the fall of 2002, with completion in October 2003.

One essential exercise was editing and imputing both absent and invalid geographic data elements, specifically origin and destination ZIP Codes, prior to estimating the distance traveled for each freight shipment. For this purpose, the BTS Mileage Calculation Team developed and maintained databases of domestic city/state names and foreign city/country names. The missing data elements, along with other related data problems found by the BTS Team, were either: (1) imputed because of high probability of accurate correction by the BTS Team, such as imputing a missing destination ZIP Code, given a destination city and state; or (2) reported back to the Census Bureau, allowing for call-backs to shippers for clarification/correction.

For a domestic shipment, the mileage is calculated between the center of the geographic area (centroid) of the U.S. origin ZIP Code and the centroid of the destination ZIP Code. The mileage for the shipments within a ZIP Code is calculated by means of a formula that approximates the longest distance within the boundaries of that ZIP Code. The mileage for an export shipment is calculated between a shipments centroid of U.S. origin ZIP Code and its foreign destination country (city in the case of Canada and Mexico), via a U.S. port of exit (POE), be it seaport, airport, or border crossing. However, only the portion of mileage that falls within the U.S. is included in the CFS estimates. That is to say, once the export reaches the POE, the POE is considered the final domestic destination, the domestic route is finished, and any following mileage is not counted from the POE. These mileages are computed using routing algorithms that find the minimum impedance path over mathematical representations of the U.S. and North American highway, railway and waterway networks, and a transglobal representation of U.S. originating air freight and deep-sea transport networks. Shipment mileages were estimated for each record by summing over the distances of links contained within each minimum impedance path. Impedance was computed as a weighted combination of distance, time, and cost factors.

The ORNL multimodal network database is composed of mode-specific subnetworks representing each of the major transportation modes, such as highway, railway, waterway, and airway (pipeline network was not available due to security reasons). The links of these networks represent linehaul transportation facilities. Network nodes represent intersections and interchanges, along with the access points to the transportation network. To simulate local access, test links are created from each five-digit ZIP Code centroid to nearby nodes on the network. For the truck network, local access is assumed to exist everywhere. For the other modes this is not true. Before any test links are created for these modes, a search procedure is used to determine if and where such networks are most likely to provide access to the ZIP Code. For shipments involving more than one mode, such as truck-rail or rail-water shipments, intermodal transfer links are added to the network database to connect the individual modal networks together for routing purposes. An intermodal terminals database and a number of terminal transfer models were developed at ORNL to identify likely transfer points for different classes of freight. A measure of link impedance was calculated for each access, line-haul, and intermodal transfer link traversed by a shipment. These impedances were mode specific and are based on various link characteristics. For example, the set of links characterizing the highway network included speed impacting factors, such as the presence of a divided or undivided roadway, the degree of access control, the rural or urban setting, the number of lanes, the degree of urban congestion, and the length of the link. Link impedance measures were also assigned to the local access links. Intermodal transfer link impedances are estimated in terms of the time it takes to move goods through a transfer facility. In the case of rail and air freight, intercarrier transfer penalties were also considered to obtain proper route selections. A shortest path algorithm is used to find the minimum impedance path between a shipment's origin ZIP Code centroid and destination ZIP Code centroid. The cumulative length of

the local access plus line-haul links on this path provides the estimated distances used in CFS mileage computations. When rail and air freight were involved, these shipment distances were often averaged over more than one path between an origin-destination pair.

Mileage Data for Pipeline Shipments

For pipeline shipments, ton-miles and average miles per shipment are not shown in the tables. For most of these shipments, the respondents reported the shipment destination as a pipeline facility on the main pipeline network. Therefore, for the majority of these shipments, the resulting mileage represented only the access distance through feeder pipelines to the main pipeline network, and not the actual distance through the main pipeline network. Pipeline shipments are included in the U.S. totals for ton-miles and average miles per shipment.

For security purposes, there is no pipeline network available in the public domain with which to route petroleum-based products. Hence, any modal distance, either single or multi, involving pipeline was considered as solely pipeline mileage from origin ZIP to destination ZIP and calculated to equal great circle distance (GCD). Note: Great circle distance is defined as the shortest distance between two points on the earth's surface, taking into account the earth's curvature.

EXPLANATION OF TERMS

Value of shipments. The dollar value of the entire shipment. This was defined as the net selling value, f.o.b. plant, exclusive of freight charges and excise taxes. The value data are displayed in millions of dollars.

The total value of shipments, as measured by the CFS, and the U.S. gross domestic product (GDP) while similar in size provide different measures of economic activity in the United States and are not directly comparable. GDP is the value of all goods produced and services performed by labor and capital located in the United States. In 2002, the U.S. GDP was estimated at \$10.4 trillion (measured in current U.S. dollars). The value of shipments, as measured by the CFS, is the market value of goods shipped from manufacturing, mining, wholesale, and mail order retail establishments, as well as warehouses and managing offices of multiunit establishments.

Three important differences can be identified between GDP and value of shipments:

- 1. GDP captures goods produced by all establishments located in the United States, while the CFS measures goods shipped from a subset of all goods-producing establishments.
- 2. GDP measures the value of goods produced and of services performed. CFS measures the value of goods shipped.
- 3. GDP counts only the value-added at each step in the production of a product. CFS captures the value of shipments of materials used to produce or manufacture a product, as well as the value of shipments of the finished product itself. This means that the value of the materials used to produce a particular product contributes multiple times to the value.

Commodity. Products that an establishment produces, sells, or distributes. This does not include items that are considered as excess or byproducts of the establishment's operation. Respondents reported the description and the five-digit Standard Classification of Transported Goods (SCTG) code for the major commodity contained in the shipment, defined as the commodity with the greatest weight in the total shipment.

Average miles per shipment. For the 1993 CFS, we excluded shipments of Standard Transportation Commodity Classification (STCC) 27, Printed Matter, from our calculation of average miles per shipment. We made this decision after determining that respondents in the 1993 CFS shipping newspapers, magazines, catalogs, etc., had used widely varying definitions of the term "shipment."

For the 1997 and 2002 CFS, we made numerous efforts throughout our data collection and editing to produce consistent results from establishments shipping SCTG 29, Printed Products. As a result, we have included printed products in the average miles per shipment estimates for 1997 and 2002.

Distance shipped. In Table 3, shipment data are presented for various "distance shipped" intervals. Shipments were categorized into these "distance shipped" intervals based on the great circle distance between their origin and destination ZIP Code centroids. All other distance-related data in this and other tables (i.e., ton-miles and average miles per shipment) are based on the mileage calculations. (See the "Mileage Calculations" section for more details.)

Great circle distance. The shortest distance between two points on the surface of a sphere over the surface of that sphere.

Mode of transportation. The type of transportation used for moving the shipment to its domestic destination. For exports, the domestic destination was the port of exit.

Mode Definitions

In the instructions to the respondent, we defined the possible modes as follows:

- 1. **Parcel delivery/courier/U.S. Postal Service.** Delivery services that carry letters, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.
- 2. **Private truck.** Trucks operated by a temporary or permanent employee of an establishment or the buyer/receiver of the shipment.
- 3. **For-hire truck.** Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.
- 4. **Railroad.** Any common carrier or private railroad.
- 5. **Shallow draft vessels.** Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intra-coastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.
- 6. **Deep draft vessel.** Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.
- 7. Pipeline. Movements of oil, petroleum, gas, slurry, etc., through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.
- 8. Air. Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.
- 9. Other mode. Any mode not listed above.
- 10. **Unknown.** The shipment was not carried by a parcel delivery/courier/U.S. Postal Service, and the respondent could not determine what mode of transportation was used.

In the tables, we have used additional terms for mode, which we define as follows:

- 1. Air (includes truck and air). Shipments that used air or a combination of truck and air.
- 2. Single modes. Shipments using only one of the above-listed modes, except parcel or other and unknown.
- 3. **Multiple modes.** Shipments for which two or more of the following modes of transportation were used:

Private truck For-hire truck Rail Shallow draft vessel Deep draft vessel **Pipeline**

In addition, Parcel, U.S. Postal Service, or Courier shipments are considered multiple modes because this category includes all parcel shipments whether on the ground or via air tendered to a parcel or express carrier. In defining this mode, we did not combine these shipments with any other reported mode because by their nature, Parcel, U.S. Postal Service or Courier are already multimodal. For example, if the respondent reported a shipment's mode of transportation as "parcel" and "air," we treated the shipment as parcel only. Also in the CFS reports, the "Truck and Rail" and "Rail and Water" combinations included under "Multiple Modes" may not reflect all the movement of trailers or containers by rail and at least one other mode of transportation. Since the shipper may not always know the modal combinations used to transport the goods, some shipments moving by more than one mode may be reported as a single mode shipment. This may result in underestimation of multimodal shipments in the CFS.

- 4. **Other multiple modes.** Shipments using any other mode combinations not specifically listed in the tables.
- 5. **Other and unknown modes.** Shipments for which modes were not reported, or were reported by the respondent as "Other" or "Unknown."
- 6. **Truck.** Shipments using for-hire truck only, private truck only, or a combination of for-hire truck and private truck.
- 7. **Water.** Shipments using shallow draft vessel only, deep draft vessel only, or Great Lakes vessel only. Combinations of these modes, such as shallow draft vessel and Great Lakes vessel are included as "Other multiple modes." (Note: By definition, "shallow draft," "Great Lakes," and "deep draft" are mutually exclusive.)
- 8. **Great Lakes.** In the tables in this publication, "Great Lakes" appears as a single mode. ORNL's transportation network and mileage calculation system allowed for separate mileage calculations for Great Lakes between the origin and destination ZIP Codes.

Other Definitions and Terms

Shipment. A shipment is a single movement of goods, commodities, or products from an establishment to a single customer or to another establishment owned or operated by the same company as the originating establishment (e.g., a warehouse, distribution center, or retail or wholesale outlet). Full or partial truckloads are counted as a single shipment only if all commodities on the truck are destined for the same location. If a truck makes multiple deliveries on a route, the goods delivered at each stop are counted as one shipment. Interoffice memos, payroll checks, or business correspondence are not considered shipments. Shipments such as refuse, scrap paper, waste, or recyclable materials are not considered shipments unless the establishment is in the business of selling or providing these materials.

Standard Classification of Transported Goods (SCTG). The commodities shown in this report are classified using the SCTG coding system. The SCTG coding system was developed jointly by agencies of the United States and Canadian governments based on the Harmonized Commodity Description and Coding System (Harmonized System) to address statistical needs in regard to products transported. See Appendix D for more details.

Ton-miles. The shipment weight multiplied by the mileage traveled by the shipment. The respondents reported shipment weight in pounds. Aggregated pound-miles were converted to ton-miles. Mileage was calculated as the distance between the shipment origin and destination ZIP Codes. For shipments by truck, rail, or shallow draft vessels, the mileage excludes international segments. For example, mileages from Alaska to the continental United States exclude any mileages through Canada (see the "Mileage Calculations" section for more details). For trucks making multiple stops, the ton-miles are calculated for each delivery, and each drop-off point is treated as a final destination. Ton-miles estimates are displayed in millions.

Tons shipped. The total weight of the entire shipment. Respondents reported the weight in pounds. Aggregated pounds were converted to short-tons (2,000 pounds). For freight shipped to distribution centers for subsequent reshipment, the tonnage is counted each time the goods are transported.

Total modal activity (Table 2 only). The overall activity (e.g., ton-miles) of a specific mode of transportation, whether used in a single-mode shipment, or as part of a multiple-mode shipment. For example, the total modal activity for private truck is the total ton-miles carried by private truck in single-mode shipments, combined with the total ton-miles carried by private truck in all multiple-mode shipments that include private truck (private truck and for-hire truck, private truck and rail, private truck and air, etc.)

ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in the tables for this publication:

- Represents an estimate equal to zero or less than 1 unit of measure.
- D Denotes estimates withheld to avoid disclosing data of individual companies.
- S Estimate does not meet publication standards because of high sampling variability or poor response quality.
- CFS Commodity Flow Survey.
- lb Pounds.
- n.e.c. Not elsewhere classified.
- NA Not applicable.

OTHER TRANSPORTATION DATA

Users of transportation data may be especially interested in the following reports:

Vehicle Inventory and Use Survey covers state and U.S. level statistics on the physical and operational characteristics of the nation's truck, van, minivan, and sport utility vehicle population. Some of the types of data collected include number of vehicles, major use, body type, annual miles, model year, vehicle size, fuel type, operator classification, engine size, range of operation, weeks operated, products carried, and hazardous materials carried. This survey shows comparative statistics reflecting percent changes in number of vehicles between 2002 and 1997 for most characteristics.

Service Annual Survey covers firms with paid employees that provide commercial motor freight transportation and public warehousing services. Data collected include operating revenue and operating revenue by source, percentage of motor carrier freight revenue by commodity type, size of shipments handled, length of haul, and vehicle fleet inventory.

For more information on any Census Bureau product, including a description of electronic and printed reports being issued, see the Web site or call Customer Services at 301-763-INFO (4636).

Shipment Characteristics by Mode of Transportation for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Valu	Value		Tons		Ton-miles ¹	
Mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Total	177 395	100.0	259 594	100.0	46 724	100.0	589
Single modes	153 770	86.7	241 834	93.2	41 445	88.7	236
Truck ² For-hire truck Private truck	89 594 37 244 51 527	50.5 21.0 29.0	159 578 40 625 118 787	61.5 15.6 45.8	19 452 15 055 4 360	41.6 32.2 9.3	130 504 50
Rail	4 874	2.7	26 931	10.4	14 516	31.1	1 387
Water Shallow draft	2 304 S	1.3 S	S S	S S	3 931 S	8.4 S	1 196 310
Great Lakes	647	.4	s	S	868	1.9	1 358
Air (includes truck and air)	S 5 085	S 2.9	205 24 254	9.3	S S	S	2 450 S
Multiple modes	19 635	11.1	2 267	.9	4 292	9.2	1 135
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	18 252 791 569	10.3 .4 .3	475 1 134 628	.2 .4 .2	482 2 249 1 552	1.0 4.8 3.3	1 128 2 016 1 911
Other multiple modes	s	S	S	s	S	S	396
Other and unknown modes	3 990	2.2	15 493	6.0	987	2.1	s

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 1b. Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

Made of tunes adults	Value (percent)		Tons (p	ercent)	Ton-miles ¹ (percent)		
Mode of transportation	2002	1997	2002	1997	2002	1997	
Total	100.0	100.0	100.0	100.0	100.0	100.0	
Single modes	86.7	80.6	93.2	83.4	88.7	86.5	
Truck ² For-hire truck Private truck	50.5 21.0 29.0	46.4 21.2 25.0	61.5 15.6 45.8	56.0 18.8 36.9	41.6 32.2 9.3	36.1 27.2 8.7	
Rail	2.7	3.1	10.4	6.6	31.1	30.4	
Water Shallow draft Great Lakes Deep draft	1.3 S - .4	2.7 1.2 - 1.5	\$ \$ - \$	12.8 7.1 – 5.7	8.4 S - 1.9	16.8 5.5 — 11.3	
Air (includes truck and air) Pipeline ³ .	S 2.9	26.1 2.4	9.3	- 7.9	S S	.4 S	
Multiple modes	11.1	13.8	.9	1.7	9.2	8.8	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	10.3 .4 .3 - S	12.4 .9 .5 S	.2 .4 .2 - S	.2 .8 .7 S	1.0 4.8 3.3 - S	.9 4.8 2.6 S S	
Other and unknown modes	2.2	5.5	6.0	14.9	2.1	s	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Shipment Characteristics by Total Modal Activity for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Ton-r		
Mode of transportation ¹	2002 (millions)	Percent	Average miles per shipment
Total	46 724	100.0	589
Truck Rail Shallow draft Great Lakes Deep draft	19 452 14 516 S - 868	41.6 31.1 S - 1.9	130 1 387 310 — 1 358
Air Parcel, U.S. Postal Service or courier Pipeline ³ Other and unknown modes	S 3 323 S 987	S 7.1 S 2.1	2 450 128 S S

¹Estimates represent activity for a given mode across single and multiple mode shipments. For example, "Truck" ton-miles includes total ton-miles for shipments moving only by truck plus ton-miles for truck segments of multiple mode shipments.
²Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

³Estimates exclude shipments of crude petroleum (SCTG 16).

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and distance shipped ¹	Value		Tons		Ton-miles ²		
(based on Great Circle Distance)	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	177 395	100.0	259 594	100.0	46 724	100.0	
Less than 50 miles	100 998 13 849	56.9 7.8	157 336 50 580	60.6 19.5	2 186 5 071	4.7 10.9	
100 to 249 miles	17 913 5 411	10.1 3.1	27 880 4 555	10.7 1.8	6 024 1 962	12.9 4.2	
500 to 749 miles	7 037	4.0	3 512	1.4	2 840	6.1	
750 to 999 miles	6 233 5 034	3.5 2.8	5 106 4 335	2.0 1.7	5 988 6 878	12.8 14.7	
1,500 to 1,999 miles	10 361 10 559	5.8 6.0	3 650 2 639	1.4 1.0	8 102 7 674	17.3 16.4	
Single modes	153 770	100.0	241 834	100.0	41 445	100.0	
Less than 50 miles	95 445 12 893	62.1 8.4	145 181 49 301	60.0 20.4	2 093 4 925	5.1 11.9	
100 to 249 miles	15 285 4 414	9.9 2.9	25 931 4 282	10.7 1.8	5 701 1 834	13.8 4.4	
500 to 749 miles	5 110	3.3	3 310	1.4	2 649	6.4	
750 to 999 miles	4 638 3 545	3.0 2.3	4 785 4 019	2.0 1.7	5 582 S	13.5 S	
1,500 to 1,999 miles	6 864 5 576	4.5 3.6	3 159 1 864	1.3 .8	6 995 5 374	16.9 13.0	
Truck ³	89 594	100.0	159 578	100.0	19 452	100.0	
Less than 50 miles	43 894 9 280	49.0 10.4	122 412 13 326	76.7 8.4	1 902 1 253	9.8 6.4	
100 to 249 miles 250 to 499 miles	12 912 4 178	14.4 4.7	12 673 2 847	7.9 1.8	2 552 1 269	13.1 6.5	
500 to 749 miles	3 624	4.0	2 161	1.4	1 650	8.5	
750 to 999 miles	3 388 2 675	3.8 3.0	2 120 1 261	1.3 .8	2 369 1 781	12.2 9.2	
1,500 to 1,999 miles	5 349 4 294	6.0 4.8	1 672 1 105	1.0 .7	3 550 3 128	18.2 16.1	
For-hire truck	37 244	100.0	40 625	100.0	15 055	100.0	
Less than 50 miles	7 962 2 857	21.4	17 859 4 629	44.0 11.4	355 425	2.4 2.8	
30 to 99 lillies 100 to 249 miles 250 to 499 miles	6 804 2 475	7.7 18.3 6.6	8 267 2 278	20.3 5.6	1 692 1 048	2.0 11.2 7.0	
500 to 749 miles	2 185	5.9	1 936	4.8	1 476	9.8	
750 to 999 miles	2 975 2 539	8.0 6.8	1 912 1 144	4.7 2.8	2 134 1 678	14.2 11.1	
1,500 to 1,999 miles	5 187 4 259	13.9 11.4	1 572 1 028	3.9 2.5	3 340 2 908	22.2 19.3	
Private truck	51 527	100.0	118 787	100.0	4 360	100.0	
Less than 50 miles	35 839	69.6	S	_s	1 546	35.5	
50 to 99 miles	6 278 5 567 1 676	12.2 10.8	8 684 4 295	7.3 3.6	827 839	19.0 19.2	
250 to 499 miles	1 676 1 427	3.3 2.8	553 215	.5 .2	215 166	4.9 3.8	
750 to 999 miles	407 S	.8 S	208 117	.2 .1	234 103	5.4 2.4	
1,500 to 1,999 miles 2,000 miles or more	S 35	S -	S	S	S	S	
Rail	4 874	100.0	26 931	100.0	14 516	100.0	
Less than 50 miles	1 959	40.2	14 782	54.9	80	.6	
50 to 99 miles	24 381	.5 7.8	131 S	.5 S S	16 S	.1 S S	
250 to 499 miles	134 278	2.7 5.7	S 1 106	\$ 4.1	S 962	S 6.6	
750 to 999 miles	S 270	S 5.5	S	S	2 931 S	20.2 S	
1,500 to 1,499 miles 2,000 miles or more	713 409	14.6 8.4	1 355 701	5.0 2.6	3 183 2 074	21.9 14.3	
Water	2 304	100.0	s	s	3 931	100.0	
Less than 50 miles	S	S	S		S	S	
50 to 99 miles	S S 72 S	S S	S S	S S S	S S	S S	
250 to 499 miles	72 S	3.1 S	580 S	1.9 S	196 S	5.0 S	
750 to 999 miles	s	s	s	S	s	S	
1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	S S S 26	S	S S S	\$ \$ \$ \$	S S S	\$ \$ \$ \$	
Shallow draft	5 S	1.1 S	s	s	s	S	
Less than 50 miles	S	S	s	s	s		
50 to 99 miles	S S 72 S	S S	S S	S S	\$ \$	S	
250 to 499 miles	72 S	4.3 S	580 S	2.0 S	196 S	6.4 S	
750 to 999 miles	s	s	s	s	s	S	
1,000 to 1,499 miles	_	_	_	-	_	_	

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Value		To	ons	Ton-miles ²		
Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Single modes—Con.							
Great Lakes	-	-	-	-	-	-	
Less than 50 miles	_	_			_	_	
100 to 249 miles	_	=	_	_	_	_	
250 to 499 miles		_ _					
750 to 999 miles	_	_	_	_	_	_	
1,000 to 1,499 miles		_ _				_ _	
2,000 miles or more	-	-	-	-	-	=	
Deep draft	647	100.0	s	s	868	100.0	
Less than 50 miles	S S	S S	S	S S S	SS	S	
100 to 249 miles	S	S	S S	S	S	S	
250 to 499 miles	S	S	S	S	S	S	
750 to 999 miles	S	S	s	s	S	S	
1,000 to 1,499 miles 1,500 to 1,999 miles	S S	SS	\$ \$ \$ \$ \$ \$ \$	S S	S S	S S S	
2,000 miles or more	26	4.0	S	S	S	S	
Air (includes truck and air)	s	s	205	100.0	s	s	
Less than 50 miles	S S	S S	S	S	SS	S	
100 to 249 miles 250 to 499 miles	152 S	3 3 5	\$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$	SS	\$ \$ \$ \$ \$	
500 to 749 miles	1 194	2.3	S	S	S	S	
750 to 999 miles	S	S	S	s	S	S 5.3	
1,000 to 1,499 miles 1,500 to 1,999 miles	305 781	.6 1.5	5 S	2.6 S	12 S	5.3 S S	
2,000 miles or more	848	1.6	S	S	S		
Pipeline ⁴	5 085	100.0	24 254	100.0	S	S	
Less than 50 miles	401 3 073	7.9 60.4	1 553 14 123	6.4 58.2	S S	S S	
100 to 249 miles	1 586	31.2	8 452	34.8	S	\$ \$ \$ \$	
500 to 749 miles	S	S	S	S	Š	Š	
750 to 999 miles	S	S	s	s	S	S	
1,000 to 1,499 miles 1,500 to 1,999 miles	S	S	S	S	S	S S S	
2,000 miles or more	19 635	100.0	2 267	100.0	S 4 292	S 100.0	
Less than 50 miles	3 684	18.8	140	6.2	3	-	
50 to 99 miles 100 to 249 miles	745 2 136	3.8 10.9	49 125	2.2 5.5	6 32	.1 .7	
250 to 499 miles	960	4.9 7.3	51	2.3 7.3	23 162	.5 3.8	
500 to 749 miles	1 435		165				
750 to 999 miles	1 529 1 367	7.8 7.0	297 257	13.1 11.3	380 467	8.9 10.9	
1,500 to 1,999 miles	3 282 4 497	16.7 22.9	433 750	19.1 33.1	991 2 227	23.1 51.9	
Parcel, U.S. Postal Service or courier	18 252	100.0	475	100.0	482	100.0	
Less than 50 miles	3 661	20.1	80	16.9	2	4	
50 to 99 miles 100 to 249 miles	738 2 113	4.0 11.6	36 84	7.5 17.6	4 19	.8 3.9	
250 to 499 miles	960	5.3	47	9.8	20	4.2	
500 to 749 miles	1 348	7.4	37	7.8	30	6.3	
750 to 999 miles	1 375 1 123	7.5 6.2	31 31	6.6 6.5	35 48	7.4 10.0	
1,500 to 1,999 miles	2 826 4 108	15.5 22.5	59 71	12.4 15.0	125 199	25.9 41.3	
Truck and rail	791	100.0	1 134	100.0	2 249	100.0	
Less than 50 miles		S		s	S		
50 to 99 miles	\$ \$ \$ \$ \$ \$ \$ \$ \$	S	S S	S	S	\$ \$.3 \$ \$	
100 to 249 miles	S	S	27 S	2.3 S	6 S	.3 S	
500 to 749 miles		S	126	11.1	S		
750 to 999 miles	131 40	16.5 5.1	250 57	22.0 5.0	330 96	14.7 4.3	
1,500 to 1,999 miles 2,000 miles or more	354 161	44.8 20.3	323 299	28.5 26.4	754 927	33.5 41.2	
Truck and water	569	100.0	628	100.0	1 552	100.0	
Less than 50 miles	S	S	s	s	s	S	
50 to 99 miles 100 to 249 miles	_	_ S	_ S	_ S	_ S	_ S	
250 to 499 miles 500 to 749 miles	S S S	S	S	S	S	S	
					_		
750 to 999 miles	S	S	16 S	2.5 _S	15 S	.9 S 7.1	
1,500 to 1,999 miles	100 228	17.6 40.1	50 380	7.9 60.5	111 1 101	7.1 71.0	

Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Made of transportation and distance phismad	Value		To	ons	Ton-miles ²		
Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Multiple modes — Con.							
Rail and water	-	-	_	-	-	-	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	- - - -		- - - -	- - - -	- - - -	- - - -	
750 to 999 miles	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	
Other multiple modes	s	s	s	s	s	s	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	\$\$\$ - -	999	\$ \$ \$ \$	\$ \$ \$ \$ \$	999 -	\$ \$ \$ -	
750 to 999 miles	- S S -	- 8 8	- S S	- S S -	 S S -	- 8 8 -	
Other and unknown modes	3 990	100.0	15 493	100.0	987	100.0	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	1 870 211 493 S S	46.9 5.3 12.3 S S	12 015 1 230 1 823 S 38	77.6 7.9 11.8 S .2	89 139 291 S 29	9.0 14.1 29.4 S 2.9	
750 to 999 miles	66 S S S	1.6 S S S	24 S S 25	.2 S S .2	26 S S 73	2.7 S S 7.4	

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Shipments are grouped into distance categories based on Great Circle Distance (GCD). GCD is the shortest distance between 2 points on the surface of a sphere over the surface of that

²Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ³"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ⁴Estimates for pipeline exclude shipments of crude petroleum.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based of data from the 2002 commonly from ourvey. Because of	Value		Tons		Ton-miles ¹		
Mode of transportation and shipment weight	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Total	177 395	100.0	259 594	100.0	46 724	100.0	589
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	17 410 4 999 14 685 3 954 2 607	9.8 2.8 8.3 2.2 1.5	334 288 1 831 852 734	.1 .1 .7 .3 .3	228 136 453 200 140	.5 .3 1.0 .4 .3	812 498 266 237 193
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	22 277 37 597 9 122 S	12.6 21.2 5.1 S	9 993 S 54 966 107 259	3.8 S 21.2 41.3	2 310 14 372 4 809 24 076	4.9 30.8 10.3 51.5	225 156 89 681
Single modes	153 770	100.0	241 834	100.0	41 445	100.0	236
Less than 50 lb	5 353 2 410 10 049 3 585 2 393	3.5 1.6 6.5 2.3 1.6	142 182 1 628 791 717	- .7 .3 .3	25 31 280 141 121	- .7 .3 .3	352 166 167 179 170
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	21 384 36 252 8 594 S	13.9 23.6 5.6 S	9 645 S 52 104 95 737	4.0 S 21.5 39.6	2 069 12 276 3 889 22 612	5.0 29.6 9.4 54.6	211 S 76 711
Truck ²	89 594	100.0	159 578	100.0	19 452	100.0	130
Less than 50 lb	4 221 2 052 8 870 3 029 2 269	4.7 2.3 9.9 3.4 2.5	137 178 1 618 784 716	.1 1.0 .5 .4	13 25 259 130 118	.1 1.3 .7 .6	86 129 153 164 166
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	20 870 35 801 8 452 4 029	23.3 40.0 9.4 4.5	9 577 S 51 918 14 223	6.0 S 32.5 8.9	1 939 11 550 3 682 1 737	10.0 59.4 18.9 8.9	196 S 73 196
For-hire truck	37 244	100.0	40 625	100.0	15 055	100.0	504
Less than 50 lb	981 764 3 647 1 254 828	2.6 2.1 9.8 3.4 2.2	12 19 313 135 96	- .8 .3 .2	5 14 188 90 65	- .1 1.2 .6 .4	300 684 622 665 684
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	9 318 16 552 3 101 798	25.0 44.4 8.3 2.1	2 330 16 519 15 996 5 205	5.7 40.7 39.4 12.8	1 477 9 499 2 392 1 323	9.8 63.1 15.9 8.8	639 563 155 333
Private truck	51 527	100.0	118 787	100.0	4 360	100.0	50
Less than 50 lb	2 798 1 191 5 110 1 751 1 428	5.4 2.3 9.9 3.4 2.8	119 151 1 267 628 614	.1 .1 1.1 .5 .5	6 9 65 35 52	.1 .2 1.5 .8 1.2	43 59 51 57 86
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	11 434 19 236 5 349 3 229	22.2 37.3 10.4 6.3	7 174 S 35 919 9 012	6.0 S 30.2 7.6	442 2 050 1 288 413	10.2 47.0 29.5 9.5	66 S 35 S
Rail	4 874	100.0	26 931	100.0	14 516	100.0	1 387
Less than 50 lb 50 to 99 lb 100 to 499 lb	S S	\$ \$ -	S S	S S	S S -	S S	2 145 508 -
500 to 749 lb 750 to 999 lb	S S	S	S S	S	S S	S	134 3 059
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	9 362 70 4 431	.2 7.4 1.4 90.9	2 362 130 26 436	- 1.3 .5 98.2	5 586 197 13 727	- 4.0 1.4 94.6	2 039 1 700 1 533 1 299
Water	2 304	100.0	S	s	3 931	100.0	1 196
Less than 50 lb	8888	8888	8888 -	8888	\$ \$ \$ \$ \$ \$ \$ \$	8888 -	1 204 816 1 169 1 401
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S 26 S 2 082	S 1.1 S 90.3	\$ \$ \$ \$ \$ \$	8888	\$ \$ \$ 3 827	\$ \$ \$ 97.3	1 906 766 S 162
Shallow draft	s	s	s	s	s	s	310
Less than 50 lb	- - S S -	- - 8 8	- - 8 8 -	- - S S -	- - S S -	- S S -	- 478 210 -
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S S S	- 888	- 888		- S S S		- S 374 119

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commonly from oursely. Because of	Value		Tons		Ton-miles ¹		
Mode of transportation and shipment weight	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Single modes—Con.							
Great Lakes	-	_	-	_	-	_	-
Less than 50 lb		_	-	_	-	_	_
100 to 499 lb	_	_ _	-		_		_
750 to 999 lb	_	_	_	_	_	_	_
10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	- - -	- - -	_ _ _	- - -	_ _ _	- - -	- - -
Deep draft	647	100.0	s	s	868	100.0	1 358
Less than 50 lb	S S	S S	S S	S S	S S	S S	1 204 816
100 to 499 lb 500 to 749 lb 750 to 999 lb	S S -	S S -	9999	\$ \$ \$ -	S S -	S S -	1 896 1 926 -
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S 25 S S	\$ 3.9 \$ \$ \$	S 14 S S	\$.8 \$ \$	S S S 765	S S S 88.1	1 906 1 026 22 707
Air (includes truck and air)	s	s	205	100.0	s	s	2 450
Less than 50 lb	1 118 356	2.2 .7	5 2	2.3 1.1	11 6	5.0 2.6	2 453 2 561
100 to 499 lb 500 to 749 lb 750 to 999 lb	1 167 S S	2.2 S S	6 2 1	3.2 .8 .6	17 3 2	7.5 1.5 .9	2 544 2 168 1 682
1,000 to 9,999 lb	411 60	.8 .1	29 S	14.2 S	57 S	25.8 S	1 921 2 250
50,000 to 99,999 lb 100,000 lb or more	S	S S	S	S	S	S	1 526 1
Pipeline ³	5 085	100.0	24 254	100.0	s	s	s
Less than 50 lb	s	S	S	S -	S	SS	S
100 to 499 lb 500 to 749 lb	_	_	-		<i>\$666</i>	S	99999
750 to 999 lb	_	_	_	_		Š	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S S S 5 081	S S S 99.9	S S S 24 237	S S S 99.9	S S S S	S S S S	555
Multiple modes	19 635	100.0	2 267	100.0	4 292	100.0	1 135
Less than 50 lb	11 284 2 447	57.5	178	7.8	199 99	4.6	1 143 1 094
50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	4 167 319 177	12.5 21.2 1.6 .9	95 169 46 11	4.2 7.4 2.0 .5	161 53 S	2.3 3.7 1.2 S	964 1 162 1 672
1,000 to 9,999 lb	159	.8	75	3.3	157	3.7	1 899
10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	802 77 202	4.1 .4 1.0	867 248 579	38.2 10.9 25.5	1 830 610 1 167	42.6 14.2 27.2	2 114 2 538 2 014
Parcel, U.S. Postal Service or courier	18 252	100.0	475	100.0	482	100.0	1 128
Less than 50 lb	11 272 2 443	61.8 13.4	177 94	37.3 19.9	197 97	40.9 20.2	1 141 1 089
100 to 499 lb 500 to 749 lb 750 to 999 lb	4 103 295 S	22.5 1.6 S	155 43 3	32.6 9.1 .6	139 S 2	28.9 S .5	932 1 067 816
1,000 to 9,999 lb	s	s	s	s	s	s	S
10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	- - -	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	- - -
Truck and rail	791	100.0	1 134	100.0	2 249	100.0	2 016
Less than 50 lb		_	-		-		
100 to 499 lb 500 to 749 lb 750 to 999 lb	_ _ _	- - -		- - -		- - -	_ _ _
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S 570 S 189	\$ 72.1 \$ 23.9	S S 52 559	S S 4.5 49.3	S 1 020 S 1 142	S 45.4 S 50.8	2 765 2 019 1 624 2 020
Truck and water	569	100.0	628	100.0	1 552	100.0	1 911
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	S S 65 S 49	S S 11.3 S 8.6	1 8 8 8 8	.1 S S S	1 8 8 8 8	- 88888	1 957 1 704 1 587 2 525 1 964
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	134 227 S S	23.6 39.8 S	71 336 190 S	11.4 53.5 30.2 S	154 807 526 S	9.9 52.0 33.9 S	2 127 2 278 2 782 3 836

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Valu	ie	То	ons	Ton-r	niles ¹	
Mode of transportation and shipment weight	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Multiple modes—Con.							
Rail and water	-	-	-	-	-	-	-
Less than 50 lb	_	-	-	-	-	-	=
100 to 499 lb		_	_	_	_	_	_
500 to 749 lb	_	_	_	_	_	_	_
750 to 999 lb	_	_		_		_	_
730 (0 999 (0	_	_	_	_	_	_	_
1,000 to 9,999 lb	_	-	_	_	_	-	_
50,000 to 99,999 lb	_	_		_		_	_
100,000 lb or more	_	_	_	_	_	_	_
Other multiple modes	s	s	S	s	S	s	396
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	- - - -	- - - -	- - - - -	- - - - -	- - - - -	- - - -	- - - -
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	9999	\$ \$ \$ \$ \$ \$	\$ \$ \$ \$	\$ \$ \$ \$	\$ \$ \$ \$	\$ \$ \$ \$	868 S S 463
Other and unknown modes	3 990	100.0	15 493	100.0	987	100.0	s
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	\$ 142 \$ 50 37	\$ 3.6 \$ 1.3 .9	14 12 35 14 S	- .2 - S	\$ \$ \$ \$ 1	\$ \$ \$ \$ 1	\$ 445 \$ \$ \$
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S 543 451 793	S 13.6 11.3 19.9	273 1 581 2 615 10 944	1.8 10.2 16.9 70.6	84 266 310 297	8.5 26.9 31.4 30.1	349 197 123 S

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG		Valu	ıe	To	ns	Ton-r	miles ¹	
code	Commodity description	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
	Total ²	177 395	100.0	259 594	100.0	46 724	100.0	589
01 02 03 04 05	Live animals and live fish Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations	S 2 988 1 935 3 607	S 1.7 1.1 2.0	17 113 S 9 065 1 055	6.6 S 3.5	1 079 S S S 847	2.3 S S 1.8	137 603 79 494
06 07 08 09 10	Milled grain products and preparations, and bakery products Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	S 6 732 1 774 246 S	\$ 3.8 1.0 .1 \$	S 6 303 1 111 9 731	\$ 2.4 .4 - .3	S 3 601 329 1 S	\$ 7.7 .7 - \$	349 294 S 104 562
11 12 13 14 15	Natural sands Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal	S S 18 S S	88 - 88	2 923 S S S S	1.1 S S S S	\$ \$ 44 \$ \$	\$ \$ \$ \$	173 S S 948 7
17 18 19 20 21	Gasoline and aviation turbine fuel. Fuel oils	7 360 2 972 1 653 S 3 062	4.1 1.7 .9 S 1.7	29 743 14 318 5 864 S	11.5 5.5 2.3 S S	2 984 1 653 S 375 S	6.4 3.5 S .8	39 S S S 1 827
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	S 1 908 1 735 636 5 091	S 1.1 1.0 .4 2.9	\$ 643 451 3 391 17 191	S .2 .2 1.3 6.6	376 S 250 792 12 287	.8 S .5 1.7 26.3	S 81 760 319 219
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	2 057 2 572 1 548 5 433 S	1.2 1.4 .9 3.1 S	3 505 2 201 S 519 S	1.4 .8 S .2 S	2 595 958 S 567 873	5.6 2.1 S 1.2 1.9	138 185 578 1 043 S
32 33 34 35 36	Base metal in primary or semifinished forms and in finished basic shapes	2 116 3 262 3 855 14 266 2 082	1.2 1.8 2.2 8.0 1.2	2 100 1 170 433 468 312	.8 .5 .2 .2	\$ 404 596 263 205	S .9 1.3 .6 .4	S 524 S 531 487
37 38 39 40 41 43	Transportation equipment, n.e.c. Precision instruments and apparatus. Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs Miscellaneous manufactured products Waste and scrap Mixed freight Commodity unknown	\$ 5 080 2 044 5 536 \$ 52 22 101 438	\$ 2.9 1.2 3.1 \$ 12.5 .2	245 S 328 737 S 6 053 220	- S .1 .3 S 2.3	S S 416 1 337 857 S	S S .9 2.9 1.8	794 S S 1 494 287 425 689

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²Estimates exclude shipments of crude petroleum (SCTG 16).

Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

Commodity description Total ² Live animals and live fish. Cereal grains. Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations Milled grain products and preparations, and bakery products. Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone.	2002 100.0 - S 1.7 1.1 2.0 S 3.8 1.0	1997 100.0 S 3.3 2.1 7 3.9	2002 100.0 - 6.6 S 3.5 .4	1997 100.0 S 19.0 2.7 1.3 .9	2002 100.0 - 2.3 S S S 1.8	1997 100.0 S 7.2 6.0 1.2 2.7
Live animals and live fish. Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations Milled grain products and preparations, and bakery products Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	S 1.7 1.1 2.0 S 3.8 1.0	\$ 3.3 2.1 .7 3.9 1.2 4.5	- 6.6 S 3.5 .4	\$ 19.0 2.7 1.3	2.3 S S	\$ 7.2 6.0 1.2
Cereal grains	1.7 1.1 2.0 \$ 3.8 1.0	3.3 2.1 .7 3.9 1.2 4.5	\$ 3.5 .4	19.0 2.7 1.3	S S	7.2 6.0 1.2
Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	3.8 1.0 .1	4.5				2.1
	S	.9 .1 S	2.4 .4 - .3	1.1 2.9 .7 - S	\$ 7.7 .7 - \$	2.7 7.7 1.0 - S
Natural sands. Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates. Coal	88 - 88	S .2 - S S	1.1 S S S S	2.4 16.4 .3 S	\$ \$ \$ \$.5 1.2 .3 S S
Gasoline and aviation turbine fuel Fuel oils Coal and petroleum products, n.e.c. Basic chemicals. Pharmaceutical products	4.1 1.7 .9 S 1.7	3.4 1.6 .6 .7 1.9	11.5 5.5 2.3 S S	9.8 6.5 1.7 1.4 S	6.4 3.5 S .8 S	8.7 4.3 S 4.1 S
Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	\$ 1.1 1.0 .4 2.9	.5 1.4 2.1 .3 4.0	\$.2 .2 1.3 6.6	2.1 .7 .5 1.1 5.8	.8 S .5 1.7 26.3	S S 1.1 S 16.1
Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	1.2 1.4 .9 3.1 S	2.2 1.7 1.1 3.1 1.1	1.4 .8 S .2 S	2.7 1.1 .1 .2 7.1	5.6 2.1 S 1.2 1.9	8.3 1.8 .3 .8 2.8
Base metal in primary or semifinished forms and in finished basic shapes Articles of base metal Machinery Electronic and other electrical equipment and components and office equipment Motorized and other vehicles (including parts)	1.2 1.8 2.2 8.0 1.2	3.4 2.3 2.5 5.8 2.2	.8 .5 .2 .2	2.0 .6 .2 .1	S .9 1.3 .6 .4	5.8 .8 .7 .3 .7
Transportation equipment, n.e.c	S 2.9 1.2 3.1 S 12.5	25.5 4.1 .8 6.6 .4	- S .1 .3 .3 23	ଓ ଓଡ଼	S S .9 2.9	.3 S 1.6 1.2
	Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal Gasoline and aviation turbine fuel Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products Petrilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products Base metal in primary or semifinished forms and in finished basic shapes Articles of base metal Machinery Electronic and other electrical equipment and components and office equipment. Motorized and other vehicles (including parts) Transportation equipment, n.e.c. Precision instruments and apparatus Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs Miscellaneous manufactured products	Nonmetallic minerals n.e.c.	Nonmetallic minerals n.e.c.	Nonmetallic minerals n.e.c.	Nonmetallic minerals n.e.c.	Nonmetallic minerals n.e.c.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²Estimates exclude shipments of crude petroleum (SCTG 16).

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Survey.	Value	stimates may no	Ton	ıs	Ton-n	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
ALL COMMODITIES			, ,		, ,		
Total ²	177 395	100.0	259 594	100.0	46 724	100.0	589
Single modes	153 770	86.7	241 834	93.2	41 445	88.7	236
Truck ³	89 594 37 244 51 527	50.5 21.0 29.0	159 578 40 625 118 787	61.5 15.6 45.8	19 452 15 055 4 360	41.6 32.2 9.3	130 504 50
Rail	4 874	2.7	26 931	10.4	14 516	31.1	1 387
Water	2 304 S - 647	1.3 S - .4	\$ \$ \$	\$ \$ - \$	3 931 S - 868	8.4 S - 1.9	1 196 310 - 1 358
Air (includes truck and air)	S 5 085	S 2.9	205 24 254	9.3	S	S S	2 450 S
Multiple modes	19 635	11.1	2 267	.9	4 292	9.2	1 135
Parcel, U.S. Postal Service or courier	18 252 791 569 - S	10.3 .4 .3 - S	475 1 134 628 - S	.2 .4 .2 - S	482 2 249 1 552 - S	1.0 4.8 3.3 - S	1 128 2 016 1 911 - 396
Other and unknown modes	3 990	2.2	15 493	6.0	987	2.1	s
SCTG 01, LIVE ANIMALS AND LIVE FISH							
Total	_	_	_	_	_	_	_
Single modes	_	-	-	-	-	-	-
Truck ³ For-hire truck Private truck		- - -	- - -	- - -	- - -	- - -	- - -
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - -	- - - -	- - -	- - -	- - -	- - -	- - -
Air (includes truck and air)		_	_	_	_ S	_ S	_ S
Multiple modes	_	-	-	-	-	-	_
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - - - -	- - - -	- - - -	- - -	-	- - -	- - - -
Other and unknown modes	-	-	-	-	-	-	-
SCTG 02, CEREAL GRAINS							
Total	S	s	17 113	100.0	1 079	100.0	137
Single modes	S	S	16 920	98.9	984	91.2	118
Truck ³	509 S S	23.0 S S	4 852 S S	28.4 S S	S S S	\$ \$ \$	118 142 89
Rail	S	S	S	S	S	s	S
Water Shallow draft Great Lakes Deep draft	S S	S S - -	S S - -	S S - -	585 585 - -	54.2 54.2 - -	187 187 - -
Air (includes truck and air)Pipeline ⁴		_	-	_ _	- S	- S	- S
Multiple modes	_	-	-	_	-	_	-
Parcel, U.S. Postal Service or courier	- - - -	- - -	- - - -	- - - -	- - - -	- - - -	- - - -
Other multiple modes	- s	- s	- s	- s	- s	- s	- 491
Other and unknown modes	51	3	5	5	5	51	491

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based of data from the 2002 commonly flow ourvey.	Value		Tons		Ton-miles ¹		 I	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment	
SCTG 03, OTHER AGRICULTURAL PRODUCTS			<u>, , , , , , , , , , , , , , , , , , , </u>		, ,			
Total	2 988	100.0	s	s	s	s	603	
Single modes	2 724	91.2	s	s	s	s	600	
Truck ³ . For-hire truck Private truck .	1 899 1 270 630	63.6 42.5 21.1	S S 2 280	S S 27.7	2 855 2 656 S	78.0 72.6 S	576 938 152	
Rail	s	s	s	S	S	s	2 560	
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	\$ \$ - -	S S -	\$ \$ -	S S	S S - -	377 377 - -	
Air (includes truck and air)	S -	S -	S -	S -	SS	S S	595 S	
Multiple modes	s	s	s	s	s	s	1 333	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes Other and unknown modes	\$ - \$ - - \$	\$ - - \$	\$ - \$ - \$	\$ - \$ \$	∞	\$ \$ \$	1 283 	
SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.								
Total	1 935	100.0	9 065	100.0	s	s	79	
Single modes	s	s	8 815	97.2	s	s	s	
Truck ³ . For-hire truck	S S S	S S S	S S S	S S S	S S S	\$ \$ \$	\$ \$ 77	
Rail	S	S	S	S	S	S	4	
Water	_	_	-	-	_	_	_	
Shallow draft Great Lakes Deep draft	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
Air (includes truck and air)Pipeline ⁴	_	-	<u>-</u>	_ _	_ S	_ S	_ S	
Multiple modes	s	s	s	s	s	s	1 709	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	S S - - -	\$ \$ - -	\$ \$ - -	\$ \$ - -	\$ \$ - -	S S - -	162 3 255 - - -	
Other and unknown modes	S	S	S	S	S	s	63	
SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS								
Total	3 607	100.0	1 055	100.0	847	100.0	494	
Single modes	3 525	97.7	1 037	98.3	836	98.6	473	
Truck ³ For-hire truck Private truck	3 514 2 826 S	97.4 78.4 S	1 035 741 S	98.2 70.3 S	832 662 S	98.2 78.1 S	467 765 S	
Rail	-	-	-	-	_	-	-	
Water Shallow draft	S	S -	S -	S -	S -	S -	2 772	
Great Lakes Deep draft	S	s	s	Š	S	s	2 772	
Air (includes truck and air)	S -	S -	S -	S -	SS	s s	2 247 S	
Multiple modes	s	s	s	s	s	s	2 288	
Parcel, U.S. Postal Service or courier	S - S	S - S	S - S	S - S	S - S	S - S	1 849 - 2 817	
Truck and water Rail and water Other multiple modes	- - -	5 - -	5 - -	- -	5 - -	5 - -	2 017 - -	
Other and unknown modes	s	s	s	s	s	s	s	

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Survey.	Value		Ton	s	Ton-m	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS							
Total	s	s	s	s	s	s	349
Single modes	s	s	s	s	s	s	358
Truck ³	893	66.2	s		s		179
For-hire truck Private truck	S 465	S 34.5	S 357	S S 15.1	S	\$ \$ \$	304 93
Rail	S	s	S	S	S	s	1 021
Water		-	-	_	-	-	-
Great Lakes	_	-	-		-	- -	- -
Air (includes truck and air)Pipeline ⁴	S _	S -	S -	S -	S S	S	2 586 S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	_	-	-	_ _	-	-	- -
Truck and water Rail and water	_	-	-	_ _	-	-	_ _
Other multiple modes	_	-	-	-	-	-	-
Other and unknown modes	s	s	s	s	s	s	3
SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS							
Total	6 732	100.0	6 303	100.0	3 601	100.0	294
Single modes	6 583	97.8	6 186	98.1	3 498	97.1	227
Truck ³ For-hire truck Private truck	6 350 3 214 3 133	94.3 47.7 46.5	5 783 2 880 2 903	91.8 45.7 46.1	2 576 2 181 395	71.5 60.6 11.0	222 615 68
Rail	230	3.4	400	6.3	917	25.5	1 842
Water Shallow draft	s	S	S	S	s	S -	2 066
Great Lakes Great Lakes Deep draft	s	S	s	S	s	s	2 066
Air (includes truck and air)		=	_	_	s	s	S
Multiple modes	58	.9	45	.7	101	2.8	1 304
Parcel, U.S. Postal Service or courier	S 16	S .2	S 20	S .3	S 48	S 1.3	1 288 2 416
Truck and water Rail and water	8	.1	23	.4	51	1.4	2 150
Other multiple modes	S	S	S	S	S	S	1 866
Other and unknown modes	S	s	s	s	2	-	68
SCTG 08, ALCOHOLIC BEVERAGES							
Total	1 774	100.0	1 111	100.0	329	100.0	S
Single modes	1 724	97.2	1 101	99.0	321	97.7	\$
Truck ³ For-hire truck Private truck	1 723 886 837	97.2 50.0 47.2	1 101 414 686	99.0 37.3 61.7	321 261 61	97.7 79.3 18.4	\$ 233 \$
Rail	_	-	-	-	-	-	-
Water	_	-	-	-	-	-	_ _
Great Lakes Deep draft		_	-		_	- -	- -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	1 593 S
Multiple modes	s	s	s	s	s	s	1 803
Parcel, U.S. Postal Service or courier	S	S	S	S	s	s	1 820
Truck and water Rail and water	S -	S _	S	S -	S -	S -	1 679 -
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	s	s	s	s	s	s	2 397

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Va	alue	To	ons	Ton-r	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 09, TOBACCO PRODUCTS							
Total	246	100.0	9	100.0	1	100.0	104
Single modes	246	100.0	9	100.0	1	100.0	104
Truck ³	. 246	100.0	9	100.0	1	100.0	104
For-hire truck	. -	100.0	9	100.0	_ 1	100.0	104
Rail		-	_	_	-	-	-
Water		-	_	_	-	_	-
Shallow draft Great Lakes Deep draft	. -	_			- - -		_ _ _
Air (includes truck and air)		_	_	_	_	_	_
Pipèline ⁴		-	_	_	S	S	S
Multiple modes		-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	. -	_	_ _	_ _	_ _	_ _	_ _
Truck and water Rail and water	. -	-	- -	_	-	-	-
Other multiple modes		_	_	_	_	_	_
	_	_	_	_	_	_	_
SCTG 10, MONUMENTAL OR BUILDING STONE							
Total	. S	s	731	100.0	s	s	562
Single modes	S	S	688	94.1	s	S	105
Truck ³ For-hire truck Private truck	. S	S S S	688 S 629	94.1 S 86.0	S S S	S S S	105 275 20
Rail	. -	-	_	_	-	-	-
Water		-	_	-	-	-	=
Shallow draft Great Lakes Deep draft	. -	_ _ _	= =	_ _ _	- - -	- - -	_ _ _
Air (includes truck and air)	=	=	=	=	- S	s	S
Multiple modes	s	s	s	s	s	s	947
Parcel, U.S. Postal Service or courier		S	S -	S -	S -	S -	544 -
Truck and water Rail and water	. S	S -	S -	S -	S -	S -	1 487
Other multiple modes	-	-	_	_	_	-	_
Other and unknown modes	-	-	-	-	-	_	-
SCTG 11, NATURAL SANDS							
Total	. s	s	2 923	100.0	s	s	173
Single modes	s	s	2 567	87.8	s	s	30
Truck³ For-hire truck Private truck	. S	S S 20.8	2 567 S S	87.8 S S	S S 46	S S 17.5	30 43 S
Rail	. -	-	_	_	-	_	-
Water		_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	. -	_ _ _	_ _ _	_ _ _	- - -	- - -	_ _ _
Air (includes truck and air)		=	=	=	_ S	S	S
Multiple modes	s	s	s	s	s	s	1 867
Parcel, U.S. Postal Service or courier		S -	S -	S -	S -	S -	29
Truck and water Rail and water Other multiple modes	. S -	S - -	S -	S -	S - -	S	1 956 - -
Other and unknown modes		s	s	s	s	s	250

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

		3,					
	Va	lue	To	ins	Ton-r	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 12, GRAVEL AND CRUSHED STONE							
Total	s	s	s	s	s	s	s
Single modes	s	s	s	s	s	s	s
Truck ³ For-hire truck Private truck	S 43 S	S 7.4 S	S 5 705 S	S 5.6 S	S 114 S	S 3.1 S	S 19 S
Rail	S	S	s	S	S	S	332
Water Shallow draft Great Lakes Deep draft	S S - -	\$ \$ - -	S S - -	\$ \$ - -	\$ \$ - -	S S - -	105 105 - -
Air (includes truck and air)		_ _	_ _	_ _	- S	- S	_ S
Multiple modes	s	s	s	s	s	s	2 666
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - S - -	- - S -	- - S - -	- - S - -	- - S -	- S -	2 666 - -
Other and unknown modes	s	s	3 062	3.0	142	3.8	50
SCTG 13, NONMETALLIC MINERALS N.E.C.							
Total	18	100.0	s	s	44	100.0	s
Single modes	17	94.3	s	s	43	99.7	S
Truck ³ For-hire truck Private truck	12 S 3	69.6 S 17.9	S S S	S S S	22 16 S	50.7 37.2 S	S S S
Rail	S	S	s	S	S	S	851
Water Shallow draft Great Lakes Deep draft	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Air (includes truck and air)Pipeline ⁴	_ _	_ _	_ _	_ _	- S	- S	_ S
Multiple modes	_	_	_	_	_	-	-
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Other and unknown modes	s	s	s	s	s	s	43
SCTG 14, METALLIC ORES AND CONCENTRATES							
Total	s	s	s	s	s	s	948
Single modes	s	s	s	s	s	s	948
Truck ³ For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	948 970 739
Rail	-	-	_	_	-	=	=
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	=		=		- S	- S	_ S
Multiple modes	-	-	_	_	_	-	-
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - - -	- - - -	- - - - -	- - - - -	- - - -	- - - -	
Other and unknown modes	_	_	_	_	_	_	_

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commodity from oursey.	Vali		To	ns	Ton-n	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 15, COAL							
Total	s	s	s	s	s	s	7
Single modes	_	_	_	_	_	_	_
Truck ³	_	_	_	_	_	_	_
For-hire truck		_ _	_ _	_ _	_ _	_ _	_ _
Rail	_	_	-	_	=	_	=
Water	_	_	_	_	=	_	_
Shallow draft		-	_ _	 	-	- -	
Deep draft	-	_	_	_	_	-	_
Air (includes truck and air)	_	_	_ _	_ _	S	s	s
Multiple modes	-	-	-	_	-	-	-
Parcel, U.S. Postal Service or courier	-	_	_ _	_ _	_	_	
Truck and water Rail and water		_	_ _	_ _	_	_ _	_ _
Other multiple modes	_	=	=	=	=	=	=
Other and unknown modes	S	S	S	s	S	s	7
SCTG 17, GASOLINE AND AVIATION TURBINE FUEL							
Total	7 360	100.0	29 743	100.0	2 984	100.0	39
Single modes	7 275	98.8	29 347	98.7	2 954	99.0	39
Truck ³	3 142 487 2 655	42.7 6.6 36.1	11 604 1 740 9 865	39.0 5.8 33.2	485 95 389	16.2 3.2 13.1	38 54 35
Rail	_	-	-	_	_	-	-
Water	s	S	S	S S	S	s	348
Shallow draft Great Lakes Deep draft	S - S	S - S	S - S	S - S	\$ - \$	S - S	121 _ 950
Air (includes truck and air)	3 627	49.3	16 192	54.4	s	s	s
Multiple modes	-	-	-	_	-	-	-
Parcel, U.S. Postal Service or courier		_	_ _	_ _	_	_ _	_ _
Truck and water		_ _	_ _	_ _	_ _	_ _	
Other multiple modes	-	-	_	_	_	-	-
Other and unknown modes	S	S	S	s	S	s	S
SCTG 18, FUEL OILS							
Total	2 972	100.0	14 318	100.0	1 653	100.0	s
Single modes	2 708	91.1	13 267	92.7	1 647	99.6	S
Truck ³ For-hire truck Private truck	1 084 165 S	36.5 5.5 S	3 989 604 S	27.9 4.2 S	125 48 77	7.5 2.9 4.6	S S 22
Rail	27	.9	135	.9	37	2.2	274
Water	S	S	S	S S	S	S	87 81
Great Lakes	- S	5 S	5 S	- S	5 S	S - S	126
Air (includes truck and air)	1 419	47.8	7 906	55.2	S	S	s
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier		<u>-</u> -	_ _	- -	<u>-</u> -	_ _	- -
Truck and water Rail and water Other multiple modes	_ _ _	_ _ _	_ _ _	- - -	_ _ _	- - -	_ _ _
Other and unknown modes	s	s	s	s	s	s	4

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Survey.	Value		Toi	ns	Ton-n	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.	(minori donaro)	T Groom	(mododinao)	rototik	(minorio)	rorociit	per empiriem
Total	1 653	100.0	5 864	100.0	s	s	s
Single modes	1 649	99.8	5 846	99.7	s	s	s
Truck ³ . For-hire truck . Private truck .	1 234 125 S	74.7 7.6 S	2 640 651 1 990	45.0 11.1 33.9	112 65 48	9.7 5.6 4.1	20 114 19
Rail	s	s	s	s	s	s	699
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - -	- - -	- - -	- - -	- - - -
Air (includes truck and air)Pipeline ⁴	- S	- S	- S	- S	_ S	_ S	- S
Multiple modes	s	s	s	s	s	s	40
Parcel, U.S. Postal Service or courier	\$ \$ - -	\$ \$ - -	S S - -	\$ \$ - -	S S - -	\$ \$ - -	39 94 - -
Other and unknown modes	s	s	s	s	s	s	11
SCTG 20, BASIC CHEMICALS							
Total	s	s	s	s	375	100.0	s
Single modes	s	s	s	s	319	85.2	s
Truck ³ For-hire truck Private truck	S S S	S S S	S S S	s s s	s s s	S S S	S S S
Rail	30	3.6	152	7.7	104	27.7	644
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - -	- - -	- - -	- - -	- - -
Air (includes truck and air)Pipeline ⁴		-	_ _	_ _	_ S	_ S	_ S
Multiple modes	s	s	25	1.3	56	14.8	895
Parcel, U.S. Postal Service or courier	S 26 - -	3.0 - - -	S 23 - -	S 1.2 - -	S 54 - -	\$ 14.3 - -	824 2 309 - -
Other and unknown modes	s	s	s	s	s	s	2
SCTG 21, PHARMACEUTICAL PRODUCTS							
Total	3 062	100.0	s	s	s	s	1 827
Single modes	1 231	40.2	32	30.8	s	s	2 017
Truck ³ For-hire truck	1 191 S 380	38.9 S 12.4	31 S S	30.0 S S	s s s	s s s	S S 21
Rail	-	-	-	_	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - -	- - -	- - -	- - -	- - - -
Air (includes truck and air)	41	1.3	S -	S -	S S	S S	2 485 S
Multiple modes	1 824	59.6	7	6.4	5	11.3	1 698
Parcel, U.S. Postal Service or courier	1 824 - - -	59.6 - - -	7 - - -	6.4 - - -	5 - - -	11.3 - - -	1 698 - - -
Other multiple modes	-	-	-	-	-	-	_
Other and unknown modes	s	s	s	s	s	s	454

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commonly Flow Survey.	Val		Tons		Ton-miles ¹			
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment	
SCTG 22, FERTILIZERS								
Total	s	s	s	s	376	100.0	s	
Single modes	s	s	s	s	376	100.0	s	
Truck ³	S	S	S 281	S 14.7	126	33.5	S	
For-hire truck Private truck	42 S	12.0 S	281 S	14.7 S	70 S	18.5 S	233 22	
Rail	s	S	S	S	S	s	834	
Water Shallow draft Shallow draft	_			-	-	_ _	-	
Great Lakes			_	_		_ _	_ _	
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	2 707 S	
Multiple modes	-	-	-	_	-	-	-	
Parcel, U.S. Postal Service or courier	-	=	-	_	-	_	-	
Truck and water	_	_	=	_	_	=	=	
Rail and water			=					
Other and unknown modes	_	-	-	_	_	-	-	
SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.								
Total	1 908	100.0	643	100.0	s	s	81	
Single modes	1 526	80.0	615	95.6	s	s	58	
Truck ³	1 520 260	79.7 13.6	599 S	93.1 S	S	S	57 S	
Private truck	1 260	66.0	536	83.3	Š	S S	51	
Rail	S	S	S	S	S	S	2 706	
Water			_	_		_	_ _	
Great Lakes	_ _		_		_ _	_ _	_ _	
Air (includes truck and air)	S _	S -	S -	s -	S S	s s	1 991 S	
Multiple modes	s	s	s	s	s	s	s	
Parcel, U.S. Postal Service or courier	s	S	S	s	s	s	S	
Truck and rail		_	_	_		_ _		
Rail and water		_ _	_ _			- - -	_ _	
Other and unknown modes	s	s	s	s	s	s	s	
SCTG 24, PLASTICS AND RUBBER								
Total	1 735	100.0	451	100.0	250	100.0	760	
Single modes	1 165	67.1	394	87.2	174	69.6	s	
Truck ³	1 141	65.7	388	85.9	172	68.6	S	
For-hire truck	791 350	45.6 20.2	S 103	S 22.8	165 6	66.1 2.5	668 33	
Rail	_	-	-	-	-	-	-	
Water	_	=	_		-	_	=	
Great Lakes Deep draft	_ _ _	=	_ 			_ _ _	_ _ _	
Air (includes truck and air)Pipeline ⁴	S -	S -	S -	S -	S S	S S	2 743 S	
Multiple modes	s	s	s	s	s	s	1 335	
Parcel, U.S. Postal Service or courier	s	S	S	s	s	s	1 334	
Truck and railTruck and water	- S	S	S	- S	S	- S	1 981	
Rail and water		- -	_ _			_ _	_ _	
Other and unknown modes	27	1.6	6	1.3	s	s	s	

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based of data from the 2002 Commonly Flow Curvey.	Value		To	ns	Ton-n	miles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH							
Total	636	100.0	3 391	100.0	792	100.0	319
Single modes	s	s	s	s	s	s	286
Truck ³ For-hire truck Private truck	S S S	S S S	s s s	S S S	999	\$ \$ \$	189 209 35
Rail	s	s	S	s	S	s	563
Water Shallow draft	S	s	S	s -	S	s -	22
Great Lakes Deep draft	S	S	s	s	S	s s	22
Air (includes truck and air)		-	_ _	_ _	Š	s	S
Multiple modes	s	s	s	s	s	s	2 711
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- S S - -	- S S - -	 88 -	- 8 8 - -	1 8 8 1 1	 S	493 2 992 - -
Other and unknown modes	s	s	s	s	s	s	133
SCTG 26, WOOD PRODUCTS							
Total	5 091	100.0	17 191	100.0	12 287	100.0	219
Single modes	4 653	91.4	16 566	96.4	11 117	90.5	185
Truck ³ For-hire truck Private truck	3 642 2 385 1 255	71.5 46.8 24.7	11 382 7 859 S	66.2 45.7 S	3 181 2 740 S	25.9 22.3 S	147 332 80
Rail	874	17.2	4 896	28.5	7 598	61.8	1 685
Water Shallow draft	S	s	S	S -	S	s	918
Great Lakes Deep draft	- S	- S	S		S	s s	918
Air (includes truck and air)	8 -	.2	S -	S -	SS	S S	2 642 S
Multiple modes	s	s	s	s	s	s	696
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	31 151 S - S	.6 3.0 S - S	2 190 S - S	1.1 S - S	1 405 S - S	3.3 S - S	485 2 050 2 250 - 9
Other and unknown modes	101	2.0	s	s	s	s	s
SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD							
Total	2 057	100.0	3 505	100.0	2 595	100.0	138
Single modes	1 891	91.9	3 282	93.6	2 324	89.6	146
Truck ³	1 388 963 423	67.5 46.8 20.6	2 351 1 900 448	67.1 54.2 12.8	1 268 1 193 73	48.9 46.0 2.8	119 518 51
Rail	459	22.3	881	25.1	1 041	40.1	1 378
Water Shallow draft	s	s -	S	S -	S	S -	369
Great Lakes Deep draft	- S	- - s	S	_ _ S	S	s S	369
Air (includes truck and air)Pipeline ⁴		=	=	=	- S	- S	s
Multiple modes	89	4.3	123	3.5	248	9.6	s
Parcel, U.S. Postal Service or courier	S 60 S	S 2.9 S	S 87 S	S 2.5 S	S 184 S	S 7.1 S	40 2 067 3 021
Rail and water Other multiple modes	S	- S	S	- S	S	s S	467
Other and unknown modes	s	s	s	s	s	s	s

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 28, PAPER OR PAPERBOARD ARTICLES							
Total	2 572	100.0	2 201	100.0	958	100.0	185
Single modes	2 345	91.2	2 079	94.5	702	73.3	121
Truck ³ For-hire truck Private truck	2 242 1 633 S	87.2 63.5 S	2 021 1 400 S	91.8 63.6 S	595 556 S	62.1 58.1 S	109 359 40
Rail	95	3.7	56	2.5	104	10.9	1 959
Water Shallow draft Great Lakes	S	S - -	S - -	S -	S - -	s - -	1 806 - -
Deep draft Air (includes truck and air)	S S	S S	S S	S S	S S S	S S S	1 806 1 864 S
Multiple modes	218	8.5	s	s	s	s	s
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	70 109 S -	2.7 4.3 S	\$ \$ \$ -	\$ \$ \$ \$ \$ = -	2 8 8	.2 S S -	S 2 284 2 766 - -
Other and unknown modes	s	s	s	s	s	s	s
SCTG 29, PRINTED PRODUCTS							
Total	1 548	100.0	s	s	s	s	578
Single modes	1 123	72.5	s	s	s	s	s
Truck ³ For-hire truck Private truck	1 119 S 199	72.3 S 12.8	S S 12	S S 6.6	S S -	S S -	1 209 S
Rail	-	-	_	_	-	-	_
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	= = =	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)	S -	S -	S -	s -	SS	s s	2 459 S
Multiple modes	s	s	7	3.9	s	s	908
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes Other and unknown modes	S - S 55	S - S - - - - 3.6	7 - S - - S	3.8 S - - - s	\$ \$ - \$	\$ \$ •	909 - 296 - - S
SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER	33	3.0	S	J			ŭ
Total	5 433	100.0	519	100.0	567	100.0	1 043
Single modes	3 628	66.8	446	85.9	491	86.7	1 109
Truck ³ For-hire truck Private truck	3 580 2 188 1 392	65.9 40.3 25.6	432 282 S	83.2 54.2 S	S S 16	S S 2.8	1 033 1 562 76
Rail	S	s	s	s	s	s	2 530
Water Shallow draft	S -	s -	S -	S -	S -	s -	2 008
Great Lakes Deep draft	S	s	S	s	S	s	2 008
Air (includes truck and air)	S -	S -	S -	S -	S S	s s	2 834 S
Multiple modes	1 647	30.3	67	13.0	73	12.9	1 095
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	1 597 S S	29.4 S S -	58 S S	11.2 S S -	55 S S	9.7 S S -	1 094 2 163 2 005
Other multiple modes	158	2.9	6	1.1	s	s	s

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Value	stimates may no	Ton	s	Ton-n	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 31, NONMETALLIC MINERAL PRODUCTS			, ,		, ,		
Total	s	s	s	s	873	100.0	s
Single modes	s	s	s	s	608	69.6	114
Truck ³ For-hire truck Private truck	S 299 S	S 7.7 S	\$ 708 \$	S 22.6 S	513 334 S	58.8 38.3 S	102 266 92
Rail	s	s	s	S	s	s	1 307
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	S _	S -	S _	S -	S	S	1 999 S
Multiple modes	85	2.2	67	2.1	s	s	772
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	71 S S - -	1.8 S S -	5 8 8 -	.2 S S - -	6 S S	.7 \$ \$ - -	759 2 750 2 557 – –
Other and unknown modes	s	s	s	s	s	s	s
SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES							
Total	2 116	100.0	2 100	100.0	s	s	s
Single modes	1 995	94.3	1 959	93.3	s	s	s
Truck ³ For-hire truck Private truck	1 833 945 881	86.6 44.7 41.6	1 595 S 997	76.0 S 47.5	406 351 54	37.3 32.2 5.0	169 822 86
Rail	s	S	S	S	s	s	1 620
Water Shallow draft Great Lakes Deep draft	S S	\$ \$ - -	S S - -	\$ \$ - -	S S - -	S S - -	210 210 - -
Air (includes truck and air)	3 –	.1	S -	S -	S S	S S	2 057 S
Multiple modes	55	2.6	s	s	s	s	556
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	9 44 S - S	.4 2.1 S - S	1 S S - S	- S S - S	- S S - S	- S S - S	526 2 245 1 021 — 1 841
Other and unknown modes	s	s	s	s	s	s	s
SCTG 33, ARTICLES OF BASE METAL							
Total	3 262	100.0	1 170	100.0	404	100.0	524
Single modes	2 735	83.9	1 145	97.9	385	95.4	215
Truck ³ For-hire truck Private truck	2 620 1 418 1 084	80.3 43.5 33.2	1 119 525 525	95.7 44.8 44.9	341 257 67	84.6 63.6 16.7	164 S 73
Rail	_	-	-	-	-	-	-
Water Shallow draft	S -	S -	S -	S -	S -	S -	1 872 -
Great Lakes Deep draft	S	S	S	S	s	S	1 872
Air (includes truck and air)	S -	S -	S -	S -	S	S	2 042 S
Multiple modes	432	13.3	14	1.2	s	s	1 101
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	432 S -	13.2 S -	13 - S -	1.1 - S -	S - S -	S - S -	1 101 - 1 071 -
Other multiple modes	s	s	s	s	s	s	257

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commonly flow oursey.	Value		То	ns	Ton-r		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 34, MACHINERY			, ,		, ,		
Total	3 855	100.0	433	100.0	596	100.0	s
Single modes	3 035	78.7	388	89.6	566	95.0	s
Truck ³	2 988 2 052	77.5 53.2	387 277	89.4 64.0	565 541	94.7 90.8	S 842
Private truck	932	24.2	110	25.4	S	\$0.0 S	38
Rail	_	-	-	-	-	-	-
Water Shallow draft Shallow dr	S -	S -	S -	S -	S -	S -	953 -
Great Lakes Deep draft	S	s	S	S	S	S	953
Air (includes truck and air)	S _	S -	S -	S -	1 S	.2 S	1 970 S
Multiple modes	s	s	s	s	s	s	s
Parcel, U.S. Postal Service or courier	S	s	S	S	S	S	S 226
Truck and water	S -	S S -	\$ -	S S	S -	S -	3 077
Other and unknown modes	102	2.6	- 11	2.6	- S	s -	- s
Other and unknown modes	102	2.6	"	2.0	5	5	5
SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT							
Total	14 266	100.0	468	100.0	263	100.0	531
Single modes	9 016	63.2	398	85.1	198	75.4	s
Truck ³	6 823 3 716 3 099	47.8 26.0 21.7	385 162 S	82.4 34.5 S	174 167 7	66.2 63.6 2.6	S S S
Rail	s	s	S	S	S	s	2 145
Water Shallow draft Shallow dr	S _	s -	S -	S -	S -	S -	872 -
Great Lakes Deep draft	S	s	s	S	S	s S	872
Air (includes truck and air)	2 187	15.3	12 -	2.5	23 S	8.7 S	2 406 S
Multiple modes	4 743	33.2	51	10.9	50	19.2	1 080
Parcel, U.S. Postal Service or courier	4 720 S	33.1 S	48 S	10.2 S	44 S	16.6 S	1 076 2 208
Truck and water	S -	S -	\$ -	S -	S -	S -	2 899
Other multiple modes	- S	- s	- S	- S	- S	s s	- s
		3	3	3	3	3	3
SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS)							
Total	2 082	100.0	312	100.0	205	100.0	487
Single modes	1 461	70.2	231	74.1	132	64.6	s
Truck ³ For-hire truck Private truck	1 461 507 953	70.2 24.3 45.8	231 75 156	74.1 24.2 49.9	132 107 25	64.5 52.5 12.1	S 1 194 S
Rail	_	-	-	-	-	-	-
Water Shallow draft	S -	s -	S -	S -	S -	S -	2 194 -
Great Lakes Deep draft	S	- S	S	S	S	s	2 194
Air (includes truck and air)	S _	s -	S -	S -	S S	S S	1 158 S
Multiple modes	486	23.3	s	s	s	s	740
Parcel, U.S. Postal Service or courier	S 11	S .5	S 4	S 1.3	S 11	S 5.6	717 2 866
Truck and water Rail and water Other multiple modes	13 - -	.6 - -	2 -	.5 - -	3 - -	1.3	1 828 - -
Other and unknown modes	135	6.5	s	s	s	s	s

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Value		Tor	าร	Ton-n	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.	(1 11 11 11 11 11 11 11 11 11 11 11 11		((2 2)		<u> </u>
Total	s	s	245	100.0	s	s	794
Single modes	s	s	228	93.0	s	s	430
Truck ³ For-hire truck Private truck	S S 1 007	S S 2.0	S S 39	S S 15.8	S S 9	S S 4.2	190 1 093 S
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - -	- - -	- - -	- - -	- - - -
Air (includes truck and air)	S	SS	S S	S S	S	S S	2 487 S
Multiple modes	642	1.3	2	.7	3	1.3	1 596
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	642 - - - -	1.3 - - - -	2 - - - -	.7 - - - -	3 - - - -	1.3 - - - -	1 596 - - - -
Other and unknown modes	s	s	s	s	s	s	1 604
SCTG 38, PRECISION INSTRUMENTS AND APPARATUS							
Total	5 080	100.0	s	s	s	s	s
Single modes	2 329	45.8	s	s	11	31.9	s
Truck ³ For-hire truck Private truck	1 219 1 008 S	24.0 19.8 S	S S S	S S S	7 5 S	19.2 13.7 S	S S S
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)	S -	S -	S -	S -	5 S	12.7 S	2 577 S
Multiple modes	2 188	43.1	s	s	6	17.1	822
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes Other and unknown modes	2 188 - - - - - - S	43.1 - - - - - -	S S	S - - - - - S	6 - - - - S	17.1 - - - - - S	822 - - - - 2 206
SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS			3	J	Ü	Š	2 200
Total	2 044	100.0	328	100.0	s	s	s
Single modes	1 905	93.2	316	96.4	s	s	s
Truck ³ For-hire truck Private truck	1 860 533 1 301	91.0 26.1 63.6	302 105 193	92.3 31.9 58.9	S S S	S S S	S 574 110
Rail	s	S	s	S	S	s	2 651
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	S _	S -	S -	S -	S	S S	2 442 S
Multiple modes	s	s	9	2.9	s	s	1 133
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Char multiple modes	\$ - \$	S - S -	\$ - \$ -	\$ - \$	S - S -	S - S -	627 2 094 -
Other multiple modes	- s	s	- S	s	s	s	- s
Card and unknown modes	. 31	3 1	3 1	31	3 1	3 1	3

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 dominoutly flow durvey.	Valu		To	ins	Ton-r		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS	(((, s.
Total	5 536	100.0	737	100.0	416	100.0	1 494
Single modes	2 005	36.2	631	85.6	244	58.6	419
Truck ³	1 953	35.3	626	85.0	232	55.8	913
For-hire truck Private truck	1 333 621	24.1 11.2	S S	S S S	205 S	49.1 S	1 138 44
Rail	S	s	S	s	S	s	2 304
Water Shallow draft Shallow draft	S -	S -	S -	S -	S -	S -	3 014
Great Lakes Deep draft	S	S	S	S	S	s	3 014
Air (includes truck and air)	26 -	.5 -	1 -		S S	S S	2 579 S
Multiple modes	3 141	56.7	s	s	s	s	1 608
Parcel, U.S. Postal Service or courier	3 133	56.6 -	S -	S -	S -	S	1 608
Truck and water	S _	S -	S -	S -	S -	S -	2 521 -
Other multiple modes	s	- s	- 18	2.5	- 14	3.3	- s
SCTG 41, WASTE AND SCRAP							
Total	s	s	s	s	1 337	100.0	287
Single modes	s	s	s	s	s	s	s
Truck ³ For-hire truck Private truck	SSS	S S S	S S S	S S S	S S S	S S S	S 42 S
Rail	S	S	S	S	S	s	372
Water	_	-	-	_	-	_	_
Shallow draft Great Lakes Deep draft	- - -	- - -	=	- - -	- - -	- - -	- - -
Air (includes truck and air)		-	_ _	_ _ _	- S	_ S	_ S
Multiple modes	s	s	673	23.0	1 264	94.5	1 793
Parcel, U.S. Postal Service or courier	_ S	_ S	- 673	23.0	- 1 264	_ 94.5	1 793
Truck and water Rail and water		- -	-		-	-	
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	s	s	s	s	s	7
SCTG 43, MIXED FREIGHT							
Total	22 101	100.0	6 053	100.0	857	100.0	425
Single modes	21 046	95.2	5 897	97.4	772	90.1	135
Truck ³ . For-hire truck Private truck.	20 924 2 534 18 280	94.7 11.5 82.7	5 864 860 4 956	96.9 14.2 81.9	710 223 478	82.8 26.0 55.7	118 321 70
Rail	s	s	S	s	S	s	2 346
Water	S	S S	S S	S S	S	S S	1 413 478
Great Lakes Deep draft	S	S	S	S	S	s s	1 863
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	2 038 S
Multiple modes	950	4.3	69	1.1	77	8.9	993
Parcel, U.S. Postal Service or courier	864	3.9	49	.8	43	5.0	985
Truck and water Rail and water	S -	S -	20	.3	34	3.9	1 844
Other multiple modes	-	-	_	_	-	-	-
Other and unknown modes	s	s	s	s	s	s	s

Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Va	lue	To	ons	Ton-n		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
COMMODITY UNKNOWN							
Total	438	100.0	220	100.0	s	s	689
Single modes	405	92.5	183	83.0	s	s	s
Truck ³ For-hire truck Private truck	399 S S	91.0 S S	168 S S	76.4 S S	S S 2	S S 1.4	S 846 S
Rail	s	S	15	6.6	S	s	930
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	_ _	_ _	=		- S	- S	- S
Multiple modes	32	7.3	1	.5	s	s	1 749
Parcel, U.S. Postal Service or courier Truck and rail. Truck and water Rail and water Other multiple modes	32 - - - -	7.3 - - - -	1 - - - -	.5 - - - -	S	\$ - - -	1 749 - - - -
Other and unknown modes	s	s	s	s	s	s	750

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.
²Estimates exclude shipments of crude petroleum (SCTG 16),
³"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.
⁴Estimates for pipeline exclude shipments of crude petroleum.

Table 7. Outbound Shipment Characteristics by State of Destination for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Val	ue	То	ins	Ton-	miles ¹
State of destination	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent
Total	177 395	100.0	259 594	100.0	46 724	100.0
NEW ENGLAND STATES						
Connecticut Maine Massachusetts Massachusetts New Hampshire Rhode Island Vermont	213 72 445 73 39 S	.1 - .3 - - S	104 25 95 14 S	- - - - S S	\$ 80 290 42 \$ 2	S .2 .6 - S -
MIDDLE ATLANTIC STATES						
New Jersey New York Pennsylvania	575 1 339 1 207	.3 .8 .7	145 346 259	- .1 .1	421 1 009 722	.9 2.2 1.5
EAST NORTH CENTRAL STATES						
Illinois . Indiana . Michigan . Ohio . Wisconsin .	2 086 520 1 543 1 202 561	1.2 .3 .9 .7 .3	1 047 74 580 284 549	.4 - .2 .1 .2	2 248 166 1 272 663 996	4.8 .4 2.7 1.4 2.1
WEST NORTH CENTRAL STATES						
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	401 254 987 608 139 73 41	.2 .1 .6 .3 - -	S 37 S 144 S S 18	S - S - S S -	S 67 S 301 S S 29	S .1 S .6 S S -
SOUTH ATLANTIC STATES						
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	81 S 1 665 745 535 744 315 746 63	- S .9 .4 .3 .4 .2 .4	S S 396 309 50 84 35 161 S	\$ \$ 2 .1 - - - \$	S S 1 237 859 136 233 102 471 S	\$ 2.6 1.8 .3 .5 .2 1.0 \$
EAST SOUTH CENTRAL STATES						
Alabama . Kentucky Mississippi . Tennessee .	281 827 30 519	.2 .5 - .3	101 104 13 115	- - -	278 239 36 290	.6 .5 _ .6
WEST SOUTH CENTRAL STATES						
Arkansas Louisiana Oklahoma Texas	522 S 379 2 600	.3 S .2 1.5	182 114 138 735	- - .3	396 298 306 1 685	.8 .6 .7 3.6
MOUNTAIN STATES						
Arizona Colorado Idaho Idaho Montana Nevada New Mexico Utah Wyoming	837 672 3 620 1 687 517 203 753 112	.5 .4 2.0 1.0 .3 .1 .4	767 343 2 918 1 131 166 63 556 30	.3 .1 1.1 .4 - - .2	1 171 461 851 540 181 91 490 27	2.5 1.0 1.8 1.2 .4 .2 1.0
PACIFIC STATES						
Alaska. California Hawaii. Oregon. Washington	918 11 661 310 10 981 122 189	.5 6.6 .2 6.2 68.9	511 7 608 411 37 478 198 971	.2 2.9 .2 14.4 76.6	730 7 840 1 196 6 464 7 545	1.6 16.8 2.6 13.8 16.1

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Inbound Shipment Characteristics by State of Origin for State of Destination: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Val	ue	To	ons	Ton-miles ¹		
State of origin	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	223 300	100.0	248 558	100.0	65 229	100.0	
NEW ENGLAND STATES							
Connecticut Maine Massachusetts New Hampshire Rhode Island Vermont	276 137 S 395 S 101	.1 - S .2 S	11 14 76 140 S 10	- - - - S	32 44 232 426 S 31	- - .4 .7 S	
MIDDLE ATLANTIC STATES							
New Jersey New York Pennsylvania	1 482 2 408 1 898	.7 1.1 .8	288 313 202	.1 .1 -	842 862 545	1.3 1.3 .8	
EAST NORTH CENTRAL STATES							
Illinois . Indiana . Michigan . Ohio . Wisconsin .	1 947 1 597 2 147 3 016 2 090	.9 .7 1.0 1.4 .9	427 527 372 822 779	.2 .2 .1 .3 .3	903 1 204 878 2 039 1 580	1.4 1.8 1.3 3.1 2.4	
WEST NORTH CENTRAL STATES							
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	1 441 2 723 1 787 1 684 697 294 227	.6 1.2 .8 .8 .3 .1	331 S 4 873 371 660 S S	.1 S 2.0 .1 .3 S S	636 S 9 295 780 1 154 2 286 S	1.0 S 14.2 1.8 3.5 S	
SOUTH ATLANTIC STATES							
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	107 S 1 371 1 105 397 1 498 370 629 115	0.6.5.2.7.2.3.1	21 S 220 264 S 256 119 134 73	- S - .1 S .1 - -	62 S 694 737 S 728 348 399 196	.1 S 1.1 1.1 .5 1.1 .5 .6	
EAST SOUTH CENTRAL STATES							
Alabama Kentucky Mississippi Tennessee	551 1 038 512 2 783	.2 .5 .2 1.2	209 177 164 245	- - - .1	570 430 421 627	.9 .7 .6 1.0	
WEST SOUTH CENTRAL STATES							
Arkansas	836 482 606 4 225	.4 .2 .3 1.9	392 S 175 841	.2 S - .3	887 S 369 1 963	1.4 S .6 3.0	
MOUNTAIN STATES							
Arizona . Colorado Idaho . Montana . Nevada . New Mexico . Utah . Wyoming .	1 559 807 1 706 314 1 952 107 1 384 102	.7 .4 .8 .1 .9 -	137 285 1 900 S S 90 2 770 S	- .1 .8 S S S - 1.1	208 395 840 S S 167 2 651	.3 .6 1.3 S S 3 4.1 S	
PACIFIC STATES							
Alaska California Hawaii Oregon Washington	675 20 744 49 15 511 122 189	.3 9.3 - 6.9 54.7	447 6 079 S 13 609 198 971	.2 2.4 S 5.5 80.0	416 6 130 S 2 154 7 545	.6 9.4 S 3.3 11.6	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Discussion of Survey Changes and Comparing Estimates

The following tables provide comparisons of the 2002 and 1997 Commodity Flow Survey (CFS) estimates.

Data users are urged to use caution in comparing estimates from different survey years due to the changes that have occurred in sample design, industry coverage, methodology, commodity classification coding systems, geography, and sample sizes. Appendix A presents change in these areas by survey year.

INDUSTRY COVERAGE CHANGES

Changes to the 2002 CFS include moving the industry coverage from a Standard Industrial Classification (SIC) based definition in the 1997 CFS to a North American Industry Classification System (NAICS) based definition for the 2002 survey. For the 2002 CFS, this meant that selected industries previously covered in the 1997 CFS using the SIC definitions, were now out-of-scope to the 2002 CFS industry coverage based on the NAICS definitions. The major industries not covered by the 2002 CFS that were included in the 1997 CFS are Logging (NAICS 11331); Newspaper Periodical, Book, and Database Publishers (NAICS 5111); and Music Publishers (NAICS 51223).

To make the 1997 CFS estimates comparable with the 2002 CFS, the 1997 CFS estimates have been revised by removing shipments from establishments in the following industries:

- SIC 2411 Logging
- SIC 2711 Newspapers: Publishing, or Publishing and Printing
- SIC 2721 Periodicals: Publishing, or Publishing and Printing
- SIC 2731 Books: Publishing, or Publishing and Printing
- SIC 2741 Miscellaneous Publishing
- SIC 2771 Greeting Cards

We were not able to adjust the 1997 CFS estimates to account the NAICS coverage changes when only part of a SIC moved out-of-scope. For example, a wholesale industry in-scope to the 1997 CFS—SIC 5171 (Petroleum Bulk Stations and Terminals)—included Heating Oil Sold Via Retail Method, which is now classified as Retail (NAICS 454311) and is out-of-scope of the 2002 CFS. The majority of the industry remains in-scope to the 2002 CFS industry coverage, therefore we made no adjustment to the 1997 CFS estimates.

No adjustments have been made to the 1993 CFS estimates.

Detailed information about NAICS can be found at www.census.gov/epcd/www/naics.html.

AUXILIARY ESTABLISHMENT COVERAGE CHANGES

The 2002 CFS improved the coverage of auxiliary establishments. Auxiliary establishments are defined as warehouses and managing offices of multiestablishment companies, which have non-auxiliary establishments that are in-scope to CFS or are classified in retail trade. For the 1997 CFS sampling, managing offices had to have sales or inventory levels of greater than zero in order to be considered for selection. However, research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, to provide a more comprehensive coverage of auxiliaries, for the 2002 CFS managing offices were subjected to sampling, regardless of sales or inventories.

COMPARISON DATA AND STATISTICAL VALIDITY

Changes from the 1997 to 2002 CFS include a decrease in sample size, from approximately 100,000 establishments for the 1997 CFS to about 50,000 establishments for the 2002 survey.

One consequence of the decreased sample size was a substantial increase in the sampling variability for estimates of period-to-period change produced at full detail levels for mode and commodity. Because of the increased variability in many of these categories, one cannot conclude with a high degree of confidence that changes were significant. For a more detailed discussion of sampling variability, see Appendix B. We have provided period-to-period comparisons at the following, higher levels of aggregation for mode of transportation and commodity since the impact of increased sampling variability is less at those levels. For consistency, these aggregation levels are also now used in our Metropolitan Area and Export tables, where appropriate.

Table 9. Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

		Value			Tons		Ton-miles ¹			Average miles per shipment		
Mode of transportation	2002 (million dollars)	1997 (million dollars)	Percent change	2002 (thousands)	1997 (thousands)	Percent change	2002 (millions)	1997 (millions)	Percent change	2002	1997	Percent change
Total	177 395	147 293	20.4	259 594	200 852	29.2	46 724	49 680	-6.0	589	821	-28.3
Single modes	153 770	118 769	29.5	241 834	167 494	44.4	41 445	42 962	-3.5	236	225	4.9
Truck ²	89 594 4 874 2 304 S 5 085	68 374 4 524 3 941 38 464 3 467	31.0 7.7 –41.5 S 46.7	159 578 26 931 S 205 24 254	112 459 13 275 25 799 102 15 859	41.9 102.9 S 101.2 52.9	19 452 14 516 3 931 S S	17 955 15 121 8 356 187 S	8.3 -4.0 -53.0 S	130 1 387 1 196 2 450 S	150 1 255 1 326 2 078 S	-13.7 10.5 -9.8 17.9 S
Multiple modes	19 635	20 369	-3.6	2 267	3 385	-33.0	4 292	4 364	-1.6	1 135	1 480	-23.3
Parcel, U.S. Postal Service or courier . Truck and rail	18 252 791 592	18 295 1 280 794	2 -38.2 -25.4	475 1 134 658	395 1 530 1 460	20.2 -25.9 -54.9	482 2 249 1 562	464 2 402 1 497	3.7 -6.4 4.3	1 128 2 016 1 906	1 479 2 029 1 500	-23.7 7 27.1
Other and unknown modes	3 990	8 155	-51.1	15 493	29 972	-48.3	987	s	s	s	s	s

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

			Value			Tons			Ton-miles ¹		Average	miles per ship	ment
SCTG code	Commodity description	2002 (million dollars)	1997 (million dollars)	Percent change	2002 (thousands)	1997 (thousands)	Percent change	2002 (millions)	1997 (millions)	Percent change	2002	1997	Percent change
	Total ²	177 395	147 293	20.4	259 594	200 852	29.2	46 724	49 680	-6.0	589	821	-28.3
01-05	Agricultural products and fish	10 741	14 667	-26.8	35 463	48 110	-26.3	5 952	8 448	-29.5	s	S	s
06-09	Grains, alcohol, and tobacco products	10 101	10 086	.2	9 786	9 272	5.5	5 549	5 634	-1.5	229	145	58.0
10-14 15-19	Stones, nonmetallic minerals, and metallic ores	2 647	952	178.2	s	38 667	S	4 121	1 031	299.6	S	22	s
20-24	products	12 153	8 381	45.0	57 581	41 381	39.2	5 858	6 883	-14.9	25	24	5.6
25-30	and pharmaceutical products	7 896	9 805	-19.5	5 082	9 500	-46.5	1 175	4 954	-76.3	938	360	160.8
20 00	textile and leather	17 337	18 214	-4.8	26 992	22 336	20.8	17 421	14 784	17.8	729	821	-11.3
31-34 35-38	Base metal and machinery Electronic, motorized	13 107	13 722	-4.5	6 842	19 972	-65.7	2 963	5 017	-40.9	325	324	.3
39-43	vehicles, and precision instruments	72 195	55 546	30.0	1 099	891	23.3	710	763	-7.0	530	616	-14.0
	misc. manufactured prod Commodity unknown	30 779 438	14 500 1 420	112.3 -69.1	10 050 220	8 171 S	23.0 S	2 810 S	1 678 489	67.4 S	838 689	1 625 550	-48.4 25.3

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²Estimates exclude shipments of crude petroleum (SCTG 16).

Appendix A. Comparability With the 1993 and 1997 Commodity Flow Surveys

The following tables show a comparison of the key characteristics among the 1993, 1997, and 2002 Commodity Flow Surveys.

Industry Coverage

1993	1997	2002
Based on 1987 SIC	Based on 1987 SIC	Based on 1997 NAICS ¹
Manufacturing (excluding Printing Trade Services (SIC 279))	Manufacturing (excluding Printing Trade Services (SIC 279))	Manufacturing (excluding Prepress Services (NAICS 323122))
Mining (except mining services (SICs 108, 124, 138, 148) and oil and gas extraction (SICs 131 and 132))	Mining (except mining services (SICs 108,124, 138, 148) and oil and gas extraction (SICs 131 and 132))	Mining (except support activities (NAICS 213) and oil and gas extraction (NAICS 211))
Wholesale (merchants and manufacturers' sales branches and governmentowned liquor stores)	Wholesale (merchants and manufacturers' sales branches and government-owned liquor stores)	
Retail catalog and mail order houses	Retail catalog and mail order houses	Retail electronic shopping and mail order houses
Auxiliaries (e.g., warehouses)	Auxiliaries (e.g., warehouses)	Auxiliaries ² (e.g., warehouses)

¹Because of changes in the classification of establishments between SIC and NAICS, establishments classified in the following industries were covered in the 1993 and 1997 surveys, but not in the 2002 survey: NAICS 11331, Logging; NAICS 5111, Newspaper, Periodical, Book, and Database Publishers; and NAICS 51223, Music Publishers. Detailed information about NAICS can be found on the Census Bureau Web site at:

Commodity Classification System

1993	1997	2002
Standard Transportation Commodity Classification (STCC), developed by the Association of American Railroads (AAR)	Standard Classification of Transported Goods (SCTG)	Standard Classification of Transported Goods (SCTG)

http://www.census.gov/epcd/www/naics.html.

²Coverage of auxiliaries has been expanded for the 2002 CFS. In comparison, for the 1997 CFS, the number of in-scope managing offices was reduced to a large extent based on the results of the 1992 Economic Census. For the 1997 CFS, a managing office was considered in-scope only if it had sales or end-of-year inventories in the 1992 Census. Research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, the 1997 Economic Census results were not used to determine scope for managing offices in the 2002 CFS. For the 2002 survey, the inclusion of an increased number of auxiliaries (intermediary distribution centers) which support the operations of retail stores (most of which are, themselves out-of-scope) has more of an impact on the estimates of value and tonnage and less on ton-miles.

Sample Size

1993	1997	2002			
Approximately 200,000 establishments selected from a universe of about 790,000 in-scope establishments.	Approximately 100,000 establishments selected from a universe of about 770,000 in-scope establishments.	Approximately 50,000 establishments selected from a universe of about 760,000 in-scope establishments.			

Survey Methodology

1993	1997	2002
Respondents reported for a sample of their individual outbound shipments for a 2-week period during each of the four calendar quarters of the reference year.	Respondents reported for a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of the reference year.	of their individual outbound shipments for a 1-week period
Respondents reported key characteristics for each sampled shipment	Respondents reported key characteristics for each sampled shipment.	Respondents reported key characteristics for each sampled shipment.

Reported Mode of Transportation

1993	1997	2002
For-hire truck Private truck Rail Air Inland Water Deep Sea Water Pipeline Parcel, U.S. Postal Service, or courier Other Unknown	For-hire truck Private truck Rail Air Shallow draft vessel Deep draft vessel Pipeline Parcel, U.S. Postal Service, or courier Other Unknown	For-hire truck Private truck Rail Air Shallow draft vessel Deep draft vessel Pipeline Parcel, U.S. Postal Service, or courier Other Unknown

Data Items Requested

1993	1997	2002
For each shipment:	For each shipment:	For each shipment:
Total value Total weight Commodity that contributes the most to the shipment's weight (STCC)	Total value Total weight Commodity that contributes the most to the shipment's weight (SCTG)	Total value Total weight Commodity that contributes the most to the shipment's weight (SCTG)
All known modes of transportation	All known modes of transportation	All known modes of transportation
Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)	Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)	Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)
Destination Containerized (Y/N) Hazardous material (Y/N)	Destination Containerized (Y/N) Hazardous material (UN/NA) code	Destination Hazardous material (UN/NA) code
Export (Y/N) If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.	Export (Y/N) If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.	Export (Y/N) If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.

Appendix B. Reliability of the Estimates

The estimates in this publication may differ from the actual, unknown population values. Statisticians define this difference as the total error of the estimate. When describing the accuracy of survey results, it is convenient to discuss total error as the sum of sampling error and nonsampling error. Sampling error is the average difference between the estimate and the result that would be obtained from a complete enumeration of the sampling frame conducted under the same survey conditions. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate.

The sampling error of the estimates in this publication can be estimated from the selected sample because the sample was selected using probability sampling. Common measures related to sampling error are the sampling variance, the standard error, and the coefficient of variation (CV). The sampling variance is the squared difference, averaged over all possible samples of the same size and design, between the estimator and its average value. The standard error is the square root of the sampling variance. The CV expresses the standard error as a percentage of the estimate to which it refers. This publication presents these measures in Appendix B.

Nonsampling errors are difficult to measure and can be introduced through inadequacies in the questionnaire, nonresponse, inaccurate reporting by respondents, errors in the application of survey procedures, incorrect recording of answers, and errors in data entry and processing. No measures of nonsampling error are presented in this publication, however, every effort is made to minimize their effect on the estimates. Data users should take into account both the measures of sampling error and the potential effects of nonsampling error when using these estimates.

More detailed descriptions of sampling and nonsampling errors for the 2002 CFS are provided in the following sections.

Sampling Error

Because the estimates are based on a sample, exact agreement with results that would be obtained from a complete enumeration of all shipments made in 2002 from all establishments included on the sampling frame using the same enumeration procedures is not expected. However, because probability sampling was used at each stage of selection, it is possible to estimate the sampling variability of the survey estimates. For CFS estimates, sampling variability arises from each of the three stages of sampling. (See Appendix C for a description of the sample design.)

The particular sample used in this survey is one of a large number of samples of the same size that could have been selected using the same design. If all possible samples had been surveyed under the same conditions, an estimate of a population parameter of interest could have been obtained from each sample. These samples give rise to a distribution of estimates for the population parameter. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The *standard error* is defined as the square root of the variance. The *coefficient of variation* (or relative standard error) of an estimator is the standard error of the estimator divided by the estimator. Note that measures of sampling variability, such as the standard error and coefficient of variation, are estimated from the sample and are also subject to sampling variability. (Technically, we should refer to the *estimated* standard error or the *estimated* coefficient of variation of an estimator. However, for the sake of brevity, we have omitted this detail.) It is important to note that the standard error only measures sampling variability. It does not measure systematic biases of the sample. The Census Bureau recommends that individuals using estimates contained in this report incorporate this information into their analyses, as sampling error could affect the conclusions drawn from these estimates.

An estimate from a particular sample and the standard error associated with the estimate can be used to construct a confidence interval. A *confidence interval* is a range about a given estimator that has a specified probability of containing the result of a complete enumeration of the sampling frame conducted under the same survey conditions. Associated with each interval is a percentage of confidence, which is interpreted as follows. If, for each possible sample, an estimate of a population parameter and its approximate standard error were obtained, then:

- 1. For approximately 90 percent of the possible samples, the interval from 1.645 standard errors below to 1.645 standard errors above the estimate would include the result as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.
- 2. For approximately 95 percent of the possible samples, the interval from 1.96 standard errors below to 1.96 standard errors above the estimate would include the result as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.

To illustrate the computation of a confidence interval for an estimate of total value of shipments, assume that an estimate of total value is \$10,750 million and the coefficient of variation for this estimate is 1.8 percent, or 0.018. First obtain the standard error of the estimate by multiplying the value of shipments estimate by its coefficient of variation. For this example, multiply \$10,750 million by 0.018. This yields a standard error of \$193.5 million. The upper and lower bounds of the 90-percent confidence interval are computed as \$10,750 million plus or minus 1.645 times \$193.5 million. Consequently, the 90-percent confidence interval is \$10,432 million to \$11,068 million. If corresponding confidence intervals were constructed for all possible samples of the same size and design, approximately 9 out of 10 (90 percent) of these intervals would contain the result obtained from a complete enumeration.

Nonsampling Error

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes in the survey process. In the CFS, nonsampling error can be attributed to many sources: inability to obtain information about all units in the sample; response errors; differences in the interpretation of the questions; mistakes in coding or keying the data obtained; and other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases due to nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize their influence. The Census Bureau recommends that individuals using estimates in this report incorporate this information into their analyses, as nonsampling error could affect the conclusions drawn from these estimates.

A potential source of bias in the estimates is nonresponse. Nonresponse is defined as the inability to obtain all the intended measurements or responses from all units in the sample. Four levels of nonresponse can occur in the CFS: item, shipment, quarter (reporting week), and establishment. Item nonresponse occurs either when a question is unanswered or the response to the question fails computer or analyst edits. Nonresponse to the shipment value or weight items is corrected by imputation, which is the procedure by which a missing value is replaced by a predicted value obtained from an appropriate model. (See Appendix C for a description of the imputation procedure.) Shipment, quarter, and establishment nonresponse are used to describe the inability to obtain any of the substantive measurements about a sampled shipment, quarter, or establishment, respectively. Shipment and quarter nonresponse are corrected by reweighting. Reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents. The amount of bias introduced by this nonresponse adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents. Establishment nonresponse is corrected during the estimation procedure by the industrylevel adjustment weight. (See Appendix C for a description of the estimation procedure.) In most cases of establishment nonresponse, none of the four questionnaires have been returned to the Census Bureau, after several attempts to elicit a response. Approximately 63 percent of the establishments provided at least one quarter of data that contributed to tabulation.

Some possible sources of bias that are attributed to respondent-conducted sampling include misunderstanding the definition of a shipment, constructing an incomplete frame of shipments from which to sample, ordering the shipment sampling frame by selected shipment characteristics, and selecting shipment records by a method other than the one specified in the questionnaire's instructions. We often contact respondents who reported shipments having an untypically large value or weight when compared to the rest of their reported shipments. Upon contact, if we are able to collect information on all of a given respondent's large shipments made either for a particular reporting week or for the entire quarter, then we identify these large shipments as certainty shipments. (See Appendix C for a description of how certainty shipments are used in the estimation process.)

DEFINITION OF TERMS

Confidentiality

Title 13 of the United States Code authorizes the Census Bureau to conduct censuses and surveys. Section 9 of the same Title requires that any information collected from the public under the authority of Title 13 be maintained as confidential. Section 214 of Title 13 and Sections 3559 and 3571 of Title 18 of the United States Code provide for the imposition of penalties of up to 5 years in prison and up to \$250,000 in fines for wrongful disclosure of confidential census information. In accordance with Title 13, no estimates are published that would disclose the operations of an individual firm.

The Census Bureau's internal Disclosure Review Board sets the confidentiality rules for all data releases. A checklist approach is used to ensure that all potential risks to the confidentiality of the data are considered and addressed.

Disclosure Limitation

Disclosure is the release of data that have been deemed confidential. It generally reveals information about a specific individual or establishment or permits deduction of sensitive information about a particular individual or establishment. Disclosure limitation is the process used to protect the confidentiality of the survey data provided by an individual or firm. Using disclosure limitation procedures, the Census Bureau modifies or removes the characteristics that put confidential information at risk for disclosure. Although it may appear that a table shows information about a specific individual or business, the Census Bureau has taken steps to disguise or suppress the original data while making sure the results are still useful. The techniques used by the Census Bureau to protect confidentiality in tabulations vary, depending on the type of data.

Unpublished Estimates

Some unpublished estimates can be derived directly from this report by subtracting published estimates from their respective totals. However, the estimates obtained by such subtraction would be subject to poor response, high sampling variability, or other factors that may make them potentially misleading.

Individuals who use estimates in this report to create new estimates should cite the Census Bureau as the source of only the original estimates.

Table B-1a. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Val	ue	To	ns	Ton-		
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
Total	19.6	-	23.8	-	9.2	-	12.0
Single modes	23.2	3.2	25.9	2.4	10.8	1.8	22.9
Truck For-hire truck Private truck	7.7 5.5 14.3	6.0 3.6 3.1	36.8 9.2 48.9	6.4 3.5 6.3	8.5 8.0 14.8	3.1 2.6 1.0	10.6 14.6 11.9
Rail	17.9	.8	25.9	2.6	25.6	4.8	8.3
Water Shallow draft Great Lakes	40.9 S	.8 S	S S	S S	47.1 S	3.2 S	16.7 15.9
Deep draft	34.9	.2	s	s	41.9	1.0	15.9
Air (includes truck and air)	S 9.0	S .6	37.3 11.7	1.4	S S	S S	4.8 S
Multiple modes	17.7	3.1	16.3	.2	18.8	1.7	9.9
Parcel, U.S. Postal Service or courier	18.3 31.6 27.1	3.0 .2 .1	19.7 23.5 32.9	.2	26.6 22.3 35.9	.3 1.4 1.0	10.2 4.7 6.1
Rail and water Other multiple modes	S	s	S	s	S	s	49.0
Other and unknown modes	27.8	.4	27.1	2.4	17.8	.5	s

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs

Table B-1b. Estimated Standard Errors of Percentage for Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

Mode of transportation	Value (p	percent)	Tons (p	ercent)	Ton-miles (percent)		
wode of transportation	2002	1997	2002	1997	2002	1997	
Total	-	-	-	-	-	-	
Single modes	3.2	2.8	2.4	3.1	1.8	2.6	
Truck For-hire truck Private truck	6.0 3.6 3.1	4.6 2.5 2.4	6.4 3.5 6.3	3.5 1.4 2.5	3.1 2.6 1.0	2.5 2.2 .9	
Rail	.8	.4	2.6	1.7	4.8	3.1	
Water Shallow draft Great Lakes Deep draft	.8 S - .2	.5 .3 _ .4	\$ \$ \$	2.2 1.1 - 1.6	3.2 S - 1.0	3.3 2.0 – 2.5	
Air (includes truck and air) Pipeline	S .6	6.0 .8	- 1.4	_ 3.0	S S	- S	
Multiple modes	3.1	2.5	.2	.5	1.7	.9	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	3.0 .2 .1 - S	2.5 .2 .1 S	- .2 - - S	- .2 .4 S S	.3 1.4 1.0 - S	.1 .8 .6 S	
Other and unknown modes	.4	1.1	2.4	3.3	.5	s	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-2. Estimated Measures of Reliability for Shipment Characteristics by Total Modal Activity for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Ton-r			
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation	
Total	9.2	-	12.0	
Truck Rail Shallow draft Great Lakes Deep draft	8.5 25.6 S - 41.9	3.1 4.8 S - 1.0	10.6 8.3 15.9 15.9	
Air Parcel, U.S. Postal Service or courier Pipeline Other and unknown modes	S 15.3 S 17.8	S 1.2 S .5	4.8 18.3 S S	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002

Communication Communicatio		Va	lue	Tor	ns	Ton-r	niles
	Mode of transportation and distance shipped (based on Great Circle Distance)						
100 to 100 mines	Total	19.6	_	23.8	-	9.2	_
250 to 50 miles	50 to 99 miles		1.9	34.4	5.4	39.2	3.3
14-90 18-9	250 to 499 miles	15.7	.7	11.9	.5	11.0	.7
1,000 1,00							
2000 miles or more. 10.4 1.1 1.5 1.5 2.4	1,000 to 1,499 miles	10.7	.6	44.9	.3	46.2	4.1
See Ten Sombies 10	2,000 miles or more	10.4		14.1	.3	14.5	
50 to 90 miles			-		-		-
250 to 450 miles	50 to 99 miles	12.0	2.3	34.8	5.6	39.7	4.1
100 to 100 miles	250 to 499 miles	15.6	.8	12.6	∠.5 .5	11.8	.7
1,000 1,400 miles							
Truck 7.7 Less trans 50 miles 15.1 3.2 47.7 6.0 3.5 7.7 6.0 6.0 7.7 7.7 7.7 7.7 7.7	1,000 to 1,499 miles 1,500 to 1,999 miles		.6		.3 .4	S 12.0	S 2.6
See Name 15.1 3.2 477 4.0 36.7 2.2 3.5			.7				2.1
10 10 10 10 10 10 10 10			- 32				- 23
290 to 400 miles 170 7 10.8 5 12.8 6.8 70.0 to 910 miles 14.0 6.8 15.0	50 to 99 miles	12.9	1.2	13.8	2.9	12.7	.9 1.3
1,500 to 1,599 miles	250 to 499 miles	17.0	.7	10.8	.5 .3	12.8	.6 .8
1,500 to 1,599 miles					.5		
For-hire truck	1,500 to 1,999 miles	15.4	1.1	18.1	.4	18.2	2.6
			-		.5		-
100 to 249 miles	Less than 50 miles		2.1	21.2		14.8	.6
500 to 749 miles	100 to 249 miles	11.1	1.5	13.0	2.3	14.4	1.8
1,000 to 1,489 miles	250 to 499 miles				.9 .8		
1,500 to 1,999 miles							2.0 1.7
Private truck	1,500 to 1,999 miles	15.7	2.1	16.6	1.0	16.8	2.9
50 to 99 miles	Private truck	14.3	_	48.9	-	14.8	_
100 to 249 miles							
500 to 749 miles	100 to 249 miles	10.5	1.3	17.6	1.7	17.9	3.0
1,000 to 1499 miles	500 to 749 miles		1.3		-		.6
Rail	1,000 to 1,499 miles	S	.2 S	35.5	.1	35.5	1.5
Less than 50 miles 43.9 9.7 43.6 12.8 31.4 4 50 to 99 miles 30.9 2 35.4 6 38.6 36.5 5 5 5 5 5 5 5 5 5			5 -	8	S		S S
50 to 99 miles	Rail	17.9	-	25.9	-	25.6	-
500 to 749 miles 29.3 2.3 34.3 4.5 31.4 3.7	50 to 99 miles	30.9	.2	35.4	.6	38.6	_
Tool to 999 miles	250 to 499 miles	37.9	1.4		S S	S	S S
20.00 miles or more 20.8 2.4 20.5 2.2 21.0 3.9							
20.00 miles or more 20.8 2.4 20.5 2.2 21.0 3.9	1,000 to 1,499 miles	26.3	1.0	S	S 2.7	S	S 4.9
Less than 50 miles S		20.8		20.5	2.2		3.9
T50 to 999 miles			-				-
T50 to 999 miles	50 to 99 miles	S	S	S	5 S	S	5 S
T50 to 999 miles	250 to 499 miles	32.3	4.4	32.5	11.2	31.9	7.0 S
1,000 to 1,499 miles S	750 to 999 miles	s	s			S	
Shallow draft S <	1,500 to 1,999 miles	S S	S	S	S S	S	S
Less than 50 miles S					_		
50 to 99 miles S		s	s	S	S	S	
250 to 499 miles 32.3 14.3 32.5 14.8 31.9 14.7 500 to 749 miles S S S S S S 750 to 999 miles S S S S S S 1,000 to 1,499 miles - - - - - - 1,500 to 1,999 miles - - - - - -	50 to 99 miles	S S	S S	S S	S S	S S	S
1,000 to 1,499 miles							14.7 S
1,500 to 1,999 miles		S	S	S	S -		S _
	1,500 to 1,999 miles	_			- -	_	_ _

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the z	Val		Tons		Ton-miles		
Mode of transportation and distance shipped (based on Great Circle Distance)	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Single modes—Con.							
Great Lakes	-	_	-	_	_	_	
Less than 50 miles	_	_	_	_	_	_	
50 to 99 miles	_	-	_		_ _	_ _	
250 to 499 miles	-	-	-	=	-	-	
500 to 749 miles	-	_	-	-	-	_	
750 to 999 miles			_		-		
1,500 to 1,999 miles	-	=	=	=	=	=	
,			-	_	44.0		
Deep draft	34.9	-	S	S	41.9	_	
Less than 50 miles	S S	S S	S S	\$ \$ \$	S S S	\$ \$ \$ - \$	
100 to 249 miles	S	S	S	S	S	S	
500 to 749 miles	S	S	S	S	S	S	
750 to 999 miles	S	S	S	S	S S	S	
1,000 to 1,499 miles 1,500 to 1,999 miles	S S	S S	S S	\$ \$ \$ \$	S	\$ \$ \$ \$	
2,000 miles or more	42.7	6.4	S	S	S	S	
Air (includes truck and air)	s	s	37.3	-	s	s	
Less than 50 miles	S	S	S	Š	S	Š	
50 to 99 miles	S 23.1	S 2.1	S S	\$ \$ \$ \$ \$	<i>\$</i>	\$ \$ \$ \$ \$	
250 to 499 miles	S 38.2	S 7.9	S S	S	S	S	
	S	7.5 S	s	s	s		
750 to 999 miles	45.9	3.4	45.9	6.5	36.6	S 5.1	
1,500 to 1,999 miles	32.8 33.1	9.0 8.1	S S	S S	S S	S S	
Pipeline	9.0	_	11.7	_	s	s	
Less than 50 miles	41.5	4.0	44.8	3.5			
50 to 99 miles	18.4	9.6	18.0	10.1	\$ \$ \$ \$ \$	\$ \$ \$ \$	
100 to 249 miles	22.5	7.2	27.6	7.9	S S	S S	
500 to 749 miles	S	S	S	S	S	S	
750 to 999 miles	S	S	S	S	S	S	
1,000 to 1,499 miles	S	S	S	S	S	S S S	
2,000 miles or more	-	_	-	_	S	S	
Multiple modes	17.7	-	16.3	-	18.8	-	
Less than 50 miles	26.6 30.2	3.1 1.0	35.9 21.9	2.2 .9	28.7 25.5	_ _	
100 to 249 miles	21.6	1.7	17.9	.8	23.5	.2 .2 1.2	
250 to 499 miles	22.1 27.6	.6 .9	35.5 37.0	.7 1.7	35.0 42.8	1.2	
750 to 999 miles	21.0	1.9	26.9	2.3	26.4	1.8	
1,000 to 1,499 miles	16.0 23.6	1.0 2.1	39.7 36.7	4.3 4.6	41.6 36.0	4.9 5.9	
2,000 miles or more	20.3	3.0	31.5	5.8	31.4	7.5	
Parcel, U.S. Postal Service or courier	18.3	_	19.7	_	26.6	_	
Less than 50 miles	26.7	3.3	25.7	5.5	17.1	.2	
50 to 99 miles	30.6 21.8	1.2 1.9	28.8 24.1	1.7 2.0	31.0 24.1	.3 .8	
250 to 499 miles	22.1	.7	38.8	2.0	38.3	1.2	
500 to 749 miles	29.1	1.0	30.3	1.1	30.2	.9	
750 to 999 miles	21.2 16.4	2.0 .7	33.4 28.6	1.2 .9	33.4 28.5	1.3 1.4	
1,500 to 1,999 miles	26.5	2.3	34.1	2.0	34.5	3.6	
2,000 miles or more	20.4	3.1	30.6	2.8	29.8	3.8	
Truck and rail	31.6	-	23.5	-	22.3	-	
Less than 50 miles	S	S	S S	SS	S	S	
100 to 249 miles	S S	S S	49.3	.9 S	48.5	.1	
250 to 499 miles	\$ \$ \$ \$ \$ \$ \$ \$ \$	S S	S 48.5	S 3.1	S	\$ \$.1 \$ \$	
750 to 999 miles	36.3	3.4	27.8	4.0	27.5	3.2	
1,000 to 1,499 miles	33.0	4.3	38.4	3.8	38.9	2.9	
1,500 to 1,999 miles	45.3 21.5	7.2 5.5	48.9 35.1	7.7 5.4	47.5 35.5	8.7 7.5	
Truck and water	27.1	_	32.9	_	35.9	_	
						_	
Less than 50 miles	S -	S -	S -	S -	S -	S -	
100 to 249 miles	S S S	S S	S S	S S	S	- S S	
500 to 749 miles	Š	Š	Š	Š	Š	Š	
750 to 999 miles	S	S	32.7	3.6	29.8	1.2 S	
1,000 to 1,499 miles	S 24.3	S 6.9	S 43.3	S 6.0	\$ 47.0	5.8	
2,000 miles or more	46.2	7.4	47.5	10.1	48.3	10.9	

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002-Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Made of transportation and distance alringed	Val	Value Tons Ton-miles			Value		niles
Mode of transportation and distance shipped (based on Great Circle Distance)	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Multiple modes — Con.							
Rail and water	-	-	-	-	-	-	
Less than 50 miles	- - - -	- - - - -	- - - -	- - - - -	- - - - -	- - - - -	
750 to 999 miles	- - - -	- - -	-	-	- - - -	- - -	
Other multiple modes	s	s	s	s	s	s	
Less than 50 miles	888 - -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	888 -	888 - -	\$ \$ - -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
750 to 999 miles	- S S -	- S S	- 8 8 -	- 88 -	- S S -	- S S	
Other and unknown modes	27.8	-	27.1	-	17.8	-	
Less than 50 miles	31.2 42.5 35.3 S S	9.3 3.0 7.1 S S	39.3 33.4 37.3 S 43.4	15.7 9.1 9.5 S .2	37.6 33.4 35.4 S 43.8	8.9 8.0 8.0 S 1.9	
750 to 999 miles	43.5 S S S	.9 S S	40.2 S S 45.0	.1 S S -	43.5 S S 44.3	1.0 S S 2.9	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002

Estimates are shown as percents and are based on data from the 2002 Commodition	Value		Tons		Ton-miles			
Mode of transportation and shipment weight	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation	
Total	19.6	_	23.8	-	9.2	-	12.0	
Less than 50 lb	12.1 15.7 16.1 16.3 13.8	2.2 .8 1.9 .6	9.2 10.9 15.5 19.1 15.2	- .1 - -	22.6 30.5 13.0 16.8 14.6	.1 - .1 - -	14.1 21.9 14.6 21.2 25.8	
1,000 to 9,999 lb. 10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	10.4 15.8 27.4 S	2.1 2.7 1.0 S	12.0 S 21.1 18.2	.5 S 3.4 6.4	7.4 8.5 13.7 15.2	.6 2.5 1.6 3.1	11.6 47.6 28.0 14.0	
Single modes Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	23.2 11.8 16.1 18.2 19.1 13.3	1.0 .6 1.9 .7	25.9 11.9 17.7 17.3 20.5 15.8	- - .1 -	10.8 15.5 18.6 17.1 18.1 19.1	- - - .1 -	22.9 23.9 16.2 13.5 19.3 12.5	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	10.6 16.5 28.3 S	2.6 3.6 1.0 S	12.3 S 22.0 21.3	.6 S 4.0 6.7	7.8 10.5 15.0 16.8	.6 2.7 1.6 3.5	9.9 S 23.7 14.7	
Truck ²	7.7	-	36.8	-	8.5	-	10.6	
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	12.8 20.2 17.3 19.9 12.6	.9 .6 1.5 .6 .3	12.1 18.2 17.4 20.9 15.8	- .4 .2 .1	17.2 22.8 19.1 19.7 19.4	- .3 .1 .1	18.6 19.2 9.5 14.8 13.2	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	10.2 16.6 28.9 30.7	1.6 3.2 3.0 1.6	12.4 S 22.1 17.2	1.5 S 4.4 3.0	8.7 10.2 15.4 28.5	1.0 3.0 2.6 1.9	10.6 S 24.1 30.8	
For-hire truck	5.5	-	9.2	-	8.0	-	14.6	
Less than 50 lb 50 to 99 lb 100 to 499 lb 50 to 60 to 749 lb 500 to 749 lb 750 to 999 lb	28.8 34.0 14.1 21.0 22.2	.7 .6 1.0 .6 .5	34.8 16.7 32.6 24.7 18.3	- .4 .1 -	27.7 40.5 22.6 24.8 28.6	- .3 .2 .1	42.9 23.1 16.5 18.0 20.1	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	10.0 7.9 11.2 32.1	2.5 2.0 1.2 .8	13.7 12.0 19.0 30.3	1.2 4.6 4.6 3.3	11.1 9.4 18.7 33.8	1.1 2.9 2.8 2.3	14.2 15.2 21.5 42.3	
Private truck	14.3	-	48.9	-	14.8	-	11.9	
Less than 50 lb 50 to 99 lb 100 to 499 lb 50 to 60 to 749 lb 500 to 749 lb 750 to 999 lb	17.9 18.3 22.8 23.0 17.0	1.7 .7 2.4 .9 .5	12.6 20.4 16.5 23.6 17.7	- .5 .3 .2	25.2 18.2 15.1 18.2 18.5	- .4 .3 .4	17.4 25.2 9.7 19.4 20.8	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	16.6 32.3 46.0 37.3	1.8 4.7 4.8 2.8	17.6 S 31.1 25.3	2.2 S 5.2 4.8	13.3 25.4 18.8 42.2	2.3 5.1 4.2 3.6	13.6 S 29.9 S	
Rail	17.9	_	25.9	_	25.6	-	8.3	
Less than 50 lb 50 to 99 lb 50 to 499 lb 50 to 999 lb 500 to 749 lb 750 to 999 lb	\$ 5 - \$ 5 \$	S S S S	S S - S S	S S - S S	88 - 88 8	S S - S S	31.6 31.6 - 31.6 31.6	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	41.6 21.2 24.9 19.3	1.8 .4 2.0	43.2 22.9 26.0 26.3	_ .9 .5 1.3	43.4 33.1 26.4 26.1	1.2 .4 1.2	19.5 12.4 20.6 8.7	
Water	40.9	-	S	s	47.1	-	16.7	
Less than 50 lb	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S -	\$ \$ \$ \$	S S S -	8888	S S S -	27.2 30.4 32.6 30.4	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	\$ 42.0 \$ 45.8	S 1.8 S 7.9	S S S	S S S S	S S S 48.6	S S S 4.9	22.9 48.8 S 39.4	
Shallow draft	s	s	S	s	s	s	15.9	
Less than 50 lb	- S S	- S S	- - - - -	- - - - - -	- - 88	- - - - -	31.6 31.6	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S S S	- S S S	- S S S	- S S S	- S S S	- S S S	- S 31.6 28.6	

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 Commodition	, ,, <u>,</u>	Value Tons Ton-miles					
Mode of transportation and shipment weight	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
Single modes—Con.							
Great Lakes	-	-	-	-	-	-	-
Less than 50 lb	_	-	_	_	_ _		
100 to 499 lb	_		_ _	_ _	_ _		_
750 to 999 lb	-	_	_	_	_	_	_
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- - - -	- - -	- - - -	- - -	- - - -	- - -	_ _ _ _
Deep draft	34.9	_	s	s	41.9	_	15.9
Less than 50 lb	S S	SS	S	S	S	S	27.2 30.4
100 to 499 lb 500 to 749 lb 750 to 999 lb	\$ \$ -	S S -	\$ \$ \$	S S S	\$ \$ \$ \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	26.6 26.9
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	\$ 42.0 \$ \$	S 3.3 S S	\$ 41.8 \$ \$	S 1.9 S S	S S S 48.8	S S S 18.7	22.9 34.7 31.6 25.0
Air (includes truck and air)	s	s	37.3	_	s	s	4.8
Less than 50 lb	30.7	10.1	26.0	6.9	27.5	6.3	4.8
50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	34.6 38.7 S S	4.3 9.3 S S	40.7 31.9 35.0 32.3	5.6 5.6 1.6 2.3	49.2 33.8 36.7 41.9	5.9 5.5 1.9 1.5	9.9 8.0 22.9 25.2
1,000 to 9,999 lb	49.0 49.0	5.6 1.6	41.0 S	7.2	48.3 S	10.1 S	25.1 28.1
50,000 to 99,999 lb 100,000 lb or more	S S	S S	S S	S S S	S	S S	35.7 29.8
Pipeline ³ Less than 50 lb	9.0 S	- S	11.7 S	- S	S	S	S
50 to 99 lb	-	-	- -	- -	S	S	5 5
500 to 749 lb 750 to 999 lb	=	_			\$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$	99999
1,000 to 9,999 lb	s	S	s		S		
10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	S S 9.0	S S -	S S 11.7	S S S	S S S	\$ \$ \$ \$	5555
Multiple modes	17.7	-	16.3	-	18.8	-	9.9
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	18.0 25.4 25.9 42.0 36.5	3.4 1.6 2.5 .4	18.0 25.6 22.8 42.3 47.6	1.5 .7 2.2 1.0	26.7 41.1 23.7 48.7 S	1.0 .7 1.4 .8 S	10.6 14.9 18.6 22.7 21.5
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb	28.9 36.7 40.2	.4 1.0 .1	42.4 35.1 34.9	1.4 7.0 2.3	41.9 34.3 40.4	1.7 7.6 2.9	10.7 5.9 10.1
100,000 lb or more	20.9 18.3	.4	28.9 19.7	6.4	30.5 26.6	6.6	5.0 10.2
Less than 50 lb	18.0	3.6	18.0	4.3	27.0	7.7	10.2
50 to 99 lb	25.4 26.5	1.9 2.7	25.9 24.9	2.1 4.4	41.8 28.8	2.5 5.3	15.3 20.4
500 to 749 lb	44.7 S	.5 S	45.4 33.3	2.4	S 39.8	S .3	23.5 35.8
1,000 to 9,999 lb	s	S	S	S	S	S	S
10,000 to 49,999 lb	=	-		_ _ _	-	_	=
100,000 lb or more	31.6	_	23.5	_	22.3	_	4.7
Less than 50 lb	_	_	-	_		_	_
50 to 99 lb	_		_		_		=
500 to 749 lb	_		_			_	_ _
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb	\$ 47.3 \$	S 11.0 S	S S 47.0	S S 1.5	\$ 47.6 \$	S 11.9 S	29.9 4.9 24.1
100,000 lb or more	18.3	10.2	30.3	11.0	31.7	11.1	7.4
Truck and water	27.1		32.9	- 2	35.9	- 1	6.1
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	\$ \$ 43.1 \$ 49.5	S S 4.4 S 3.0	47.8 S S S	.2 S S S	49.3 S S S	.1 S S S	24.2 30.6 12.6 23.7 25.8
1,000 to 9,999 lb	36.7	7.9	45.6	3.1	43.0	2.8	7.0
10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	30.4 S S	7.0 S S	37.9 45.3 S	8.0 8.7 S	42.8 46.4 S	9.4 10.1 S	14.5 15.2 31.6

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002-Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

•	, ,,						
	Val	ue	To	ons	Ton-	miles	
Mode of transportation and shipment weight	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
Multiple modes—Con.							
Rail and water	_	-	-	-	-	_	-
Less than 50 lb	_	_	_	_	_	_	
100 to 499 lb	_	_	_	_	_	_	_
500 to 749 lb	_	_	_	_	_	_	_
750 to 999 lb	-	_	_	-	-	_	-
1,000 to 9,999 lb	_	_	_	_	_	_	_
10,000 to 49,999 lb	-	_	_	_	_	_	-
50,000 to 99,999 lb	-	_	_	_	_	_	_
100,000 lb or more	_	_	_	_	_	_	_
Other multiple modes	s	s	s	s	s	s	49.0
Less than 50 lb	-	-	_	-	-	_	-
100 to 499 lb]	_	_		_		
500 to 749 lb	_	_	_	_	_	_	_
750 to 999 lb	-	_	-	-	-	-	-
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	8888	S S S	\$ \$ \$ \$	S S S S	9999	S S S	33.8 S S 31.6
Other and unknown modes	27.8	_	27.1	_	17.8	_	s
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 500 to 749 lb 500 to 749 lb 750 to 999 lb	\$ 40.0 \$ 31.4 36.7	S 1.1 S .5	27.9 33.8 25.5 31.2 S	.1 - .1 - S	\$ \$ \$ \$ 46.4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ 40.1 \$ \$ \$
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	\$ 33.5 44.0 23.1	S 2.8 6.2 6.1	21.1 16.8 31.5 32.3	1.2 4.7 5.1 8.6	18.8 36.8 41.5 25.2	2.1 7.7 7.7 8.4	15.7 33.1 24.3 S

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-5a. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

		Value		Tons		Ton-		
SCTG code	Commodity description	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
	Total	19.6	-	23.8	-	9.2	-	12.0
01 02 03 04 05	Live animals and live fish Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations	- S 40.3 48.4 30.1	- S .6 .8	46.0 S 42.4 27.4	3.3 S 1.3 .2	38.4 S S 29.9	1.3 S S .5	28.0 40.4 29.3 47.9
06 07 08 09 10	Milled grain products and preparations, and bakery products Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	\$ 26.3 22.0 34.4 \$	S 1.6 .3 - S	\$ 22.9 21.0 42.8 35.5	S .9 .1 -	\$ 30.1 25.1 46.4 \$	\$ 2.6 .2 - S	25.9 29.1 S 38.5 30.5
11 12 13 14 15	Natural sands. Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal	\$ \$ 34.1 \$ \$	S S S S	41.9 S S S S	.7 S S S	S S 38.9 S S	S S S S	35.8 S S 29.0 28.0
17 18 19 20 21	Gasoline and aviation turbine fuel. Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products	19.0 19.1 36.1 S 26.5	1.5 .6 .5 S	18.8 22.1 36.1 S	2.5 1.7 1.3 S	18.2 37.6 S 35.9 S	1.5 1.5 S .4 S	20.9 S S S 23.9
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	S 33.7 36.7 39.5 19.5	\$.5 .5 .2 .7	\$ 43.1 39.2 40.0 23.1	\$.2 - .7 1.1	45.8 S 41.7 48.9 31.1	.4 S .2 1.0 4.5	\$ 43.2 28.7 30.3 21.8
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	13.8 27.6 32.5 17.0 S	.2 .6 .4 .9 S	16.6 36.3 S 36.0 S	.3 .5 S .1 S	21.2 31.4 S 42.6 27.8	1.2 .8 S .7 .6	49.5 23.4 27.5 13.7 S
32 33 34 35	Base metal in primary or semifinished forms and in finished basic shapes. Articles of base metal Machinery Electronic and other electrical equipment and components and office	25.4 23.3 20.0	.4 .8 .7	36.9 23.9 20.1	.4 .2 -	\$ 26.9 22.4	S .3 .3	\$ 29.9 \$
36	equipment	18.0 20.2	2.5 .4	33.4 23.0	_	27.5 27.6	.1 .2	42.5 29.4
37 38 39	Transportation equipment, n.e.c. Precision instruments and apparatus	S 29.5	S 1.2	37.4 S	- S	S S	S S	22.0 S
40 41 43 	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs	40.6 28.4 S 35.6 44.8	.6 1.0 S 2.4 .2	36.0 28.2 S 17.0 40.7	- .1 S .6 -	\$ 25.1 43.4 19.6 \$	S .2 1.6 .5 S	S 13.1 30.3 31.1 40.7

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-5b. Estimated Standard Errors for Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

SCTG	O annua aditu da antistica	Value (p	percent)	Tons (p	ercent)	Ton-miles ¹ (percent)		
code	Commodity description	2002	1997	2002	1997	2002	1997	
	Total	-	-	-	-	-	_	
01 02 03 04 05	Live animals and live fish Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations	- S .6 .8	\$ 1.0 .4 .1 1.2	3.3 S 1.3 .2	\$ 3.5 .7 .2 .3	1.3 S S S .5	\$ 1.9 1.5 .2 .8	
06 07 08 09 10	Milled grain products and preparations, and bakery products. Other prepared foodstuffs and fats and oils. Alcoholic beverages Tobacco products Monumental or building stone.	S 1.6 .3 - S	.3 .4 .2 - S	\$.9 .1 	.4 .4 .1 - S	\$ 2.6 .2 - S	.8 .8 .4 - S	
11 12 13 14 15	Natural sands. Gravel and crushed stone. Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal.	\$\$ \$\$ \$\$	S - - S S	.7 S S S S	1.0 3.4 .2 S	\$ \$ - \$ \$ \$.2 .3 .1 S	
17 18 19 20 21	Gasoline and aviation turbine fuel Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products	1.5 .6 .5 S	.8 .3 .2 .2 .6	2.5 1.7 1.3 S S	2.7 2.4 1.0 .3 S	1.5 1.5 S .4 S	2.7 1.9 S .9 S	
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	S .5 .5 .2 .7	.2 .6 .2 .1	S .2 - .7 1.1	.7 .2 .2 .3 1.1	.4 S .2 1.0 4.5	\$ \$.2 \$ 1.5	
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	.2 .6 .4 .9 S	.3 .3 .2 .9	.3 .5 S .1 S	.4 .1 - - .9	1.2 .8 S .7 .6	.8 .5 .1 .2 .6	
32 33 34 35 36	Base metal in primary or semifinished forms and in finished basic shapes Articles of base metal Machinery Electronic and other electrical equipment and components and office equipment Motorized and other vehicles (including parts)	.4 .8 .7 2.5 .4	.5 .4 .3 .9 .4	.4 .2 - - -	.3 - - -	S .3 .3 .1	1.0 .2 .2 .2 	
37 38 39 40 41 43	Transportation equipment, n.e.c. Precision instruments and apparatus Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs Miscellaneous manufactured products Waste and scrap Mixed freight Commodity unknown	S 1.2 .6 1.0 S 2.4	6.1 1.7 .2 1.8 .2 .7	- S - .1 S.6	- 9 - 3939	S S S .2 1.6 .5 S	- S - 4 .4 .1 .6	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002

Estimates are snown as percents and are based on data from the 2002 Commodit	Val	ue	Тс	ons	Ton-	-miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
ALL COMMODITIES							
Total	19.6	_	23.8	_	9.2	-	12.0
Single modes	23.2	3.2	25.9	2.4	10.8	1.8	22.9
Truck	7.7 5.5 14.3	6.0 3.6 3.1	36.8 9.2 48.9	6.4 3.5 6.3	8.5 8.0 14.8	3.1 2.6 1.0	10.6 14.6 11.9
Rail	17.9	.8	25.9	2.6	25.6	4.8	8.3
Water Shallow draft	40.9 S	.8 S	S S	S S	47.1 S	3.2 S	16.7 15.9
Great Lakes Deep draft	34.9	.2	S	s S	41.9	1.0	15.9
Air (includes truck and air)	S 9.0	S .6	37.3 11.7	1.4	S S	S	4.8 S
Multiple modes	17.7	3.1	16.3	.2	18.8	1.7	9.9
Parcel, U.S. Postal Service or courier	18.3 31.6 27.1	3.0 .2 .1	19.7 23.5 32.9	.2	26.6 22.3 35.9	.3 1.4 1.0	10.2 4.7 6.1
Rail and water	s	s	S	s	- S	S	49.0
Other and unknown modes	27.8	.4	27.1	2.4	17.8	.5	s
SCTG 01, LIVE ANIMALS AND LIVE FISH							
Total	_	_	-	-	-	-	-
Single modes	_	-	-	-	_	-	-
Truck For-hire truck Private truck	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Rail	_	_	_	_	_	_	_
Water Shallow draft	_	_	_	-	_	_	_
Great Lakes Deep draft	_ _	=				_	
Air (includes truck and air)	_ _ _	_	_ _	_ _	- S	s	s
Multiple modes	_	_	_	-	-	-	-
Parcel, U.S. Postal Service or courier	_ _						
Truck and water Rail and water	_ _		_ _	_ _	_ _		
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes SCTG 02, CEREAL GRAINS	_	_	_	_	_	_	_
Total	s	s	46.0	_	38.4	_	28.0
Single modes	s	s	46.4	.8	35.0	3.0	33.0
Truck . For-hire truck . Private truck .	41.3 S S	15.1 S S	41.5 S S	14.6 S S	S S S	S S S	31.0 32.2 31.5
Rail	s	S	S	S	S	S	S
Water	\$ \$ -	S S	S S	S S	37.8 37.8	12.9 12.9	22.9 22.9 -
Deep draft Air (includes truck and air)	_	_	_	_	_	_	_
Pipeline	=	_	=	_	S	S	S
Multiple modes Parcel, U.S. Postal Service or courier		_	_	_	_	_	_
Truck and rail Truck and water Rail and water	- - -	_ _ _	- - -	- - -	- - -	_ _ _	_ _ _ _
Other multiple modes	s	s	s	- S	s	s	31.6
Salet and unknown modes	. 3	. 3	. 3	. 3	, 3	. 3	31.0

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodit	Val	ue	To	ons	Ton-		
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 03, OTHER AGRICULTURAL PRODUCTS							
Total	40.3	-	s	s	s	s	40.4
Single modes	38.1	2.8	s	s	s	s	40.3
Truck	31.9 32.6 39.9	10.0 11.4 6.6	S S 49.7	S S 9.0	49.5 49.5 S	7.4 8.6 S	42.7 21.1 48.6
Rail	s	s	s	s	s	s	21.9
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	S S - -	\$ \$ - -	S S - -	\$ \$ - -	S S - -	29.8 29.8 – –
Air (includes truck and air)	S -	S -	S -	S -	S	S	31.6 S
Multiple modes	s	s	s	s	s	s	29.4
Parcel, U.S. Postal Service or courier	S	s	S	S	s	S	29.4
Truck and rail Truck and water Rail and water	S	S -	S	S	S	S	31.2
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	S	S	s	S	s	S	26.8
SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.							
Total	48.4	-	42.4	-	s	S	29.3
Single modes	S	S	44.0	9.6	S	S	S
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	S S 36.2
Rail	S	S	s	S	s	S	27.9
Water Shallow draft Great Lakes	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _		_ _ _
Deep draft	-	-	_	-	_	-	_
Air (includes truck and air)	=	_		_	s	s	S
Multiple modes	S	s	s	s	s	s	32.7
Parcel, U.S. Postal Service or courier	S S	S S	S S	S S	S S	S S	31.6 31.6
Truck and water Rail and water Other multiple modes	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _		_ _ _
Other and unknown modes	s	s	s	s	s	s	41.7
SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS							
Total	30.1	_	27.4	_	29.9	_	47.9
Single modes	29.9	.6	27.3	.5	29.6	.6	49.1
Truck For-hire truck Private truck	30.0 34.2 S	.7 9.8 S	27.3 32.6 S	.5 11.1 S	29.6 36.3 S	.6 9.7 S	49.9 20.8 S
Rail	-	-	-	-	-	_	-
Water Shallow draft Great Lakes	S - - S	S - - S	S - - S	S - - S	S - - S	S - - S	31.6 - - 31.6
Deep draft Air (includes truck and air)	s	S	s	S	s	S	28.4
Pipėline	- S	- S	- s	- S	s s	s s	S 24.0
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	30.0
Truck and rail Truck and water Rail and water Other multiple modes	- S - -	S - -	- S - -	S - -	- S - -	S	25.8 - -
Other and unknown modes	s	s	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodit	Val	ue	Tons		Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS							
Total	s	s	s	s	s	s	25.9
Single modes	s	s	s	s	s	s	25.9
Truck	46.4 S 34.0	9.2 S 14.4	S S 45.1	S S 18.7	S S S	S S S	31.9 31.6 36.4
Rail	s	s	s	s	s	s	29.8
Water Shallow draft Great Lakes Deep draft	- - - -	_ _ _	_ _ _ _	_ _ _	_ _ _ _	_ _ _ _	- - - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	30.5 S
Multiple modes	_	-	_	-	-	-	-
Parcel, U.S. Postal Service or courier	_		_ _				_
Truck and water Rail and water			_ _		_ _		_ _
Other multiple modes	_	_	-	_	-	_	-
Other and unknown modes	s	S	s	S	S	S	48.7
SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS							
Total	26.3	_	22.9	_	30.1	_	29.1
Single modes	27.2	1.7	23.5	1.3	31.2	2.3	26.2
Truck For-hire truck Private truck	27.0 46.8 35.4	2.5 7.8 9.2	23.8 33.5 37.2	2.6 6.8 8.3	30.5 36.3 39.2	7.2 7.7 7.3	25.7 14.6 21.9
Rail	48.9	2.2	42.4	2.6	42.1	7.3	19.8
Water Shallow draft	S -	S -	S -	S -	S -	S -	28.2
Great Lakes Deep draft	s	s	s	s	s	s	28.2
Air (includes truck and air)			_ _		- S	- S	- S
Multiple modes	42.8	.8	20.4	.5	22.2	2.2	24.4
Parcel, U.S. Postal Service or courier	S 46.6	S .2	S 43.1	S .4	S 43.5	S 2.0	24.6 21.2
Truck and water Rail and water	49.4	.1	34.2	.2	35.0	1.1	22.9
Other multiple modes	s s	s s	s s	s s	S 49.1	S -	31.6 42.7
SCTG 08, ALCOHOLIC BEVERAGES							
Total	22.0	_	21.0	_	25.1	_	s
Single modes	22.9	3.0	21.2	1.6	25.4	6.5	s
Truck For-hire truck Private truck	22.9 30.2 24.5	3.1 7.9 7.8	21.2 21.5 30.8	1.6 8.1 8.1	25.5 26.7 44.8	6.6 10.5 9.6	\$ 43.7 \$
Rail	_	_	-	-	-	_	_
Water Shallow draft Great Lakes	- - -	- - -	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _
Deep draft Air (includes truck and air)	_ 	- S	- S	- S	- S	- S	31.6
Pipėline	- s	- S	- s	- S	s s	s s	S 28.6
Parcel, U.S. Postal Service or courier	s	S	s S	s S	s s	s S	31.6
Truck and rail Truck and water Rail and water Other multiple modes	- S -	S -	S - -	S -	- S -	- S -	30.6
Other and unknown modes	s	s	s	s	s	s	29.6

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 commoditi	ly r low ourvey]							
	Val	ue	То	ons	Ton-	miles	Average miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation	
SCTG 09, TOBACCO PRODUCTS								
Total	34.4	_	42.8	_	46.4	_	38.5	
Single modes	34.4	_	42.8	_	46.4	_	38.5	
Truck	34.4	_	42.8	_	46.4	_	38.5	
For-hire truck Private truck	34.4		42.8	_ _	46.4		38.5	
Rail	_	_	_	_	-	_	_	
Water Shallow draft	_	_	_ _	-		_	_	
Great Lakes	_	_	_	_	_	_	_	
Deep draft	_	_	_	_		_	_	
Air (includes truck and air)		_			S	S	S	
Multiple modes	-	-	-	-	-	-	-	
Parcel, U.S. Postal Service or courier	_	_			_	_		
Truck and water Rail and water	_	_		_	_	_	_	
Other multiple modes	_ =	_	_		_	_		
Other and unknown modes	-	-	_	_	-	-	_	
SCTG 10, MONUMENTAL OR BUILDING STONE								
Total	s	s	35.5	-	s	s	30.5	
Single modes	s	s	37.9	5.1	s	s	25.9	
Truck	S S S	S S S	37.9 S 42.3	5.1 S 8.5	S S S	S S S	25.9 31.2 39.0	
Rail	_	_	-	-	_	_	-	
Water	_	_	-	-	-	_	_	
Shallow draft Great Lakes Deep draft	_ _ _	=	- - -	- - -	- -	=	- - -	
Air (includes truck and air)	=	=	- -	_	_ S	s	- S	
Multiple modes	s	s	s	s	s	s	31.6	
Parcel, U.S. Postal Service or courier	s	s	s	s	S	s	31.6	
Truck and rail	s	S	S	S	S	S	31.6	
Rail and water	_	_	- -	_ _	-	_	_ _	
Other and unknown modes	_	-	-	-	-	-	-	
SCTG 11, NATURAL SANDS								
Total	s	s	41.9	_	s	s	35.8	
Single modes	s	s	49.1	11.0	s	s	47.8	
Truck For-hire truck Private truck	S S 38.1	S S 15.0	49.1 S S	11.0 S S	S S 47.8	S S 15.8	47.8 33.9 S	
Rail	_	_	-	_	-	_	_	
Water	_	_	_	_	_	_	_	
Shallow draft Great Lakes Deep draft	_ _ _	_ _ _	_ _ _	_ _ _	- - -	_ _ _	_ _ _	
Air (includes truck and air)	_	- -	- -	- -	_ S	_ S	_ S	
Multiple modes	s	s	s	s	s	s	31.6	
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	31.6	
Truck and rail . Truck and water Pail and water	s	S	S	S	S	S	31.6	
Rail and water Other multiple modes	=	_ =			=	_ =		
Other and unknown modes	s	s	s	s	s	s	30.4	

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Listinates are shown as percents and are based on data from the 2002 dominoun	y riow ourvey]						1
	Val	ue	To	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 12, GRAVEL AND CRUSHED STONE							
Total	s	s	s	s	s	s	s
Single modes	s	s	s	s	s	s	s
Truck	s	S	s	S	s	S	S
For-hire truck Private truck	32.4 S	5.1 S	43.7 S	5.4 S	30.7 S	7.1 S	33.8 S
Rail	S	S	S	S	S	S	27.9
Water	S S	S S	S S	S S	S S	S S	27.9 27.9
Great Lakes Deep draft						=	
Air (includes truck and air)					- S	s	S
Multiple modes	s	s	s	s	s	s	31.6
Parcel, U.S. Postal Service or courier	_		_	_ _	_ _		_
Truck and water	S -	S -	S -	S -	S -	S -	31.6
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	S	S	39.0	7.9	37.8	7.6	42.2
SCTG 13, NONMETALLIC MINERALS N.E.C.							
Total	34.1	-	S	S	38.9	_	S
Single modes	36.1	4.3	S	S	38.9	10.2	S
Truck For-hire truck Private truck.	41.9 S 38.4	9.7 S 12.0	\$ \$ \$	S S S	33.8 36.7 S	14.7 13.0 S	S S S
Rail	s	s	s	s	s	s	31.1
Water Shallow draft	_	_	_ _		-	-	_
Great Lakes Deep draft	_ _ _	=		=	_ _ _	=	
Air (includes truck and air).				_	_ S	- S	S
Multiple modes	_	-	-	-	_	_	-
Parcel, U.S. Postal Service or courier	-	-	-	_	-	-	-
Truck and rail	=	_	_ _		=	_	_
Rail and water Other multiple modes	_	_			_ _	_	_
Other and unknown modes	s	s	s	s	s	s	30.3
SCTG 14, METALLIC ORES AND CONCENTRATES							
Total	s	s	s	s	s	s	29.0
Single modes	s	s	s	s	s	s	29.0
Truck For-hire truck Private truck	S S S	\$ \$ \$	S S S	S S S	S S S	S S S	29.0 34.9 27.9
Rail	_	_	_	_	_	_	_
Water	_	_	_	_	_	_	_
Snailow draft Great Lakes Deep draft	_ _ _		_ _ _	_ _ _	_ _ _	=	_ _ _
Air (includes truck and air)					_ S	- S	- S
Multiple modes	_	_	_	_	_	_	-
Parcel, U.S. Postal Service or courier	-	-	_	_	_	_	-
Truck and rail	_		_ _	-	_	_	
Rail and water Other multiple modes	=	_	=	_	_	_	_
Other and unknown modes	_	_	_	_	_	_	_

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

	1		_		_			
	Val	ue	10	ns	I on-	-miles	Average miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	per shipment— coefficient of variation	
SCTG 15, COAL								
Total	s	s	s	s	s	s	28.0	
Single modes	_	_	_	_	_	_	-	
Truck	_	_	_	_	_	_	_	
For-hire truck Private truck			_ _			_		
Rail	_	_	_	-	_	_	_	
Water Shallow draft	_	_	_	_	_	_	_	
Great Lakes Deep draft	_	_	-	_	_	_	_	
Air (includes truck and air)		=	_	_	s	S	s	
Multiple modes	_	-	_	-	_	-	_	
Parcel, U.S. Postal Service or courier	_	_	_	_		_	_	
Truck and water	-	-	-	-	-	-	_	
Rail and water	_	_	-	_	_	_	_	
Other and unknown modes	s	s	s	s	s	s	28.0	
SCTG 17, GASOLINE AND AVIATION TURBINE FUEL								
Total	19.0	_	18.8	_	18.2	_	20.9	
Single modes	18.9	.6	18.5	.6	18.0	.6	20.7	
Truck For-hire truck Private truck	28.9 27.9 33.2	5.7 3.8 5.6	23.3 26.8 27.1	4.5 3.5 4.0	24.6 31.1 26.8	5.7 .9 5.2	20.5 28.9	
Rail	- 33.2	5.0		4.0	20.6	5.2	18.1	
Water	s	s	s	S	s	s	42.6	
Shallow draft Great Lakes Deep draft	S - S	S - S	S - S	S S - S	\$ - \$	\$ - \$	29.9 - 30.7	
Air (includes truck and air)Pipeline	_ 16.7	- 6.5	_ 19.5	6.7	_ S	_ S	_ S	
Multiple modes	_	_	_	_	_	_	_	
Parcel, U.S. Postal Service or courier								
Truck and rail] =	=	=	_	=	=	=	
Truck and water	_	_	-	_ _	_	_	_	
Other multiple modes	-	_	-	-	-	=	-	
Other and unknown modes	S	S	S	S	S	S	S	
SCTG 18, FUEL OILS								
Total	19.1	-	22.1	-	37.6	-	s	
Single modes	20.5	5.5	23.3	4.4	37.7	.2	s	
Truck For-hire truck Private truck	48.3 17.6 S	10.5 1.9 S	47.4 17.1 S	9.7 1.9 S	30.0 41.3 35.0	7.1 3.2 4.9	S S 36.4	
Rail	43.0	.5	43.0	.5	43.6	2.3	24.7	
Water	s	S	s	s	s	S	24.3	
Shallow draft Great Lakes Deep draft	S - S	S - S	S - S	S - S	\$ - \$	\$ - \$	26.2 - 31.6	
Air (includes truck and air)	32.9	9.6	39.0	9.3	- S	- S	- S	
Multiple modes	_	_	_	_	_	_	_	
Parcel, U.S. Postal Service or courier	_	_	_	_	_	_	_	
Truck and rail	_	_				_		
Rail and water Other multiple modes	_		- -	_ _				
Other and unknown modes	s	s	s	s	s	s	30.0	

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 Commount			Tons		T ?		
	Val	ue	10	ons	I on-	miles	Avorago milos
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.							
Total	36.1	_	36.1	_	s	s	s
Single modes	36.2	.3	36.2	.3	s	s	s
Truck	45.7	11.1	28.2	13.8	30.5	16.9	43.1
For-hire truck Private truck	37.2 S	9.1 S	30.2 35.3	8.6 11.8	41.4 32.5	11.5 9.5	18.5 19.4
Rail	S	S	S	S	S	S	33.8
Water	_		_				
Great Lakes Deep draft	_		_	_	_ _	_	_ _
Air (includes truck and air)	- S	- S	- S	- S	_ S	- S	_ S
Multiple modes	s	s	s	s	s	s	33.0
Parcel, U.S. Postal Service or courier	s	S	S	S S	S	S	31.6
Truck and rail	S -	S -	_	-	S -	S -	31.6
Rail and water	_	_	- -		- -	_	
Other and unknown modes	s	s	s	s	s	s	30.8
SCTG 20, BASIC CHEMICALS							
Total	s	s	s	s	35.9	_	s
Single modes	s	s	s	s	41.9	7.9	s
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S	S S S	S S S
Rail	38.6	12.4	40.3	13.1	44.7	14.9	25.8
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	- - -	-	- - -	- - -	_ _ _	_ _ _
Air (includes truck and air)			_ _		_ S	s	S
Multiple modes	s	s	38.7	4.4	42.6	7.9	41.8
Parcel, U.S. Postal Service or courier	S 43.5	S	S 42.3	S 4.2	S 44.8	S 8.0	32.1 26.3
Truck and rail. Truck and water Rail and water	43.5	4.4	42.5 - -	4.2 - -	-	-	20.5
Other multiple modes	=	=	=	=	=	=	=
Other and unknown modes	s	s	s	s	s	s	31.6
SCTG 21, PHARMACEUTICAL PRODUCTS							
Total	26.5	_	s	s	s	s	23.9
Single modes	42.1	12.5	47.8	13.8	s	s	25.8
Truck For-hire truck Private truck	43.2 S 38.1	12.8 S 3.7	49.7 S S	13.7 S S	s s	\$ \$ \$	S S 24.0
Rail	_	_	-	_	-	_	_
Water	_	_	-	_	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	_ _ _	_ _ _		_ _ _		- - -
Air (includes truck and air)Pipeline	45.7	4.0	S -	S -	S S	S S	23.7 S
Multiple modes	38.5	12.9	28.0	18.0	38.3	19.0	22.4
Parcel, U.S. Postal Service or courier	38.5	12.9	28.0	18.0	38.3	19.0	22.4
Truck and water Rail and water	_	_	_	_	_	_	_
Other multiple modes	-	_	=	=	=	_	=
Other and unknown modes	s	s	s	s	s	s	30.2

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodition	Val	ue	To	ons	Ton-	miles	Average miles
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 22, FERTILIZERS							
Total	s	s	s	s	45.8	_	s
Single modes	s	s	s	s	45.8	-	s
Truck For-hire truck Private truck	S 37.8 S	S 10.7 S	S 38.3 S	S 9.9 S	47.7 37.7 S	10.3 8.9 S	\$ 22.0 47.4
Rail	s	s	s	s	s	s	26.2
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	31.6 S
Multiple modes	_	-	_	-	_	_	-
Parcel, U.S. Postal Service or courier	_ _ _	- - -	- - -	- - -	- - -	- - -	_ _ _
Rail and water Other multiple modes		_	_ _	_	_ _		
Other and unknown modes	_	-	-	-	-	-	-
SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.							
Total	33.7	-	43.1	-	s	s	43.2
Single modes	34.3	7.6	45.4	4.5	s	s	36.6
Truck For-hire truck Private truck	34.3 42.3 36.9	7.6 11.5 12.2	44.7 S 46.5	4.6 S 11.1	S S S	S S S	33.7 S 32.6
Rail	s	s	s	s	s	s	29.8
Water Shallow draft						_	
Great Lakes Deep draft					_ _	=	
Air (includes truck and air)	s -	S -	S -	S -	S S	S S	29.7 S
Multiple modes	s	s	s	s	s	s	s
Parcel, U.S. Postal Service or courier	S -	S -	S -	S -	S -	S -	S -
Truck and water Rail and water	_						
Other multiple modes	-	-	-	-	_	_	_
Other and unknown modes	s	S	s	S	s	S	S
SCTG 24, PLASTICS AND RUBBER							
Total Single modes	36.7 39.9	9.0	39.2 44.9	6.5	41.7 39.4	10.7	28.7 S
Truck	40.9	8.6	45.8	7.0	39.7	10.4	S
For-hire truck Private truck	49.2 36.6	10.3 7.1	S 34.5	9.7	40.6 40.7	11.8 5.7	27.2 33.6
Rail	_	-	_	-	_	_	-
Water						_	
Great Lakes Deep draft		_		_		=	
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	24.4 S
Multiple modes	s	s	s	s	s	s	19.9
Parcel, U.S. Postal Service or courier	S -	S -	S -	S -	S -	S -	20.8
Truck and water Rail and water	S -	S -	S -	S -	S -	S -	28.7 -
Other multiple modes	31.0	2.3	36.4	2.0	s	s	s
	50		55.4	0	J	J	J

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Listinates are shown as percents and are based on data from the 2002 commodities	ly r low ourvey]						
	Val	ue	To	ns	Ton-	-miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment — coefficient of variation
SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH							
Total	39.5	_	40.0	_	48.9	_	30.3
Single modes	s	s	s	s	s	s	31.7
Truck	s	S	S	S	S	S	31.4
For-hire truck Private truck	S S	S S	S S	S S S	S S	S S	32.0 33.0
Rail	S	S	S	S	S	S	40.2
Water Shallow draft	S -	S -	S -	S -	S -	S	31.6
Great Lakes Deep draft	- S	S	- S	- S	- S	- S	31.6
Air (includes truck and air)		_	_	_	_ S	_ S	_ S
Multiple modes	s	s	s	s	s	s	29.9
Parcel, U.S. Postal Service or courier	_	_	_	_	_	_	_
Truck and rail	S S	S S	S S	S S	S S	S S	31.6 30.0
Rail and water Other multiple modes	_	_	- -	_ _	_ _	_	_ _
Other and unknown modes	s	s	s	s	s	s	27.9
SCTG 26, WOOD PRODUCTS							
Total	19.5	_	23.1	_	31.1	_	21.8
Single modes	18.3	1.8	23.9	1.7	33.4	3.7	22.5
Truck	19.4 23.1 22.2	2.7 3.8 4.5	21.7 23.5 S	4.1 6.5 S	24.6 28.5 S	3.1 2.7 S	17.0 19.6 20.6
Rail	15.4	2.1	43.9	4.2	41.7	6.6	7.8
Water	s	S	s	S	s	S	32.5
Shallow draft Great Lakes Deep draft	- S	- S	- - S	- S	_ _ S	- S	32.5
Air (includes truck and air)	37.0	=	S -	S -	S	SS	23.3 S
Multiple modes	s	s	s	s	s	s	42.4
Parcel, U.S. Postal Service or courier	41.5	.2	44.6	_	33.9	.=	46.5
Truck and rail. Truck and water Rail and water	46.6 S	.8 S	42.0 S	.6 S	37.9 S	1.7 S	18.7 18.7
Other multiple modes	s	s	s	S	s	S	31.6
Other and unknown modes	35.4	.8	s	s	s	s	s
SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD							
Total	13.8	_	16.6	-	21.2	-	49.5
Single modes	15.3	3.6	17.4	2.1	22.5	3.2	43.0
Truck For-hire truck	18.4 23.1 24.9	5.4 5.9 4.6	21.9 26.3 24.4	6.3 7.6 3.7	22.0 23.4 46.4	8.2 8.7 .9	43.7 14.5 17.6
Rail	27.3	5.2	29.1	5.7	30.2	6.4	17.0
Water	s	S	S	S	s	S	29.9
Shallow draft Great Lakes Deep draft	_ _ S	- - S	- - S	- - S	_ _ S	- - S	29.9
Air (includes truck and air)		=	_	_	_ S	_ S	_ S
Multiple modes	39.4	1.6	42.2	1.3	41.4	3.4	s
Parcel, U.S. Postal Service or courier	S 36.4	S 1.0	S 38.3	S .8	S 39.6	S 2.9	33.4 18.9
Truck and water	S -	S -	S -	S -	S -	S -	29.8
Other multiple modes	S	S	S	S	S	S	31.6
Other and unknown modes	l s	S	S	S	l s	s	S

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodition	Val	ue	To	ons	Ton-	-miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 28, PAPER OR PAPERBOARD ARTICLES							
Total	27.6	_	36.3	_	31.4	_	23.4
Single modes	27.5	2.5	36.4	2.6	25.0	7.4	38.4
Truck	29.3 23.3 S	5.3 6.9 S	37.7 30.2 S	4.8 6.5 S	32.0 31.0 S	9.1 8.6 S	42.2 27.1 27.7
Rail	43.7	3.8	44.1	4.4	46.9	12.4	26.1
Water Shallow draft	S -	S -	S -	S -	S -	S -	31.6
Great Lakes Deep draft	- S	s	s	s	- S	S	31.6
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	33.0 S
Multiple modes	37.6	2.4	s	s	s	s	s
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	42.2 47.1 S -	2.7 1.8 S -	9 9 9	9 9 9	42.6 S S	.3 S S	\$ 26.2 25.8 -
Other multiple modes	s	s	- s	s	s	s	s
SCTG 29, PRINTED PRODUCTS							
Total	32.5	_	s	s	s	s	27.5
Single modes	44.4	13.4	s	s	s	s	s
Truck For-hire truck Private truck	44.3 S 38.5	13.3 S 7.5	S S 32.1	S S 7.3	S S 37.1	S S .2	S 23.6 S
Rail	_	_	-	_	_	_	_
Water Shallow draft	_ _ _	_	-	-	_ _	_	_ _
Great Lakes Deep draft	_ _	_	_ _			=	_ _
Air (includes truck and air)	s -	S -	S -	S -	S S	S S	22.8 S
Multiple modes	s	s	43.7	12.2	s	s	23.6
Parcel, U.S. Postal Service or courier	S -	S -	44.8	12.2	S -	S -	23.5
Truck and water Rail and water Other multiple modes	S -	S -	S -	S - -	S -	S -	29.8
Other and unknown modes	49.1	4.4	s	s	s	s	s
SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER							
Total	17.0	_	36.0	_	42.6	_	13.7
Single modes	24.0	8.7	43.3	8.6	48.3	9.0	18.1
Truck For-hire truck Private truck	24.3 28.8 46.2	8.8 9.1 8.8	44.6 46.0 S	9.2 8.3 S	S S 44.5	S S 1.6	16.8 10.8 25.6
Rail	S	S	S	S	S	S	27.9
Water Shallow draft Great Lakes Door draft	S - - S	S - - - S	S - - S	S - - S	S - - S	S - - S	29.8 - - 29.8
Deep draft Air (includes truck and air)	S	S	S	S	S	S	20.9 S
Multiple modes	31.2	7.9	19.8	8.0	19.2	9.0	16.3
Parcel, U.S. Postal Service or courier	32.9	8.2	26.4	8.3	26.6	8.4	16.3
Truck and rail . Truck and water Rail and water Other multiple modes	S S - -	S S - -	S S - -	S S - -	S S - -	S S - -	31.6 25.9 –
Other and unknown modes	43.6	1.2	41.0	.9	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

			Tons				
	Val	ue	10	ons	I on-	miles	Average miles
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	per shipment— coefficient of variation
SCTG 31, NONMETALLIC MINERAL PRODUCTS							
Total	s	s	s	s	27.8	_	s
Single modes	s	s	s	s	32.8	10.8	44.7
Truck	S 32.8 S	S 9.7 S	S 28.0 S	S 6.7 S	37.1 31.8 S	12.0 7.1 S	43.8 34.0 17.3
Rail	s	S	S	S	s	S	30.3
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	- - -	_ _ _ _	- - -	- - -	_ _ _	_ _ _
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	31.6 S
Multiple modes	33.3	12.2	49.2	10.4	s	s	41.5
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	40.1 S S -	12.2 S S	42.9 S S	10.5 S S -	48.1 S S -	10.6 S S	32.9 31.6 29.8 —
Other and unknown modes	s	s	s	s	s	s	s
SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES							
Total	25.4	_	36.9	_	s	s	s
Single modes	24.5	1.9	37.8	2.6	s	s	s
Truck For-hire truck	26.7 37.0 39.2	7.7 11.3 11.9	33.0 S 46.9	8.4 S 11.7	36.2 42.4 44.5	13.8 12.1 7.9	38.4 22.1 23.4
Rail	s	s	s	s	s	S	26.5
Water Shallow draft Great Lakes Deep draft	S S -	S S -	\$ \$ -	S S -	\$ \$ -	\$ \$ -	31.6 31.6 —
Air (includes truck and air)	47.6 _	.2	S -	S -	S S	S	26.2 S
Multiple modes	41.7	1.0	s	s	s	s	32.3
Parcel, U.S. Postal Service or courier	30.0 49.2 S - S	.4 1.0 S - S	29.2 S S - S	- S S - S	41.7 S S - S	- S S - S	34.3 26.1 31.6 - 31.6
Other and unknown modes	s	s	s	s	s	s	s
SCTG 33, ARTICLES OF BASE METAL							
Total	23.3	_	23.9	_	26.9	_	29.9
Single modes	28.5	9.4	24.9	3.4	29.4	9.0	39.7
Truck For-hire truck Private truck	28.3 37.8 27.3	9.1 9.8 6.4	24.2 34.3 28.0	3.1 9.5 8.3	27.8 33.4 20.4	8.4 10.3 5.9	49.6 S 23.8
Rail	_	-	-	-	_	_	_
WaterShallow draft	S -	S -	S -	S -	S -	S -	29.8
Great Lakes Deep draft	s	s	s	s	s	s	29.8
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	21.8 S
Multiple modes	44.2	9.5	40.6	1.6	s	s	20.4
Parcel, U.S. Postal Service or courier	44.3	9.5	40.9	1.6	S -	S -	20.5
Truck and water Rail and water Other mittigle modes	S -	S -	S -	S -	S -	S -	29.9
Other multiple modes	- s	- S	s	- S	s	s	37.0
Calci and unknown modes	, 5	. 5	. 5	. 5	. 5	, 5	37.0

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 dominious	1						
	Val	ue	То	ons	Ton-	miles	A
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 34, MACHINERY							
Total	20.0	_	20.1	_	22.4	_	s
Single modes	17.8	5.7	22.4	4.8	24.3	3.8	s
Truck . For-hire truck . Private truck	18.2 15.7 36.4	6.1 8.2 4.6	22.5 21.3 38.3	4.9 8.2 5.8	24.5 25.3 S	4.3 5.0 S	S 36.7 12.1
Rail	_	_	_	_	_	_	_
Water	s	s	s	s	s	s	31.6
Shallow draft Geat Lakes Deep draft	_ _ S	_ _ S	_ _ S	_ _ S	_ _ S	_ _ S	31.6
Air (includes truck and air)	S -	S -	S -	S -	45.6 S	1.1 S	18.9 S
Multiple modes	s	s	s	s	s	s	s
Parcel, U.S. Postal Service or courier	S	S		s		S	s
Truck and rail	S S	SS	S S S	SS	S S S	S	31.6 31.6
Rail and water	_	_	_	-			
Other and unknown modes	25.3	.9	30.3	1.7	s	s	s
SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT							
Total	18.0	_	33.4	-	27.5	_	42.5
Single modes	16.6	6.7	39.1	6.6	36.7	9.9	s
Truck	20.2 17.4 33.8	7.0 7.0 6.2	40.1 36.6 S	6.5 10.4 S	39.6 41.9 48.2	9.9 12.1 3.1	S S S
Rail	s	s	s	s	s	s	31.6
Water Shallow draft	s	S -	S -	S	s	S	38.7
Great Lakes Deep draft	_ _ S	s S	- S	- S	_ _ S	- S	38.7
Air (includes truck and air)	31.3	4.2	42.3	1.2	41.7 S	2.8 S	7.4 S
Multiple modes	36.3	5.7	16.3	4.2	19.5	7.7	15.9
Parcel, U.S. Postal Service or courier	36.5	5.8	18.4	3.6	23.1	8.0	16.1
Truck and rail	S S	S S	S S	S S	S S	S S	27.9 28.6
Rail and water	_	_	_		_	_	_ _
Other and unknown modes	s	s	s	s	s	s	s
SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS)							
Total	20.2	_	23.0	_	27.6	_	29.4
Single modes	19.5	6.0	20.1	6.2	39.9	9.3	s
Truck For-hire truck Private truck.	19.4 35.5 23.7	6.0 7.6 6.2	20.1 34.8 25.3	6.2 8.3 7.4	39.9 48.2 21.4	9.3 11.1 8.7	S 17.8 S
Rail	_	_	_	_	_	_	_
Water	S	S	s	S	s	S	31.6
Shallow draft Great Lakes Deep draft	- - S	- - S	- - S	- - S	_ _ S	- - S	31.6
Air (includes truck and air)	S -	S -	S -	S -	S	SS	34.1 S
Multiple modes	48.8	6.1	s	s	s	s	43.6
Parcel, U.S. Postal Service or courier	S 46.5	S	S	S	S	S	29.7
Truck and rail . Truck and water Pail and water	46.5 49.4	.5 .4	44.9 41.9	.9 .4	44.0 40.2	2.5 .8	25.9 24.3
Rail and water Other multiple modes	=	_	_			=	_
Other and unknown modes	48.1	5.0	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 dominoun			_		_		
	Val	ue	Тс	ons	Ton-	-miles	Avanaga milaa
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.							
Total	s	s	37.4	_	s	s	22.0
Single modes	s	s	37.1	7.8	s	s	34.4
Truck	S S	S	S	S	S	S	49.6 26.1
Private truck	41.4	16.5	30.1	16.4	39.8	19.8	S
Rail	_	_	_	_	_	_	_
Shallow draft Great Lakes				_ _		_	_ _
Deep draft	_ _ S	_ S	_ S	_ S	_ S	- S	15.0
Air (includes truck and air). Pipeline	S	S	S	S	S	S	15.8 S
Multiple modes	46.8	11.6	40.6	8.3	45.6	11.8	13.8
Parcel, U.S. Postal Service or courier	46.8	11.6	40.6	8.3	45.6 - -	11.8	13.8
Truck and water Rail and water Other multiple modes	_ _ _		_ _ _	_ _ _	_ _ _		_ _ _
Other and unknown modes	s	s	s	s	s	s	29.8
SCTG 38, PRECISION INSTRUMENTS AND APPARATUS							
Total	29.5	_	s	s	s	s	s
Single modes	33.3	8.8	s	s	26.1	11.5	s
TruckFor-hire truckPrivate truck	37.5 45.6 S	7.6 7.3 S	S S S	S S S	31.9 41.5 S	8.4 7.7 S	S S S
Rail	_	-	-	-	_	_	-
Water Shallow draft		-	-		_ _		_ _
Great Lakes Deep draft				_ _		=	_ _
Air (includes truck and air)	S -	S -	S -	S -	48.6 S	9.8 S	15.9 S
Multiple modes	42.0	9.7	s	S	34.1	14.9	39.1
Parcel, U.S. Postal Service or courier	42.0	9.7	S - -	S - -	34.1	14.9	39.1
Truck and water Rail and water Other multiple modes	_		_	_ _ _	_	_	_
Other and unknown modes	s	s	s	s	s	s	29.7
SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS							
Total	40.6	_	36.0	_	s	s	s
Single modes	40.9	1.8	35.5	1.0	s	s	s
Truck For-hire truck Private truck	41.4 42.3 47.2	2.7 8.6 9.0	35.6 44.6 46.2	2.2 10.2 10.7	S S S	S S S	\$ 45.3 27.0
Rail	s	S	s	S	s	S	31.6
Water Shallow draft Great Lakes	_ _ _	- - -	_ _ _	- - -	_ _ _		_ _ _
Deep draft Air (includes truck and air).	_ S	- S	- S	- S	- S	_ S	
Pipeline	-	_	_	_	S	S	25.8 S
Multiple modes	S	S	49.1	.9	S	S	29.7
Parcel, U.S. Postal Service or courier	S -	S -	S - S	S - S	S - S	S -	48.9
Truck and water Rail and water Other multiple modes	S -	S -	5 - -	5 - -	-	S - -	26.8
Other and unknown modes	s	s	s	s	s	s	s
	·	·	·	Ŭ	·	·	·

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodition	y riow ourvey]		1				
	Vali	ue	To	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS							
Total	28.4	_	28.2	_	25.1	_	13.1
Single modes	20.9	8.7	33.4	8.9	26.0	9.7	47.7
Truck	21.5	8.1	33.7	8.9	26.5	9.6	S
For-hire truck Private truck	31.0 49.0	7.8 5.4	S S	SSS	31.7 S	10.1 S	17.2 47.2
Rail	S	S	S	S	s	S	31.6
Water	S -	S -	S -	S -	S -	S -	31.6
Great Lakes	S	s	S	s	S	S	31.6
Air (includes truck and air)	44.9	.3	48.7		S S	S S	16.6 S
Multiple modes	42.0	9.9	s	s	s	s	11.2
Parcel, U.S. Postal Service or courier	42.1	10.0	S	S	S	S	11.2
Truck and railTruck and water	s	S	S	S	S	S	28.4
Rail and water	_	_ _	-		_ _	_	_
Other and unknown modes	s	s	27.7	2.9	35.3	2.2	s
SCTG 41, WASTE AND SCRAP							
Total	s	s	s	s	43.4	_	30.3
Single modes	s	s	s	s	s	s	s
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	S 34.2 S
Rail	s	s	s	s	s	s	29.9
Water	_	_	-	_	-	_	_
Shallow draft Great Lakes Deep draft	_ _ _	- - -	_ _ _	- - -	- - -		_ _ _
Air (includes truck and air)					_ S	- S	- S
Multiple modes	s	s	42.9	8.4	43.2	10.0	23.8
Parcel, U.S. Postal Service or courier	_ S	_ S	- 42.9	- 8.4	43.2	10.0	23.8
Truck and rail Truck and water	-	-	42.9	_	43.2	10.0	23.6
Rail and water Other multiple modes	_			_		_	
Other and unknown modes	s	s	s	s	s	s	31.6
SCTG 43, MIXED FREIGHT							
Total	35.6	-	17.0	-	19.6	-	31.1
Single modes	37.0	1.9	17.4	1.9	20.5	2.8	10.4
Truck For-hire truck Private truck	37.2 44.5 42.4	2.0 4.6 5.8	17.3 35.6 19.2	1.9 3.9 4.9	19.5 43.2 25.7	3.7 7.4 7.5	10.3 40.0 7.3
Rail	s	s	s	s	s	s	31.6
Water	s	S	S	S	s	S	28.3
Shallow draft Great Lakes Deep draft	S - S	\$ - \$	S - S	\$ - \$	\$ - \$	S - S	31.6
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	26.0 S
Multiple modes	34.0	1.6	20.8	.5	28.2	2.9	20.4
Parcel, U.S. Postal Service or courier	34.2	1.5	28.4	.5	48.9	2.8	21.2
Truck and water	s	S	49.6	.1	48.7	1.7	23.9
Rail and water Other multiple modes	<u> </u>		_		_ =	<u> </u>	_
Other and unknown modes	s	s	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Val	ue	То	ns	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
COMMODITY UNKNOWN							
Total	44.8	-	40.7	-	s	s	40.7
Single modes	48.2	11.8	40.5	6.2	s	s	s
Truck For-hire truck Private truck	49.2 S S	14.1 S S	43.4 S S	10.3 S S	S S 37.9	S S 17.4	S 36.1 S
Rail	s	S	40.9	10.8	S	s	33.3
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)		_ _	_ _	- -	- S	- S	_ S
Multiple modes	32.8	11.7	43.8	.7	s	s	19.7
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	32.8 - - - -	11.7 - - - -	43.8 - - - -	.7 - - -	\$ - - -	\$ - - -	19.7 - - - -
Other and unknown modes	s	s	s	s	s	s	32.2

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-7. Estimated Measures of Reliability for Outbound Shipment Characteristics by State of Destination for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Learning are shown as persons and are based on data norm the 2	Val		То	ns	Ton-miles		
State of destination	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Total	19.6	-	23.8	-	9.2	_	
NEW ENGLAND STATES							
Connecticut Maine Massachusetts New Hampshire Rhode Island Vermont	31.6 41.4 35.0 28.4 49.3 S	- .1 - - S	49.8 42.3 27.3 35.7 S	- - - - 8 8	\$ 42.8 27.1 35.2 \$ 32.6	S	
MIDDLE ATLANTIC STATES							
New Jersey New York Pennsylvania	25.2 24.6 17.8	.1 .1 .2	14.1 39.1 22.3	- - -	13.8 39.3 22.2	.1 .9 .4	
EAST NORTH CENTRAL STATES							
Illinois Indiana Michigan Ohio Wisconsin	20.7 20.4 26.2 34.4 11.8	.4 - .3 .3 -	15.2 17.4 35.6 36.8 49.3	.1 .1 .1 -	15.2 17.2 32.3 36.5 45.9	1.0 - .9 .6 .7	
WEST NORTH CENTRAL STATES							
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	35.4 27.8 24.5 34.7 22.0 27.3 42.6	.1 - .2 - - -	\$ 36.4 \$ 5.8 \$ 5.8 \$ 5.33.7	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ 35.8 \$ 15.7 \$ \$ 34.3	\$ - \$:1 \$ \$ -	
SOUTH ATLANTIC STATES							
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	40.3 S 20.9 18.7 20.5 26.4 27.7 33.5 44.5	- S .3 .1 - - .2	\$ 45.2 17.8 31.7 23.3 23.8 20.9 \$	\$ \$ \$.1 5	S 45.3 17.6 30.9 23.4 23.9 21.3 S	\$ 1.2 3.1 -1 -2 \$	
EAST SOUTH CENTRAL STATES							
Alabama Kentucky Mississippi Tennessee	28.7 25.3 37.3 25.4	- .2 - .1	46.9 38.6 48.5 26.0	- - -	46.4 38.0 49.5 26.2	.3 .2 _ .2	
WEST SOUTH CENTRAL STATES							
Arkansas Louisiana Oklahoma Texas	32.8 S 32.3 10.9	.1 S .1 .3	49.6 44.3 44.4 17.5	- - - .1	48.4 43.8 45.0 19.7	.4 .3 .4 .8	
MOUNTAIN STATES							
Arizona Colorado Idaho Montana Nevada New Mexico Utah Wyoming	20.4 23.3 11.3 30.0 31.3 17.7 29.4	.1 .1 .4 .2 - - .1	21.8 23.8 20.4 23.0 35.8 34.9 22.5 33.8	.1 - 3 3 .1 	22.1 22.7 18.6 26.8 34.4 35.1 24.7 33.9	.7 .2 .3 .3 .2 .4	
PACIFIC STATES							
Alaska . California Hawaii . Oregon Washington .	26.1 15.3 34.7 10.9 29.4	.2 1.6 - 1.2 5.4	29.7 20.2 47.5 44.3 29.7	- 1.0 - 5.2 5.0	38.2 20.0 48.0 29.1 10.8	.6 2.5 1.0 3.3 1.2	

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-8. Estimated Measures of Reliability for Inbound Shipment Characteristics by State of Origin for State of Destination: 2002

· · · · · · · · · · · · · · · · · · ·			_		_	
0	Val	ue	То	ons	Ton-r	niles
State of origin	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Total	15.4	-	23.5	-	6.5	
NEW ENGLAND STATES						
Connecticut	21.9 27.0 S 19.0 S 22.3	- - S - S	16.7 38.5 41.4 35.5 S 27.9	- - - S -	16.6 38.3 41.4 35.6 S 28.2	- .2 .2 .9
MIDDLE ATLANTIC STATES						
New Jersey	15.6 24.2 32.1	.2 .4 .2	37.9 22.1 14.3	- - -	38.8 20.7 13.6	.5 .3 –
EAST NORTH CENTRAL STATES						
Illinois Indiana Michigan Ohio Wisconsin	11.9 17.9 16.3 20.7 41.3	.2 .2 .2 .3 .5	20.3 31.7 15.1 21.4 29.5	- - - .1 .1	20.4 30.8 15.0 21.7 29.7	.3 .6 .2 .8
WEST NORTH CENTRAL STATES						
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	31.8 49.7 13.2 22.5 19.3 40.5 28.7	.3 .8 .2 .2 	29.0 S 28.8 29.0 46.6 S S	- S .7	29.8 S 30.3 28.9 49.8 48.1 S	.3 \$.4.0 .4.4 .7 11.7 \$
SOUTH ATLANTIC STATES						
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	39.4 S 17.7 15.0 23.8 20.1 19.8 31.2 28.8	- S 2 - - 2 2	32.9 S 30.0 20.1 S 29.3 31.0 29.7 35.5	- S - S - - -	33.7 S 29.6 20.5 S 29.1 32.1 31.0 35.4	- S .4 .3 S .4 .2 .2
EAST SOUTH CENTRAL STATES						
Alabama Kentucky Mississippi Tennessee	42.8 31.7 49.6 26.8	.1 .1 .2 .5	43.4 22.3 32.5 30.4	- - - -	43.4 21.9 32.9 31.9	.3 .1 .2 .3
WEST SOUTH CENTRAL STATES						
Arkansas Louisiana Oklahoma Texas	30.3 29.8 18.6 22.0	.2 .1 _ .6	30.9 S 20.6 37.0	- S - .2	31.6 S 21.1 38.0	.5 S .1 1.3
MOUNTAIN STATES						
Arizona . Colorado	32.5 22.6 26.5 15.2 25.1 48.7 13.8 40.0	.1 .1 .3 .3 .1	19.6 20.5 18.9 S S 41.8 44.1	- - 2.5 - 9. - 2.5 - 2.5	21.4 21.9 19.6 S S 42.4 48.2 S	- .1 .3 .5 .5 .5 .1 .2.3
PACIFIC STATES						
Alaska . California Hawaii . Oregon . Washington .	18.0 14.4 42.3 6.5 29.4	1.6 - 1.0 6.3	40.3 20.6 S 11.7 29.7	- 1.0 S 1.2 3.1	39.0 21.6 S 10.0 10.8	.2 2.2 S .5 1.6

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-9. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

		Value			Tons			Ton-miles		Averag	je miles per sh	nipment
Mode of transportation		Coefficient of variation of number Standard error of		Coefficient of variation of number		Standard error of		Coefficient of variation of number		Coefficient of variation of number		Standard error of
	2002	1997	percent change	2002	1997	percent change	2002	1997	percent change	2002	1997	percent change
Total	19.6	10.5	26.8	23.8	9.4	33.1	9.2	5.8	10.2	12.0	16.4	14.6
Single modes	23.2	13.3	34.6	25.9	7.9	39.0	10.8	6.5	12.2	22.9	16.0	29.3
Truck. Rail Water Air (includes truck and air) Pipeline	7.7 17.9 40.9 S 9.0	2.8 10.1 17.7 38.7 31.9	10.7 22.2 26.1 S 48.6	36.8 25.9 S 37.3 11.7	10.1 20.8 25.4 23.5 33.2	54.1 67.3 S 88.7 53.8	8.5 25.6 47.1 S S	3.7 13.1 23.7 23.2 S	10.0 27.6 24.8 S S	10.6 8.3 16.7 4.8 S	16.0 7.9 10.5 3.1 S	16.6 12.7 17.8 6.8 S
Multiple modes	17.7	15.5	22.7	16.3	18.3	16.4	18.8	10.8	21.4	9.9	10.4	11.0
Parcel, U.S. Postal Service or courier . Truck and rail	18.3 31.6 27.6	17.4 13.3 16.3	25.2 21.2 23.9	19.7 23.5 32.3	11.5 24.3 39.8	27.4 25.0 23.1	26.6 22.3 36.0	19.9 18.5 17.4	34.4 27.1 41.7	10.2 4.7 5.9	10.5 9.2 7.9	11.1 10.2 12.5
Other and unknown modes	27.8	14.7	15.4	27.1	30.5	21.1	17.8	s	s	s	s	s

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-10. Estimated Measures of Reliability for Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

			Value		Tons				Ton-miles		Average miles per shipment		
SCTG code	Commodity description	Coefficient of nu		Standard error of	Coefficient of nu		Standard error of	Coefficient of nu		Standard error of	Coefficient of nui		Standard error of
		2002	1997	percent change	2002	1997	percent change	2002	1997	percent change	2002	1997	percent change
	Total	19.6	10.5	26.8	23.8	9.4	33.1	9.2	5.8	10.2	12.0	16.4	14.6
01-05	Agricultural products and fish	19.0	7.6	15.0	29.4	22.4	27.3	30.6	15.6	24.2	s	s	S
06-09 10-14	Grains, alcohol, and tobacco products	17.3	8.1	19.1	21.4	8.7	24.4	30.0	11.7	31.7	29.6	11.6	50.2
15-19	and metallic ores	38.5	31.5	138.4	S	25.6	S	48.4	25.1	217.7	S	18.3	S
20-24	products	14.5	15.4	30.7	14.4	16.4	30.3	17.2	28.8	28.6	48.4	39.5	66.0
25-30	products	12.8	8.2	12.3	35.9	12.3	20.3	21.6	18.0	6.7	27.7	17.0	84.9
	textile and leather	7.9	7.7	10.5	17.3	9.0	23.5	22.9	11.0	29.9	18.7	10.4	19.0
31-34 35-38	Base metal and machinery Electronic, motorized vehicles, and precision	22.5	4.0	21.9	21.4	10.3	8.1	18.8	9.4	12.4	19.0	20.9	28.3
39-43	instruments Furniture, mixed freight and	43.6	27.3	66.8	14.9	11.0	22.8	22.0	22.5	29.3	37.9	20.3	37.0
	misc. manufactured prod Commodity unknown	25.4 44.8	18.9 41.0	67.2 18.7	23.3 40.7	28.4 S	45.1 S	22.1 S	12.6 47.2	42.6 S	17.7 40.7	15.8 40.5	12.2 71.9

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Appendix C. Sample Design, Data Collection, and Estimation

INTRODUCTION

The primary goal for the 2002 Commodity Flow Survey (CFS) is to estimate *shipping volumes* (value, tons, and ton-miles) by *commodity* and *mode of transportation* at varying levels of geographic detail. A secondary objective is to estimate the volume of shipments moving from one geographic area to another (i.e., flows of commodities between states, regions, etc.) by mode and commodity. A detailed description of the sample design for the 2002 CFS is provided below.

SAMPLE DESIGN

The sample for the 2002 Commodity Flow Survey (CFS) was selected using a stratified three-stage design in which the first-stage sampling units were establishments, the second-stage sampling units were groups of four 1-week periods (reporting weeks) within the survey year, and the third-stage sampling units were shipments.

First Stage

Sampling frame

To create the first-stage sampling frame, we extracted a subset of establishment records from the Business Register (formerly the Standard Statistical Establishment List) as of September 2001. The Business Register is a database of all known establishments located in the United States or its territories. (An establishment is a single physical location where business transactions take place or services are performed.) Establishments located in the United States, having nonzero payroll in 2000, and classified in mining (except oil and gas extraction), manufacturing, wholesale, or electronic shopping and mail order retail industries, as defined by the 1997 North American Industry Classification System (NAICS), were included on the sampling frame. Auxiliary establishments (e.g. warehouses and central administrative offices) with shipping activity were also included on the sampling frame. Auxiliary establishments are establishments that are primarily involved in rendering support services for other establishments within the same company, instead of for the public, government, or other business firms. All other establishments included on the sampling frame are referred to as nonauxiliary establishments.

Some portion of establishments classified in the Retail Trade sector in the 1997 Economic Census was expected to be classified in the Wholesale Trade sector in the 2002 Economic Census. Because we wanted complete coverage of the Wholesale Trade sector as defined for the 2002 Economic Census, the 2002 CFS sampling frame also included establishments that were classified in particular retail industries (automotive parts and accessories, tires, floor coverings, building materials, nursery and garden, and office supplies) in the 1997 Economic Census and had characteristics indicating that they were likely to be classified as wholesale in the 2002 Economic Census. Of the establishments selected for the 2002 CFS from this set of establishments, only those that were classified as wholesale in the 2002 Economic Census were used in the production of estimates for this report.

Establishments classified in forestry, fishing, utilities, construction, transportation, services, and all other retail industries were not included on the sampling frame. Farms and government-owned entities (except government-owned liquor stores) were also excluded from the sampling frame. The resulting frame comprised approximately 760,000 establishments.

For each establishment we extracted sales, payroll, number of employees, a six-digit NAICS code, name and address, and a primary identifier. We also computed a measure of size for each establishment. The measure of size was designed to approximate an establishment's annual total value of shipments for the year 2000.

All of the establishments included on the sampling frame had state, county, and place geographic codes. We used these codes to assign each establishment to one of the 273 metropolitan areas (MAs) defined as a combination of the metropolitan statistical areas (MSAs) and consolidated metropolitan statistical areas (CMSAs). Establishments not located in an MA were assigned to MA 9999.

Stratification

We stratified the sampling frame by geography and industry. Geographic strata were defined by a combination of the 50 states, the District of Columbia, and the top 50 metropolitan areas (MAs) based on their population in Census 2000. If a particular MA was not one of the 50 largest, then it was collapsed with the remaining MAs and non-MAs within the state in which the particular MA resided. We refer to these collapsed strata as Rest of State (ROS) strata. When an MA crossed state boundaries, we considered the size of each part of the MA relative to the MAs total measure of size when determining whether or not to create strata in each state in which the MA was defined. The industry strata were determined as follows. Within each of the geographic strata, we started with a total of 45 industry groups based on 1997 NAICS: three mining (four-digit NAICS); 21 manufacturing (three-digit NAICS); 18 wholesale (four-digit NAICS); 1 retail (NAICS 4541); and 2 auxiliary (NAICS 4931 and 5511). We then implemented a rule that states a particular industry stratum will be defined within a geographic stratum if it contributes at least 2 percent to its corresponding state total measure of size or it contributes at least 2 percent to the national total measure of size for the industry. Industry groups not meeting these criteria were combined into at most 12 new collapsed industry strata using a clustering algorithm. Because of potential differences in shipping patterns between auxiliary and nonauxiliary establishments, we created two industry strata of auxiliary establishments in every geographic stratum. We refer to a particular geographic-by-industry combination as a primary stratum. Also note that a separate stratum was created at the national level for those Retail Trade sector establishments that we included in our sample.

Sample size and allocation

To reduce the sampling variability of the estimates, we used a stratified design with a certainty component. Within each primary stratum, a boundary (or cutoff) that divides the certainty establishments from the noncertainty establishments was determined using the Lavallee-Hidiroglou algorithm. If an establishment's measure of size was greater than the cutoff, the establishment was selected with certainty. Establishments selected with certainty were sure to be selected and represent only themselves (i.e., had a selection probability of one and a sampling weight of one).

Because the 2002 sample was about half the size of the 1997 CFS sample, we were concerned about the ability of the sample to capture less frequent types of shipments (e.g., air, water, rail, and hazardous materials). After considering several different alternatives, we felt the best approach was to identify those establishments which made the bulk of these types of shipments in 1997 and then select them with certainty. To identify these establishments, we proceeded as follows.

We identified all establishments in the 1997 CFS sample that reported shipments made by air, water, or rail. We also identified those establishments that reported shipments of hazardous materials. For each of these establishments, we computed the percentage of the establishment's total value and tonnage accounted for by each of these types of shipments. Next, we matched these establishments to the sampling frame for the 2002 CFS and identified each establishment with measure of size less than the certainty boundary. For both value and tons, we then looked to see what percent of the total volume of shipments for each type of shipment was captured by selecting with certainty the top 50, top 100, or all establishments. We considered the top 50 establishments as those establishments making the largest volume of each type of shipment (air, water, rail, hazardous). Once these establishments were identified, we grouped them into one file and unduplicated them. This procedure added a total of about 500 certainty establishments.

Establishments not selected with certainty made up the noncertainty frame. We further stratified the noncertainty establishments within each primary stratum using the measure of size previously described. We refer to these measure-of-size strata as *substrata* of the primary strata. The measure of size stratification increased the efficiency of the sample design. The Dalenius-Hodges

cumulative \sqrt{f} rule was used to set the substratum boundaries. We then used optimum allocation to determine the sample size required within each substratum to meet a coefficient of variation constraint on an estimate of the total measure of size for the primary stratum. Within each substratum, a simple random sample of establishments was selected without replacement.

To arrive at the final sample size, we allocated additional establishments to some of the strata so that the minimum substratum sample size was two and the probability of selecting any establishment was no less than 1 in 100. In total, the first-stage sample comprised 51,005 establishments.

Second Stage

The frame for the second stage of sampling consisted of 52-weeks from January 6, 2002 to January 4, 2003. Each establishment selected into the 2002 CFS sample was systematically assigned to report for four reporting weeks-one in each quarter of the reference year. Each of the 4-weeks was in the same relative position of the quarter. For example, an establishment might have been requested to report data for the 5th, 18th, 31st, and 44th weeks of the reference year. In this instance, each reporting week corresponds to the 5th week of each quarter. Prior to assignment of weeks to establishments, we sorted the selected sample by primary stratum (state x metropolitan area x industry) and measure-of-size.

Third Stage

For each of the four reporting weeks in which an establishment was asked to report, we requested the respondent to construct a sampling frame consisting of all shipments made by the establishment in the reporting week. Each respondent was asked to count or estimate the total number of shipments comprising the sampling frame and to record this number on the questionnaire. For each assigned reporting week, if an establishment made *more than 40* shipments during that week, we asked the respondent to select a systematic sample of the establishment's shipments and to provide us with information only about the selected shipments. If an establishment made *40 or fewer* shipments during that week, we asked the respondent to provide information about *all* of the establishment's shipments made during that week; i.e., no sampling was required.

DATA COLLECTION

Each establishment selected into the CFS sample was mailed a questionnaire for each of its four reporting weeks. We mailed each establishment a questionnaire once every quarter of 2002. For a given establishment, we requested that the respondent provide the following information about each of the establishment's reported shipments: shipment identification number, the date on which the shipment was made, value, weight, commodity, mode(s) of transportation, domestic destination or port of exit, an indication of whether the shipment was an export, and the United Nations or North America (UN/NA) number for hazardous material shipments. For a shipment that included more than one commodity, the respondent was instructed to report the commodity that made up the greatest percentage of the shipment's *weight*. For an export shipment, we also asked the respondent to provide the mode of export and the foreign destination city and country. See Appendix E for a copy of the questionnaire.

IMPUTATION OF SHIPMENT VALUE OR WEIGHT

To correct for nonresponse to *either* the value *or* weight item for a given shipment reported in the CFS, the missing value or value that failed edit is replaced by a predicted value obtained from an appropriate model. Such a shipment is considered a "recipient" if its commodity code is valid and the other item is reported greater than zero and passed edit. The recipient's item that is missing or failed edit is imputed as follows. First, a "donor" shipment is randomly selected from shipments that were reported in the CFS with:

- The same commodity code as the recipient.
- Both value and weight items reported greater than zero and passed edit.
- Origin and value for the item reported by the recipient similar to those of the recipient.

Then, the donor's value and weight data are used to calculate a ratio, which is applied to the recipient's reported item, to impute the item that is missing or failed edit. If no donor is found, the median ratio for all shipments reported in the survey with the same commodity code as the recipient and with both value and weight items reported greater than zero is applied to the recipient's reported item. For either the value or weight item, about 3 percent of the shipment records input to the calculation of estimates have imputed data for the item.

ESTIMATION

Estimated totals (e.g., value of shipments, tons, ton-miles) are produced as the sum of weighted shipment data (reported or imputed). Percent change and percent-of-total estimates are derived using the appropriate estimated totals. Estimates of average miles per shipment are computed by dividing an estimate of the total miles traveled by the estimated number of shipments. The annualized growth rate \hat{A} for estimates from year y_1 to y_2 is computed as:

$$\hat{A} = 100 * \left| \left(\frac{\hat{X}_{y_2}}{\hat{X}_{y_1}} - 1 \right) \right|$$

where \hat{X}_{y_1} and \hat{X}_{y_2} are estimates of the value of shipments, tons, ton-miles, or average miles per shipment for years y_1 and y_2 , respectively. The annualized growth rate measures the annual rate of change between estimates from any 2 years by assuming a constant yearly rate of change.

Each *shipment* has associated with it a single *tabulation weight*, which was used in computing all estimates to which the shipment contributes. The tabulation weight is a product of seven different component weights. A description of each component weight follows.

CFS respondents provided data for a sample of shipments made by their respective establishments in the survey year. For each establishment, we produced an estimate of that establishment's total value of shipments for the entire survey year. To do this, we used four different weights, the *shipment weight*, the *shipment nonresponse weight*, the *quarter weight*, and the *quarter nonresponse weight*.

Like establishments, we identified shipments as either certainty or noncertainty. (See the Nonsampling Error section in Appendix B for a description of how certainty shipments were identified.) For noncertainty shipments, the *shipment weight* was defined as the ratio of the total number of shipments (as reported by the respondent) made by an establishment in a reporting week to the number of sampled shipments for the same week. This weight uses data from the sampled shipments to represent all the establishment's shipments made in the reporting week. However, a respondent may have failed to provide sufficient information about a particular sampled shipment. For example, a respondent may not have been able to provide value, weight, or a destination for one of the sampled shipments. If this data item could not be imputed, then this shipment did not contribute to tabulations and was deemed unusable. (A usable shipment is one that has valid entries for value, weight, and origin and destination ZIP Codes.) To account for these unusable shipments, we applied the shipment nonresponse weight. For noncertainty shipments from a particular establishment's reporting week, this weight is equal to the ratio of the number of sampled shipments for the reporting week to the number of usable shipments for the same week. The shipment weight for certainty shipments from a particular establishment's reporting week is equal to one.

The *quarter weight* inflates an establishment's estimate for a particular reporting week to an estimate for the corresponding quarter. For noncertainty shipments, the quarter weight is equal to 13. The quarter weight for most certainty shipments is also equal to 13. However, if a respondent was able to provide information about all large (or certainty) shipments made in the quarter containing the reporting week, then the quarter weight for each of these shipments was one. For each establishment, the quarterly estimates were added to produce an estimate of the establishment's value of shipments for the entire survey year. Whenever an establishment did not provide the Census Bureau with a response for each of its four reporting weeks, we computed a quarter nonresponse

weight. The *quarter nonresponse weight* for a particular establishment is defined as the ratio of the number of quarters for which the establishment was in business in the survey year to the total number of quarters (reporting weeks) for which we received usable shipment data from the establishment.

Using these four component weights, we computed an estimate of each establishment's value of shipments for the entire survey year. We then multiplied this estimate by a factor that adjusts the estimate using value of shipments and sales data obtained from other surveys and censuses conducted by the Census Bureau. This weight, the *establishment-level adjustment weight*, attempts to correct for any sampling or nonsampling errors that occur during the sampling of shipments by the respondent.

The adjusted value of shipments estimate for an establishment was then weighted by the *establishment weight*. This weight is equal to the reciprocal of the establishment's probability of being selected into the sample.

A final adjustment weight, the *industry-level adjustment weight*, uses information from other surveys and censuses conducted by the Census Bureau to account for establishments from which we did not receive a response (including establishments from which we did not receive any usable shipment data) and for changes in the population of establishments between the time the first-stage sampling frame was constructed (2001) and the year in which the data were collected (2002). Separate industry-level adjustment weights were determined for nonauxiliary and auxiliary establishments.

Appendix D. Standard Classification of Transported Goods Code Information

The commodities shown in this report are classified using the Standard Classification of Transported Goods (SCTG) coding system. The SCTG coding system was created jointly by agencies of the United States and Canadian governments based on the Harmonized System of product classification that is used worldwide. The purpose of the SCTG coding system was to specifically address statistical needs in regard to products transported.

In 1993, Commodity Flow Survey (CFS) data were collected and reported using product classifications found in the Standard Transportation Commodity Classification (STCC) system. These classifications were developed in the early 1960s by the American Association of Railroads (AAR) to analyze commodity movements by rail. The original purpose of the STCC was for identification of commodities for purposes of assigning rates for Interstate Commerce Commission (ICC) regulated rail carriers. The STCC continues to be used by the AAR as a tariff mechanism.

At the time that the Commodity Transportation Survey (CTS) (the CTS—the predecessor of the CFS) was first conducted in 1963, STCC codes were still useful for analyzing most important aspects of the U.S. transportation system. Since then, many changes have taken place that have gradually made the STCC code less useful for tracking domestic product movements across all modes (although it remains perfectly functional for tracking rail-only movements). These include the deregulation of trucking, the enactment of North American Free Trade Agreement (NAFTA), changes in logistics practices, the emergence of plastics and composite materials to replace metals and glass, the obsolescence of many categories of wood products, and the very rapid recent development of high-tech electronic goods. Because the CFS is a shipper survey, the CFS collects information about shipments moving on all modes. As a consequence, STCC classifications frequently provide inadequate detail for identifying products that are significant for modes, such as truck and air. It is for these reasons that the Bureau of Transportation Statistics (BTS) has sponsored the development of a new product code to collect and report CFS data.

In 1997 and 2002, the CFS provided respondents with a listing of SCTG codes and descriptions at the five-digit level to use in assigning a commodity code for each shipment. For shipments of more than one commodity, we instructed respondents to use the five-digit code for the major commodity, defined as the commodity of greatest total weight in the shipment. For the data presented on this report, we aggregated the SCTG codes to the two-digit level.