



Announcing release of the

Draft Environmental Impact Report (EIR)

for the proposed extension of the
Metro Gold Line from
Azusa to Montclair

You're Invited! Draft EIR Public Meetings

Thursday, Sept. 20, 2012 - 5:30 p.m.


Montclair Senior Center
5111 Benito Street
Montclair, CA 91763

Monday, Sept. 24, 2012 - 5:30 p.m.

Hillcrest Meeting House
2705 Mountain View Drive
La Verne, CA 91750

Copies of the Draft EIR are available at multiple locations (see reverse side for details).

The proposed project, known as the **Metro Gold Line Foothill Extension from Azusa to Montclair** (illustrated below), is the next phase of the planned extension of the existing Metro Gold Line light rail system. The project would extend the Metro Gold Line 12.3 miles to the east and include six new stations in the cities of Glendora, San Dimas, La Verne, Pomona, Claremont, and Montclair.



The public review period for the Draft EIR begins on August 21, 2012 and ends on October 5, 2012. Please send written comments so they are received no later than October 5, 2012 to **Lisa Levy Buch:**

406 E. Huntington Dr, Suite 202

Monrovia, CA 91016-3633

Fax: (626) 471-9049

llevybuch@foothillextension.org



The Draft Environmental Impact Report for the **Metro Gold Line Foothill Extension from Azusa to Montclair** has been released for public review and comment!



The Draft EIR is available for review at:

Metro Gold Line Foothill Extension
Construction Authority
406 E. Huntington Drive, Suite 202
Monrovia, CA 91016

Online at www.foothillextension.org

The following public libraries:

Azusa City Library, 729 N. Dalton Ave, Azusa, CA 91702

Claremont Public Library, 208 N. Harvard Ave, Claremont, CA 91711

Glendora Public Library, 140 S. Glendora Ave, Glendora, CA 91741

La Verne Library, 3640 D St., La Verne, CA 91750

Montclair Public Library, 9955 Fremont Ave, Montclair, CA 91763

Pomona Public Library, 625 S. Garey Ave, Pomona, CA 91766

San Dimas Library, 145 N. Walnut Ave, San Dimas, CA 91773

Questions? Call (626) 471-9050