



RUN	DEPTH	REC
0	0-5	HAND AUGER
1	5-10	95% 4.75/5
2	10-12.5	36% 0.9/2.5
3	12.5-15	32% 0.8/2.5
4	15-17.5	52% 1.3/2.5
5	17.5-20	100% 2.5/2.5

SR-710 North Study  
 A-13-034  
 5'-20'



RUN	DEPTH	REC
6	20-22.5	100% 2.5/2.5
7	22.5-25.0	100% 2.5/2.5
8	25-27.5	60% 1.5/2.5
9	27.5-30	100% 2.5/2.5
10	30-32.5	100% 2.5/2.5
11	32.5-35	100% 2.5/2.5

SR-710 North Study  
 A-13-034  
 20'-35'



20  
22.5  
25  
27.5  
30  
32.5  
35

26.5

22.5  
27.5

22.5  
27.5

22.5  
27.5

20  
22.5  
25  
27.5  
30  
32.5  
35

RUN	DEPTH	REC	
12	35 - 40	88%	4.4 / 5
13	40 - 45	90%	4.5 / 5
14	45 - 47.5	68%	1.7 / 2.5
15	47.5 - 50.0	48%	1.2 / 2.5

SR-710 North Study  
 A-13-034  
 35' - 50'



R12 35  
 R13 40  
 R14 45

40  
 45  
 50

RUN

DEPTH

REC

16

50-55

100% S/S

17

55-60

90% 4.5/5

18

60-65

100% S/S

SR-710 North Study

A-13-034

50'-65'

R18 50

R17 55

R16 60

5/5

RUN	DEPTH	REC
19	65-70	100% 5/5
20	70-75	100% 5/5
21	75-80	92% 4.6/5

SR-710 North Study  
 A-13-034  
 65'-80'

R21 75 R20 70 R19 65



796

RUN	DEPTH	REC
22	80-82.5	100% 2.5/2.5'
23	82.5-85.0	44% 1.1/2.5'

SR-710 North Study  
 A-13-034  
 80'-83.6'

82.2-80



83.6'