



Bureau of Justice Statistics Bulletin

October 2002, NCJ 196023

HIV in Prisons, 2000

By Laura M. Maruschak **BJS Statistician**

On December 31, 2000, 2.2% of State prison inmates, and 0.8% of Federal prison inmates were known to be infected with the human immunodeficiency virus (HIV). Correctional authorities reported that 24,074 State inmates and 1,014 Federal inmates were HIV positive. The number known to be HIV positive totaled 25,088 down from 25,801 at yearend 1999.

Of those known to be HIV positive in all U.S. prisons at yearend 2000, 5,528 were confirmed AIDS cases, down from 6,642 in 1999. This was the first decrease in the number of confirmed AIDS cases since data collection started in 1991. Among State inmates, 0.6% had AIDS; among Federal inmates, 0.2%.

During 2000, 174 State prisoners and 21 Federal prisoners died from AIDSrelated causes. State prisons had the fewest AIDS-related deaths in 10 years less than a fifth of the number (1,010) recorded during the peak year in 1995. In 2000, 6% of State inmate deaths were attributed to AIDS, down from 32% in 1995.

This report is based on the 2000 National Prisoners Statistics (NPS-1) and the 2000 Census of State and Federal Adult Correctional Facilities. Data from the NPS were provided by the departments of corrections in 50 States and the District of Columbia and by the Federal Bureau of Prisons. Data from the Census were provided by 1,504 facilities for June 30, 2000.

Highlights

HIV-positive and confirmed AIDS cases among inmates drop in 2000

	HIV-positive pr	rison inmates		HIV-positive pr	rison inmates
		Percent of custody			Percent of custody
<u>Yearend</u>	Number	population	<u>Jurisdiction</u>	Number	population
1995	24,256	2.3%	New York	6,000	8.5%
1996	23,881	2.2	Florida	2,640	3.7
1997	23,886	2.1	Texas	2,492	1.9
1998	25,680	2.2	California	1,638	1.0
1999	25,801	2.1	Federal system	1,014	0.8
2000	25,088	2.0			

- Between 1995 and 2000 the number New York held nearly a quarter of HIV-positive prisoners grew at a slower rate (3%) than the overall prison population (16%).
- · At yearend 2000, 3.6% of all female State prison inmates were HIV positive, compared to 2.2% of males.
- · During 2000, 18 States reported a decrease in the number of HIVpositive prisoners and 29 States reported an increase.
- of all inmates (6.000 inmates) known to be HIV positive at yearend 2000.
- Virginia with an increase of 220 HIV-positive inmates reported the largest increase, followed by Maryland (up 178) and Alabama (up 136). New York with 1,000 fewer HIV-positive inmates reported the largest drop.
- The overall rate of confirmed AIDS among the Nation's prison population (0.52%) was about 4 times the rate in the U.S. general population (0.13%).

174 AIDS-related deaths in State prisons in 2000, down 80% since 1995

AIDS-related deaths			
	in State pris		
		Rate per	
<u>Year</u>	<u>Number</u>	100,000 inmates	
1995	1,010	100	
1996	907	90	
1997	538	48	
1998	350	30	
1999	242	20	
2000	174	14	

- Among Federal inmates, 21 died _ from AIDS-related causes, up from 16 in 1999.
 - During 2000, Florida (48) and New Jersey (20) reported the most AIDSrelated deaths.
 - In 1999 the AIDS-related death rate (20 per 100,000) was lower for State prisoners than for a comparable group in the general population (25 per 100,000).

Table 1. Inmates in custody of State or Federal prison authorities and known to be positive for the human immunodeficiency virus, 1999-2000

	Total known	to he HIV i	nositive ^a	HIV/AIDS c		
Jurisdiction	12/31/99	6/30/00	12/31/00	12/31/99	6/30/00	12/31/00
U.S. total ^c Reported Comparable reporting ^d	25,801 25,801	25,359 25,067	25,088 25,088	2.1%		2.0%
Federal State	1,150 24,651	 25,359	1,014 24,074	0.9% 2.3	2.2	0.8% 2.2
Northeast Connecticut Maine Massachusetts New Hampshire New Jersey New Yorke Pennsylvania Rhode Island Vermont	10,030 632 9 346 17 869 7,000 939 203 15	9,779 928 15 499 14 942 6,500 776 92 13	8,721 593 11 313 23 771 6,000 900 90 20	6.0% 3.7 0.5 3.3 0.8 3.5 9.7 2.6 6.9 1.3	5.7% 5.5 0.9 4.8 0.6 3.6 9.1 2.1 2.7	5.2% 3.6 0.7 3.0 1.0 3.2 8.5 2.4 2.6 1.5
Midwest Illinois Indiana Iowa Kansas Michigan Minnesota Missouri Nebraska North Dakota Ohio South Dakota Wisconsin	2,171 635 30 41 578 32 290 20 20 2391 5	2,479 653 292 39 44 404 42 274 19 3 522 7 180	2,252 619 27 49 585 42 267 18 2 478 4	1.0% 1.4 0.4 0.5 1.3 0.6 1.1 0.6 0.2 0.8 0.2 1.0	1.1% 1.5 1.6 0.5 0.9 0.6 1.0 0.5 0.3 1.1	1.1% 1.4 0.3 0.6 1.2 0.7 1.0 0.5 0.2 1.1
South Alabama Arkansas Delaware District of Columbia Florida Georgia Kentucky Louisiana Maryland Mississippi North Carolina Oklahoma South Carolina Tennessee Texas Virginia West Virginia	10,243 283 99 170 359 2,633 846 122 381 820 192 554 122 617 185 2,520 330 10	11,167 267 98 122 232 2,714 1,166 118 526 862 157 643 215 574 206 2,691 567 9	10,767 419 101 127 126 2,640 938 124 500 998 230 588 145 560 215 2,492 550 14	2.2% 1.3 1.0 2.6 7.8 3.8 2.0 1.1 2.1 3.6 1.9 1.9 0.8 2.9 1.4 1.8 1.3 0.3	2.2% 1.2 0.9 2.2 9.7 3.8 2.6 1.0 2.7 3.8 1.1 2.1 0.9 2.7 1.7 1.9 0.3	2.3% 1.8 0.9 1.9 3.3 3.7 2.1 1.3 2.6 4.3 2.1 1.9 1.0 2.7 1.6 1.9 0.5
West Alaska Arizona California Colorado Hawaii Idaho Montana Nevada New Mexico Oregon Utah Washington Wyoming	2,207 16 144 1,570 131 30 15 10 125 26 23 34 75 8	1,934 43 183 1,179 139 20 21 15 146 28 39 34 83 4	2,334 110 1,638 146 19 14 11 151 28 41 37 90 6	0.9% 0.6 0.6 1.0 1.0 0.9 0.4 0.7 1.4 0.5 0.2 0.6 0.5	0.8% 1.4 0.7 0.8 0.9 0.5 0.6 0.7 1.6 0.4 0.8 0.6 0.2	0.9% 0.4 1.0 0.5 0.4 0.7 1.6 0.5 0.4 0.9 0.6 0.5

⁻⁻Not reported.

Number of HIV-infected prison inmates at yearend 2000 down from 1999

At yearend 2000, 25,088 inmates in State and Federal prisons were known to be infected with the human immunodeficiency virus (HIV), down from 25,801 in 1999 (table 1). Among State prison inmates, 24,074 were known to be HIV positive; among Federal inmates, 1,014.

HIV-infected inmates were concentrated in a small number of States. New York (6,000), Florida (2,640), and Texas (2,492) held the largest number of HIV-positive inmates. These three States housed nearly half of all HIV-infected inmates in State prisons in 2000. HIV-positive inmates comprised 2.2% of the State prison population in 2000, down from 2.4% in 1995. In Federal prisons, HIV-positive inmates comprised 0.8% in 2000, the lowest rate since reporting began in 1991. Overall, the percent of the total prison population with HIV decreased from 2.1% in 1999 to 2.0% in 2000.

> Percent of custody population known to be HIV nositive

	KIIOWII IO DE LIIV POSILIVE			
Year	State	Federal		
1995	2.4%	0.9%		
1996	2.3	1.0		
1997	2.2	1.0		
1998	2.3	1.0		
1999	2.3	0.9		
2000	2.2	0.8		

Inmates in the Northeast had the highest rates of HIV infection

Within the Northeast, 5.2% of the prison population were known to be HIV positive in 2000, followed by 2.3% in the South, 1.1% in the Midwest, and 0.9% in the West. New York had the highest percentage of inmates known to be HIV positive (8.5%), followed by Maryland (4.3%), and Florida (3.7%).

^aCounts published in previous reports have been revised.

blncludes only those inmates housed in a jurisdiction's facilities.

Percentages are based on custody counts, except for New Mexico. In 2000

New Mexico's percentages are based on its yearend jurisdiction count.

Exclude inmates in jurisdictions that did not report data. National and Regional

totals on 12/31/00 include 43 HIV-positive cases in Alaska reported in the midyear count.

dExcludes data from Indiana in the midyear 2000 count.

^eMidyear 2000 count was estimated by averaging the yearend 1999 and 2000 counts.

Three States (North Dakota, South Dakota, and Wyoming) reported 10 or fewer cases of HIV-positive inmates in their prisons. In 2000 every reporting jurisdiction held at least one HIV-positive inmate. Six States reported that fewer than 0.5% of their inmate population were HIV positive.

Between 1999 and 2000, 18 States reported a decrease in the number of HIV-positive inmates. The largest decrease was reported in New York -6,000 in 2000, down from 7,000 in 1999. Twenty-nine States reported an increase. The largest increases were reported in Virginia (up 220), Maryland (178), and Alabama (136).

A greater percent of females than males with HIV infection

On December 31, 2000, there were 19,935 male inmates and 2,243 female inmates in State prisons known to be HIV positive (table 2). Overall, 2.2% of male inmates and 3.6% of all female inmates were known to be HIV positive. The rate of HIV infection was higher among females than among males in all regions and in most States.

New York reported the largest number of male and female HIV-positive inmates (5,400 and 600, respectively). The second largest number of HIV-positive male and female inmates were in Florida (2,269 and 371, respectively) followed by Texas (2,220 and 272, respectively). Four States (Maine, North Dakota, Hawaii, and Wyoming) reported having no HIV-positive female inmates. No State reported zero HIV-positive male inmates.

In six States and the District of Columbia. more than 5% of all female inmates were known to be HIV positive. In two jurisdictions over 15% of all female inmates were known to be HIV positive — the District of Columbia (41.0%) and New York (18.2%). New York (with 8.0%) was the only State with more than 5% of their male inmates known to be HIV positive.

Table 2. Inmates in custody of State and Federal prison authorities known to be positive for the human immunodeficiency virus, by gender, yearend 2000

	Male HIV cases		Female HIV cases	
		Percent of		Percent of
Jurisdiction	Number	population	Number	population
U.S. total				
Reported	20,949	2.0%	2,243	3.6%
Estimated*	22,908		2,472	
Federal	1,014	0.9%		
State	19,935	2.2	2,243	3.6
	10,000		_,	
Northeast	7,836	4.9%	885	10.3%
Connecticut	497	3.2	96	8.1
Maine	11	0.7	0	0
Massachusetts	283	2.9	30	4.6
New Hampshire	21	1.0	2	1.3
New Jersey New York	681 5,400	3.0 8.0	90 600	6.8 18.2
Pennsylvania	849	2.4	51	3.2
Rhode Island	78	2.5	12	4.9
Vermont	16	1.3	4	5.0
Midwest	2,049	1.1%	154	1.2%
Illinois	570	1.3	49	1.7
Indiana Iowa	 24	0.3	3	 0.5
Kansas		0.5 		0.5
Michigan	541	1.2	44	2.1
Minnesota	38	0.7	4	1.2
Missouri	249	1.0	18	0.9
Nebraska	17	0.5	1	0.4
North Dakota	2	0.2	0	0
Ohio South Dakota	454 3	1.1 0.1	24 1	0.9 0.5
Wisconsin	151	1.1	10	0.8
WISCONSIII	131	1.1	10	0.0
South	8,107	2.2%	1,007	3.8%
Alabama	390	1.8	29	1.9
Arkansas	94	0.9	7	1.0
Delaware District of Columbia	 101	2.7	 25	41.0
Florida	2,269	3.4	371	9.0
Georgia				
Kentucky	111	1.2	13	2.0
Louisiana	463	2.5	37	3.9
Maryland	879	4.0	119	9.8
Mississippi North Carolina	201	2.0	29	2.3
Oklahoma	 136	1.0	9	0.6
South Carolina	531	2.7	29	2.1
Tennessee	196	1.6	19	2.2
Texas	2,220	1.8	272	2.7
Virginia	504	1.9	46	2.3
West Virginia	12	0.4	2	1.4
West	1,943	1.0%	197	1.3%
Alaska				
Arizona				
California	1,504	1.0	134	1.2
Colorado	133	1.0	13	1.0
Hawaii Idaho	19 13	0.6 0.4	0 1	0 0.3
Montana	10	0.4	1	0.3
Nevada	115	1.3	36	12.4
New Mexico	27	0.6	1	0.2
Oregon				
Utah	34	0.9	3	1.1
Washington	82	0.6	8	0.8
Wyoming	6	0.5	0	0

⁻⁻Not reported.

^{*}Includes estimate of the number of inmates with HIV/AIDS by gender for Indiana, Kansas, Delaware, Georgia, North Carolina, Alaska, Arizona, and Oregon. Estimates were based on the most recent data available by gender.

Number of HIV-positive female inmates rose during 2000

In States that did not provide a breakdown of the number of HIV cases by gender, estimates were made to provide comparable year-to-year data. Estimates were made using the distribution from the most recent year in which data were reported. Based on these yearend estimates, the number of HIV infected females increased from 2,402 to 2,472 during 2000. The number of infected male inmates decreased from 22,175 in 1999 to 21,894 in 2000. On average, from 1995 to 2000 the estimated number of male State prisoners infected with HIV increased annually by 0.7%; and the number of female prisoners by 2.1%.

While the estimated number of both male and female HIV-positive inmates in State prisons has increased since 1995, the percentage of male HIV-positive inmates has remained nearly stable, fluctuating between 2.3% and 2.1%, and the percentage of female inmates has decreased from 4.0% in 1995 to 3.4% in 2000.

	State prison inmates			
	Estimated	Percent		
	number of	HIV/AIDS in		
	HIV-positive	custody		
Year	inmates*	population		
Males				
1995	21,144	2.3%		
1996	21,299	2.2		
1997	20,608	2.1		
1998	22,045	2.2		
1999	22,175	2.2		
2000	21,894	2.1		
Annual ave	erage change,			
1995-2000		0.7%		
Females				
1995	2,230	4.0%		
1996	1,938	3.1		
1997	2,258	3.5		
1998	2,552	3.8		
1999	2,402	3.5		
2000	2,472	3.4		
Annual ave	erage change,			
1995-2000		2.1%		

^{*}To provide year-to-year comparisons, estimates were made for States not reporting a gender breakdown. For each State, estimates were made by applying the same percent breakdown by gender from the most recent year when data were provided.

Table 3. Inmates in custody of State and Federal prison authorities and known to have confirmed AIDS, 1999-2000

and known to have confirmed AIDS, 1999-2000 Confirmed AIDS cases as a						
	Confi	rmed AIDS	rases	percent of c		
Jurisdiction	12/31/99	6/30/00	12/31/00	12/31/99	6/30/00	12/31/00
U.S. total					0,00,00	
Reported Estimated ^b	6,642 7,039	6,011	5,528 6,520	0.6%		0.5%
Federal State	431 6,211	 6,011	298 5,230	0.4% 0.6	0.5	0.2% 0.6
Northeast	2,054	2,018	1,915	1.2%	1.2%	1.1%
Connecticut Maine	247 9	195 7	243 2	1.5 0.5	1.1 0.4	1.5 0.1
Massachusetts	138	166	130	1.3	1.6	1.3
New Hampshire	7 215	7 208	7 161	0.3 0.9	0.3 0.8	0.3 0.7
New Jersey New York	1,170	208 1,195	1,100	1.6	1.7	1.6
Pennsylvania	231	229	247	0.6	0.6	0.7
Rhode Island	32	5	20	1.1	0.1	0.6
Vermont	5	6	5	0.4	0.5	0.4
Midwest Illinois	331 135	466 123	343 84	0.2% 0.3	0.2% 0.3	0.2% 0.2
Indiana		98		0.5	0.5	
lowa	6	9	8	0.1	0.1	0.1
Kansas	4	5	6	‡	0.1	0.1
Michigan Minnesota	 2	41 2	 2	 ‡	0.1 ‡	 ‡
Missouri	52	44	46	0.2	0.2	0.2
Nebraska	2	2	2	0.1	0.1	0.1
North Dakota Ohio	0 106	0 121	0 138	0 0.2	0 0.3	0 0.3
South Dakota	2	2	4	0.2	0.3	0.3
Wisconsin	22	19	53	0.1	0.1	0.3
South	3,124	3,170	2,638	0.8%	0.6%	0.7%
Alabama Arkansas	30 23	32 0	19 28	0.1 0.2	0.1 0	0.1 0.3
Delaware		27			0.5	
District of Columbia	82	0	14	1.8	0	0.4
Florida	804	819	768	1.2	1.1	1.1
Georgia Kentucky	 13	223 35	 11	0.1	0.5 0.3	0.1
Louisiana		178			0.9	
Maryland	319	217	325	1.4	1.0	1.4
Mississippi North Carolina	50 210	49 196	20 213	0.5 0.7	0.3 0.7	0.2 0.7
Oklahoma	23	62	34	0.2	0.7	0.7
South Carolina	223	217	234	1.1	1.0	1.1
Tennessee Texas	73 994	51 953	48 922	0.5 0.7	0.3 0.6	0.4 0.7
Virginia	280	108	922	1.1	0.6	U.7
West Virginia	0	3	2	0	0.1	0.1
West	702	357	334	0.3%	0.1%	0.1%
Alaska ^c	7 63	9 35	10	0.3 0.2	0.3 0.1	 ‡
Arizona California ^d	553	224	174	0.2	0.1	0.1
Colorado	8	24	23	0.1	0.2	0.2
Hawaii	7	1	1	0.2	‡	‡
ldaho Montana	4 0	6 1	3 0	0.1 0	0.2 ‡	0.1 0
Nevada	26	25	28	0.3	0.3	0.3
New Mexico	0	0	2	0	0	‡
Oregon Utah	6 17	8 17	 17	0.1 0.3	0.1 0.4	0.4
Washington	7	7	74	0.3 ‡	0.4 ‡	0.4
Wyoming	4	0	2	0.3	Ŏ	0.2

⁻⁻Not reported.

[‡]Less than .05%.

^aPercents exclude inmates in jurisdictions that did not report type of HIV/AIDS infection. blncludes estimates of the number of inmates with confirmed AIDS for Michigan, Delaware, Georgia, and Louisiana in 1999 and 2000, and for Virginia, Alaska, and Oregon in 2000. Estimates were based on the most recent data.

^cThe number of confirmed AIDS cases on June 30, 2000, was used to estimate the number on December 31, 2000.

^dExcludes 224 HIV/AIDS cases pending classification on December 31, 2000.

The number of confirmed AIDS cases in U.S. prisons decreased during 2000

At the end of 2000, 5,528 inmates in U.S. prisons had confirmed AIDS, down from 6,642 in 1999. Among those with confirmed AIDS, 5,230 were in State prisons and 298 were in Federal prisons (table 3).

Confirmed AIDS cases made up 0.6% of inmates in State prisons and 0.2% of those in Federal prisons. Of those known to be HIV-positive inmates. over a fifth had confirmed AIDS.

The States with the largest number of confirmed AIDS cases were New York (1,100), Texas (922), Florida (768), and Maryland (325). Combined, these States held more than half of all confirmed AIDS cases in State prisons. Fifteen States reported having fewer than 10 confirmed AIDS cases in their prisons.

New York (1.6%) reported the highest percentage of confirmed AIDS, followed by Connecticut (1.5%), Maryland (1.4%), and Massachusetts (1.3%). In 15 States, confirmed AIDS cases comprised 0.1% or less of State inmates.

During 2000, 19 States and the District of Columbia reported a decrease in the number of confirmed AIDS cases. Excluding California which had 224 HIV/AIDS cases awaiting classification, Texas with a decrease of 72, had the largest drop in the number of confirmed AIDS cases, followed by New York (down 70). Sixteen States reported an increase in the number of confirmed AIDS cases, led by Washington up from 7 in 1999 to 74 in 2000.

Because some States each year did not provide a breakdown of the number of HIV cases by type of HIV infection, estimates of the number of confirmed AIDS cases were made for those States to provide comparable year-toyear data. Based on yearly estimates, the number of confirmed AIDS cases decreased from 7.039 in 1999 to 6,520 in 2000. Overall, since 1995 the estimated number of confirmed AIDS cases has increased by 1,363.

Number of confirmed AIDS cases

	Reported	Estimated
Year	numberª	number⁵
1995	5,099	5,157
1996	5,874	6,092
1997	6,184	6,326
1998	6,282	6,809
1999	6,642	7,039
2000	5,528	6.520

^aExcludes 3 States in 1995, 6 States in 1996, 4 in 1997, 7 in 1998, 5 in 1999, and 8 in 2000.

^bIn States not reporting confirmed AIDS, estimates were made by applying the percent breakdown by type of HIV infection from the most recent year when data were provided.

Rate of confirmed AIDS higher among prison inmates than U.S. general population


In every year since 1991, the rate of confirmed AIDS has been higher among prison inmates than in the general population (figure 1). At vearend 2000 the rate of confirmed AIDS in State and Federal prisons was about 4 times higher than in the total U.S. population. About 52 in every 10,000 prison inmates had confirmed AIDS, compared to 13 in 10,000 persons in the U.S. general population.

> Percent of population with confirmed AIDS

		State and
	U.S. general	Federal
Year	population	prisoners
1995	0.08%	0.51%
1996	0.09	0.54
1997	0.10	0.55
1998	0.11	0.53
1999	0.12	0.60
2000	0.13	0.52

Note: The percent of the general population with confirmed AIDS in each year may be over-estimated due to delays in death reports. See Methodology for source of data.

Rate of confirmed AIDS cases among the general population compared to State and Federal prisoners



Note: The classification system for HIV infection and the case definition for AIDS were expanded in 1993. This expansion improved estimates of the number and the characteristics of persons with HIV disease, but complicated interpretation of AIDS trends. The increase in reported AIDS cases in 1993 was largely the consequence of the added surveillance criteria.

Figure 1

Table 4. Twenty-five facilities holding the largest number of prisoners with confirmed AIDS

		Numbe	r of inmates on June	30, 2000
			With confirmed	Percent of all
	State	Total	AIDS	inmates
Total		56,021	1,995	3.6%
Stiles Unit	TX	2,856	452	15.8
Broad River Correctional Institution	SC	989	217	21.2
Central Florida Reception Center	FL	2,174	140	6.4
Mohawk Correctional Facility	NY	1,408	111	7.9
Washington Correctional Institution	FL	1,178	78	6.6
Roxbury Correctional Institution	MD	1,906	67	3.5
Osborn Correctional Institution	CT	1,818	64	3.5
California Men's Colony	CA	6,683	63	0.9
Everglades Correctional Institution	FL	1,537	61	4.0
Apalachee Correctional Institution	FL	1,611	60	3.7
Union Correctional Institution	FL	1,703	54	3.2
California State Prison Corcoran	CA	5,840	51	0.9
Reception Diagnostic Center	IN	668	50	7.5
Wheeler Correctional Facility - CCA	GA	1,002	50	5.0
Okeechobee Correctional Institution	FL	1,147	50	4.4
Mississippi State Penitentiary	MS	4,986	49	1.0
Taylor Correctional Institution	FL	1,006	48	4.8
Estelle Unit	TX	2,973	44	1.5
Elayn Hynt Correctional Center	LA	2,151	43	2.0
Martin Correctional Institution and Work Camp	FL	1,057	42	4.0
Albion Correctional Institution	NY	1,342	41	3.1
Louisiana State Penitentiary	LA	5,116	41	8.0
Metropolitan Transition Center	MD	1,604	40	2.5
Attica Correctional Facility	NY	2,211	40	1.8
Lake Correctional Institution	FL	1,055	39	3.7

Source: Data are from the 2000 Census of State and Federal Adult Correctional Facilities. A total of 1,504 facilities reported data on confirmed AIDS.

About a third of prisoners with confirmed AIDS were held in 25 facilities

Data on confirmed AIDS cases from the 2000 Census of State and Federal Adult Correctional Facilities was collected from 1,504 facilities. At midyear 2000, 25 facilities held nearly a third (1,995) of the 6,011 inmates with AIDS (table 4). The facility holding the largest number of inmates with confirmed AIDS was the Stiles Unit in Texas (452), followed by the Broad River Correctional Institution in South Carolina (217), the Central Florida Reception Center in Florida (140), and the Mohawk Correctional Facility in New York (111). These 4 facilities housed about 15% of all inmates with confirmed AIDS.

Two facilities reported that more than 1 in 7 of their inmates had confirmed AIDS; Broad River Correctional Institution in South Carolina (21%) and Stiles Unit in Texas (16%).

Nearly a quarter of HIV-positive prisoners were housed in medical treatment facilities

The 2000 Census of State and Federal Adult Correctional Facilities identified 135 facilities that had medical treatment as either a primary or secondary function. These facilities held 4,662 inmates known to be HIV positive. Fifty-one percent of HIV-positive inmates in facilities that primarily function as a medical facility had confirmed AIDS; among those with HIV in facilities where medical

treatment is a secondary function, 30% had confirmed AIDS. The majority of inmates known to be HIV positive were held in general population facilities.

	Facilities that specialize in medical treatment			
Number of				
inmates	Total	Primary	Secondary	
Total ^b	4,662	72	4,590	
Confirmed AIDS	1,430	37	1,393	

^aFacilities could report more than one function. Primary function was the category which applied to the largest number of inmates on June 30. Secondary function includes all other facilities that reported medical treatment as a facility function.

AIDS-related deaths in State prisons have dropped by more than 80% since 1995

The number of State inmates who died of Pneumocystis carinii pneumonia, Kaposis's sarcoma, or other AIDSrelated diseases peaked in 1995 and has been steadily decreasing (figure 2). Between 1995 and 2000 the number of AIDS-related deaths decreased from 1,010 to 174 (table 5). AIDS-related deaths accounted for 6% of all deaths among State prisoners in 2000, down from 32% in 1995.

With the introduction of protease inhibitors and combination antiretroviral therapies, there has been vast improvement in the quality and effectiveness in HIV/AIDS care.

	Number AIDS-related			
	deaths among State	Rate per		
Yearend	prisoners	1000,000		
1991	520	71		
1992	648	83		
1993	761	89		
1994	955	104		
1995	1,010	100		
1996	907	90		
1997	538	48		
1998	350	30		
1999	242	20		
2000	174	14		

After being the second leading cause of death since 1991, AIDS-related illnesses are now the third leading cause of death in State prisons following deaths due to natural causes (2,139), and suicides (185).

Table 5 Number of inmate deaths in State prisons, by cause, 1995 and 2000

			Rate	of		
			death	per		
	Num	ber	100,000			
	of de	aths	inmates*			
Cause of death	1995	2000	1995	2000		
Total	3,133	2,865	311	230		
Natural causes						
other than AIDS	1,596	2,139	156	172		
AIDS	1,010	174	100	14		
Suicide	160	185	16	15		
Accident	48	24	5	2		
Execution	56	84	6	7		
By another						
person	86	56	9	4		
Other/						
unspecified	204	203	20	16		
*Detail may not add to total due to rounding.						

Among Federal inmates, 21 died from AIDS-related causes up from 16 in 1999 (table 6). In 2000 for every 100,000 inmates, 14 died from AIDSrelated causes. These AIDS related deaths accounted for more than 7% of all deaths in Federal prison.

Fewer deaths reported in all jurisdictions in 2000 compared to 1995

In 2000, for every 100,000 State inmates, 14 died from AIDS-related causes compared to 109 per 100,000 in 1995 (table 7). The most AIDS deaths were reported in the South (91), followed by the Northeast (52). Together, these two regions

Table 6. Number of inmate deaths in Federal prisons, by cause, 1999 and 2000

	Numl of de		Rate of death per 100,000 inmates*		
Cause of death	1999	2000	1999	2000	
Total	268	285	206	196	
Natural causes other than AIDS AIDS Suicide Accident Execution By another	235 16 12 0	242 21 13 4 0	180 12 9 0	166 14 9 3	
person Other/	5	5	4	3	
unspecified	0	0	0	0	

*Detail may not add to total due to rounding.

accounted for more than three-quarters of AIDS-related deaths in State prisons.

Florida reported the largest number of AIDS-related deaths (48), followed by New Jersey (20), and Pennsylvania (13). Twenty-four States reported having no AIDS-related deaths.

Relative to the number of inmates, the District of Columbia had the highest rate of AIDS-related deaths (80 per 100,000), followed by New Jersey and Florida (67 per 100,000 inmates), New Hampshire and Connecticut (44 per 100,000), and Pennsylvania (35 per 100,000).




Figure 2

AIDS deaths as a percent of all deaths in State prison more than two and a half that in the general population

The percentage of deaths because of AIDS is about 21/2 times higher in the prison population than in the U.S. general population age 15-54. In 1999 about 1 in every 9 prisoner deaths were attributable to AIDSrelated causes compared to fewer than 1 in 20 deaths in the general population.

AIDS-related deaths as

	a percent of all deaths				
		U.S. general			
	State	population age			
Yearend	prisonersa	15-54 ^b			
1991	28.0%	10.4%			
1992	31.0	11.7			
1993	33.2	11.9			
1994	35.1	12.7			
1995	34.2	13.1			
1996	30.8	10.1			
1997	18.9	5.8			
1998	13.3	5.4			
1999	11.2	4.3			
2000	8.4				

⁻⁻ Not available.

AIDS death rate lower for State prisoners than for comparable general population

Although AIDS deaths represent a higher percentage of all deaths among prisoners than in the general population, the rate of AIDS-related deaths (20 per 100,000) for State inmates in 1999 was significantly

Estimating the AIDS-related death rate for a comparable nonulation 1999

	population, 1999					
	AIDS deaths	Percent				
	per 100,000	of State				
	U.S. residents	prisoners				
Total	7.0	100%				
Male						
White	5.1	30.9				
Black	44.9	42.8				
Hispanic	18.4	16.8				
Other	2.8	3.1				
Female						
White	8.0	2.1				
Black	17.2	2.9				
Hispanic	5.7	1.1				
Other	0.6	0.2				
Weighted avera	age 24.6					

Table 7. AIDS-related deaths of State prisoners, 1995 and 2000

	Deaths from all causes			A	AIDS-related deaths				
	Rate per				Rate per				
lumin ali ati a m		otal		inmates	To 1995	tal 0000		0 inmates	
Jurisdiction	1995	2000	1995	2000		2000	1995	2000	
Total	3,133	2,865	311	230	1,010	174	109	14	
Northeast	740	459	468	263	402	52	254	30	
Connecticut Maine	42 0	35 8	280 0	191 476	24 0	8 0	160 0	44 0	
Massachusetts	34	23	296	215	14	2	122	19	
New Hampshire	2	4	97	177	2	1	97	44	
New Jersey	137	94	535	316	66	20	258	67	
New York Pennsylvania	396 122	169 118	578 409	241 320	258 38	8 13	376 127	11 35	
Rhode Island	7	6	223	183	0	0	0	0	
Vermont	Ö	2	0	118	Ö	Ö	Ö	Ö	
Midwest	481	509	252	214	63	15	42	7	
Illinois	103	81	273	179	31	6	82	13	
Indiana Iowa	44 9	46 12	280 158	229 151	1 0	0	6 0	0	
Kansas	13	18	188	216	0	0	0	0	
Michigan	104	123	251	258		4		8	
Minnesota	9	10	189	160	1	0	21	0	
Missouri Nebraska	53 13	45 8	280 464	163 205	4 0	2 0	21 0	7 0	
North Dakota	13	2	464 164	205 186	0	0	0	0	
Ohio	114	127	262	277	23	3	53	7	
South Dakota	5	4	275	153	0	0	0	0	
Wisconsin	13	33	122	159	3	0	28	0	
South Alabama	1,455 88	1,402 74	325 438	250 281	432 20	91 8	105 100	28 30	
Arkansas	26	30	436 286	251 252	20 1	0	110	0	
Delaware	9	4	194	58	Ö	ő	Ö	Ö	
District of Columbia		14	67	188		6		80	
Florida Georgia	254 127	197 103	410 372	276 233	150 50	48 8	242 147	67 18	
Kentucky	29	48	243	322	2	0	17	0	
Louisiana	68	93	270	264					
Maryland	54	49	252	208	25	5	117	21	
Mississippi North Carolina	42 69	34	337 257	153	5 28	2	40 104	10 	
Oklahoma	66	61	375	263	4	2	23	9	
South Carolina	63	61	323	280	34	7	175	32	
Tennessee	64	46	429	208	12 74	0	80	0	
Texas Virginia	399 83	494 78	314 304	296 259	74 27	 5	58 99	 17	
West Virginia	7	16	287	415	0	0	0	0	
West	457	495	217	182	113	16	54	6	
Alaska	5	9	154	216	0	0	0	0	
Arizona	58	66	277	249	0	2	0	8	
California Colorado	262 25	281 32	199 232	172 190	91 6	12 1	69 56	9 6	
Hawaii	11	5	307	99	1	Ö	28	Ö	
Idaho	.1	7	31	126	0	0	0	0	
Montana Nevada	11 25	5 25	581 334	161 248	0 6	0	0 80	0 0	
New Mexico	25 8	25	334 194	248	0	0 0	80 0	0	
Oregon	21	19	280	180	5	ő	67	0	
Utah	6	8	183	142	0	0	0	0	
Washington Wyoming	23 1	31	202 76	208 417	4 0	1 0	35	7 0	
, ,		7		417	- 0		0		
Not reported.									

lower than the rate (25 per 100,000) for a comparable group in the general population.

To compare death rates, a rate of death for a comparable population was estimated by weighting AIDSrelated death rates in the general population by the percent of State prisoners in each gender and

racial/ethnic subgroup. A weighted average (24.6 per 100,000) was calculated by summing these weights. This average represents the rate of death due to AIDS for persons in the general population based on a similar composition of men and women, and whites, blacks, Hispanics, and persons of other races.

^aPercents are based on the number of inmate deaths, excluding those in jurisdictions not reporting AIDS-related deaths.

bSee Methodology for source of data.

20 States and the Federal Bureau of Prisons test all inmates for HIV at admission or while in prison

Data on HIV prevalence rates are reported in the National Prisoners Statistics series (NPS) by prison officials. The quality of the information reported may vary by the circumstances under which inmates were tested. Circumstances range from testing all inmates to testing only upon inmate request.

Each State, the District of Columbia, and the Federal Bureau of Prisons test their inmates for HIV based on certain criteria (table 8). Most jurisdictions (51) test inmates if they have HIV-related symptoms or if the inmates request a test. Forty States and the Federal Bureau of Prisons test inmates after they are involved in an incident, and 15 States test inmates who belong to specific "high-risk groups."

Missouri, Alabama, Nevada, and the Federal Bureau of Prisons test inmates upon their release.

Arkansas, Georgia, Mississippi, South Carolina, and Nevada test all inmates currently in custody. Three States (New York, Virginia, and Oregon) and the Federal Bureau of Prisons test inmates selected at random.

Circumstances	Number of jurisdictions
Upon inmate request	46
Upon clinical indication of need	46
Upon involvement in	
an incident	41
All incoming inmates	19
High-risk groups	15
All inmates at time of release	4
All inmates currently in custody	5
Court order	43
Random sample	4

Note: Detail adds to more than 52 because a jurisdiction may test inmates under multiple circumstances.

All inmates	Table 8. Circumstances under which inmates were tested for the antibody to the human immunodeficiency virus, by jurisdiction, 2000										
Federal*					_						
Entering custody release group request too Incident sample order Other Northeast Sample Sample Sample Order Sample Order Sample Sample Order Sample Sample			In	۸+					Dandom	Court	
Northeast											Other
Connecticut					3						
Connecticut	Northoast										
Maline X X X Massachusetts X X X X New Jersey X<					×	X	X	X		X	
New Hampshire X					^						
New Jersey						X					
New York		Х				V		Х			V
Pennsylvania					×			×	X		
Rhode Island									,		
Midwest Illinois	Rhode Island							X		X	X
Illinois	Vermont					Х	Х				
Illinois	Midwest										
Indiana					Х	Х	Х	X		Х	
Kansas X <td>Indiana</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Χ</td> <td></td>	Indiana									Χ	
Michigan X<		X			.,		v				
Minnesota X		Y			Х		Х	Х			V
Missouri		^			X		Х	X			^
North Dakota		Χ		X	,,					, ,	X
Ohio X						X					
South Dakota						V					
South		Х									
South							^				
Alabama	South										
Arkansas X<		~		~		~	~	~		~	
Delaware			X	^	X						
Florida		,,	,,		,,	X	,,	, ,		, ,	
Georgia		oia									
Kentucky X<		V	V			Х					
Louisiana	•	X	X		×	×					
Maryland X<	•				^		X			^	
North Carolina X						X	Χ			X	X
Oklahoma X<		Х	Х				Х				
South Carolina X		~					X			~	
Tennessee X			X				X				X
Virginia X<							Χ				
West Virginia X X X West Alaska X					Х						X
West X	Virginia West Virginia					X	X	Х	Х	X	
Alaska X <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>^</td> <td></td>	9									^	
Arizona X </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>.,</td> <td>.,</td> <td></td> <td></td> <td>.,</td> <td></td>						.,	.,			.,	
California X					V					X	
Colorado X<					^						
Hawaii X <td></td> <td>Χ</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td>Χ</td>		Χ					X	X			Χ
Montana X X X X Nevada X X X X X New Mexico X X X X X Oregon X X X X X X Utah X X X X X X X Wysoming X X X X X X X										X	
Nevada X <td></td> <td>X</td> <td></td> <td></td> <td>Х</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Х</td>		X			Х						Х
New Mexico X X X Oregon X X X X Utah X X X X X Washington X X X X Wyoming X X X X		X	X	¥	Y					X	
Oregon X <td></td> <td>^</td> <td>^</td> <td>^</td> <td>^</td> <td></td> <td></td> <td>^</td> <td></td> <td></td> <td></td>		^	^	^	^			^			
Washington X X X X X X Wyoming X X	Oregon					X	X		X	X	
Wyoming X X		Χ			Χ						Χ
		v				Х		Х		Х	
			4	-1				-4			

Since 1991 the number of jurisdictions reporting each testing policy has remained relatively stable with the exception on those testing based on involvement in an incident. In 2000 42 reported testing those involved in an incident, up from 20 in 1991.

Methodology

National Prisoner Statistics

The National Prisoner Statistics series (NPS-1) includes yearend counts of prisoners by jurisdiction, gender, race, Hispanic origin, and admissions and releases during the year. The series consists of reports from the departments of corrections of the 50 States, the District of Columbia, and the Federal Bureau of Prisons. Since 1991 respondents have indicated the circumstances under which inmates are tested for HIV and have provided the number of HIV-infected inmates in their custody.

Census of State and Federal Adult Correctional Facilities

The 2000 Census of State and Federal Adult Correctional Facilities was the sixth enumeration of State institutions sponsored by the Bureau of Justice Statistics. Earlier censuses were completed in 1974, 1979, 1984, 1990, and 1995.

The facility universe was developed from the 1995 census. Each department of corrections was contacted to identify new facilities and facilities that had been closed since June 30, 1995. Data were collected from all facilities, resulting in a final response rate of 100%.

Facilities were included in the census if they had separate staffs; housed primarily State or Federal prisoners; were physically, functionally, and administratively separate; and operational on June 30, 2000. Overall, the census identified 84 Federal facilities, 1,295 State facilities, 22 facilities under State and local authority, 3 facilities operated by the District of Columbia, and 264 privately operated facilities.

The census included the following types of adult correctional facilities: prisons and penitentiaries; boot camps; prison farms; reception, diagnostic, and classification centers; road camps, forestry and conservation camps; youthful offender facilities (except in California); vocational training facilities; prison hospitals; drug and alcohol treatment facilities; and State-operated local detention facilities (in Alaska, Connecticut, Delaware, Hawaii, Rhode Island, and Vermont).

AIDS in the U.S. resident population

The number of persons with confirmed AIDS in the U.S. general population (age 13 and over) was derived from the Centers for Disease Control and Prevention (CDC), HIV/AIDS Surveillance Report, yearend editions 1995-99. For each year the number of active AIDS cases in the United States was calculated by subtracting the number of cumulative AIDS deaths for people age 15 and older at yearend from the cumulative number of total AIDS cases for people

Key survey items on HIV/AIDS						
National Prisoner Statistics During 2000 were any inmates under your custody tested for the antibody to the Human Immunodeficiency Virus (HIV) that causes AIDS?						
☐ Yes ☐ No						
Under what circumstances were inmates (1) All incoming inmates (2) All inmates currently in custody (3) All inmates at time of release (4) Random samples of inmates while in (5) High risk groups Specify	☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No					
National Prisoner Statistics On December 31, 2000, how many inmates under your custody were —	2000 Census of State and Federal Adult Correctional Facilities Of all inmates confined in your facility on June 30, 2000 how many were —					
Asymptomatic HIV positive Male Female Infected with lesser forms of symptomatic Male Female Confirmed to have AIDS Male Female Total Male Female	HIV disease					

age 13 and older at yearend as listed in the HIV/AIDS Surveillance Report.

The rate of confirmed AIDS cases in the U.S. resident population was calculated by dividing the annual totals for individuals with AIDS by the population estimates for the U.S. resident population of individuals 13 and older.

AIDS-related deaths in the United States

The number of AIDS-related deaths for persons age 15-54 was derived from the CDC, HIV/AIDS Surveillance Report, yearend editions. Deaths in the U.S. population for persons age 15-54 were taken from the CDC, Monthly Vital Statistics Report, Vol. 42, No. 2(S); Vol. 43, No. 12; Vol. 43, No. 6(S); Vol. 45, No. 3(S); and Vol. 45, No. 11(S); and from CDC, National Vital Statistics Report, Vol. 47, No. 9; Vol. 47, No. 25; Vol. 48, No. 11; and Vol. 49, No. 8.

AIDS-related deaths as a percentage of all deaths in the U.S. population were calculated by dividing the national estimate of AIDS deaths of persons age 15-54 by the national mortality estimates of persons age 15-54 in a given year.

The Bureau of Justice Statistics is the statistical agency of the U.S. Department of Justice. Lawrence A. Greenfeld is director.

BJS Bulletins present the first release of findings from permanent data collection programs such as the National Prisoner Statistics.

Laura M. Maruschak wrote this report, under the supervision of Allen J. Beck. Paige M. Harrison provided statistical review. Tom Hester and Tina Dorsey edited the report. Jayne Robinson prepared the report for publication.

October 2002, NCJ 196023

This report and others from the Bureau of Justice Statistics are available through the Internet: http://www.ojp.usdoj.gov/bjs/

U.S. Department of JusticeOffice of Justice Programs
Bureau of Justice Statistics

Washington, DC 20531

Official Business Penalty for Private Use \$300 PRESORTED STANDARD POSTAGE & FEES PAID DOJ/BJS Permit No. G-91

How to get other BJS reports

For the most recent list of BJS reports, visit the BJS website at **http://www.ojp.usdoj.gov/bjs** You can download BJS reports at no cost. Instructions for ordering printed copies of BJS reports are available on the BJS website.

Twice a month, Justice Information (JUSTINFO) Electronic Newsletter, will give you information about publications and activities of the criminal justice and juvenile justice agencies that sponsor the National Criminal Justice Reference Service (NCJRS). To subscribe to JUSTINFO, send an e-mail to listproc@ncjrs.org, typing in the body of your message **subscribe justinfo your name**.

To receive BJS printed reports dealing with subjects that you specify and to register for the free NCJRS bimonthly catalog sent through the mail, please call the BJS Clearinghouse at **1-800-732-3277**. The Clearinghouse specialist will send you a registration packet.